

UNIVERSITY OF ARIZONA




39001007199063

CATALOGUE
OF THE
N O C T U I D Æ

IN THE
COLLECTION

OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.



PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY
LONGMANS & CO., PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., LTD., 37 SOHO SQUARE, W.;

AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1910.



SOLD BY ORDER OF PRESIDENT & COUNCIL
ROYAL COLLEGE OF SURGEONS OF ENGLAND

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

595.78

B86c

Plates

U. 9-13

210070

PLATE CXXXVII.

1.	<i>Namangana atrescens</i> , ♂.	Vol. VIII.	p. 550.	Sikkim.
2.	„ <i>canoa</i> , ♂.	„	p. 551.	Arizona.
3.	„ <i>atripars</i> , ♀.	„	p. 552.	Cape Colony.
4.	„ <i>abalas</i> , ♂.	„	p. 552.	Arizona.
5.	„ <i>vulnerea</i> , ♀.	„	p. 552.	Arizona.
6.	„ <i>flavistriga</i> , ♀.	„	p. 553.	Alberta.
7.	„ <i>egestis</i> , ♀.	„	p. 556.	Arizona.
8.	„ <i>leucorena</i> , ♂.	„	p. 556.	Arizona.
9.	„ <i>albirena</i> , ♀.	„	p. 557.	Queensland.
10.	„ <i>niveirena</i> , ♀.	„	p. 557.	California.
11.	„ <i>consors</i> , ♀.	„	p. 558.	Arizona.
12.	„ <i>texana</i> , ♂.	„	p. 558.	Texas.
13.	„ <i>variata</i> , ♀.	„	p. 559.	Mexico.
14.	„ <i>charada</i> , ♀.	„	p. 560.	Mexico.
15.	<i>Neostrotia nigripalpis</i> , ♂.	„	p. 562.	Brazil.
16.	<i>Micromonodes marita</i> , ♂.	„	p. 566.	Brazil.
17.	<i>Gortyna dolia</i> , ♂.	Vol. IX.	p. 21.	W. Turkestan.
18.	„ <i>caduca</i> , ♀.	„	p. 23.	Michigan.
19.	„ <i>reniformis</i> , ♂.	„	p. 23.	New York.
20.	<i>Apamea butleri</i> , ♀.	„	p. 26.	W. China.
21.	„ <i>velata</i> , ♂.	„	p. 26.	Canada.
22.	„ <i>senilis</i> , ♀.	„	p. 29.	New Mexico.
23.	„ <i>lunata</i> , ♂.	„	p. 29.	California.
24.	„ <i>erepta</i> , ♂.	„	p. 30.	Kansas.
25.	<i>Xanthocia buffaloensis</i> , ♀.	„	p. 33.	New York.
26.	<i>Hydræcia pallescens</i> , ♂.	„	p. 37.	Alberta.
27.	„ <i>cervago</i> , ♂.	„	p. 38.	Russia.
28.	„ <i>puengeleri</i> , ♂.	„	p. 39.	Sicily.
29.	„ <i>immanis</i> , ♂.	„	p. 41.	New York.
30.	„ <i>amurensis</i> , ♂.	„	p. 42.	Japan.
31.	„ <i>perobliqua</i> , ♂.	„	p. 44.	Manitoba.





PLATE CXXXVIII.

1. *Hydræcia stramentosa*, ♀. Vol. IX. p. 44. New York.
2. " *diplocyma*, ♂. " p. 45. Canada.
3. " *juvenilis*, ♂. " p. 45. New Mexico.
4. *Erythræcia rhodophora*, ♂. " p. 58. Guatemala.
5. *Papaipema appassionata*, ♂. " p. 63. Canada.
6. " *cerina*, ♀. " p. 64. Kansas.
7. " *inquæsitâ*, ♀. " p. 64. New York.
8. " *speciosissima*, ♂. " p. 65. New Jersey.
9. " *stenoscelis*, ♀. " p. 65. Maryland.
10. " *nephrasyntheta*, ♀. " p. 66. Maryland.
11. " *marginidens*, ♂. " p. 66. New York.
12. " *baptisiæ*, ♂. " p. 67. New York.
13. " *furcata*, ♂. " p. 68. Washington.
14. " *circumlucens*, ♂. " p. 68. New York.
15. " *rutila*, ♂. " p. 69. Illinois.
16. " *ochroptena*, ♂. " p. 70. Colorado.
17. " *merriccata*, ♂. " p. 70. New York.
18. " *insulidens*, ♀. " p. 71. Vancouver.
19. " *anglica*, ♂. " p. 71. California.
20. " *astuta*, ♀. " p. 72. New York.
21. " *activorens*, ♂. " p. 73. Canada.
22. " *impecuniosa*, ♂. " p. 74. New York.
23. " *verona*, ♂. " p. 75. Manitoba.
24. " *limata*, ♂. " p. 76. Washington.
25. " *purpurifascia*, ♀. " p. 76. Canada.
26. " *anargyrea*, ♂. " p. 77. Colorado.
27. " *pterisii*, ♂. " p. 78. Canada.
28. " *rigida*, ♂. " p. 78. Pennsylvania.
29. " *duovata*, ♂. " p. 79. New York.
30. " *cataphracta*, ♂. " p. 80. Canada.
31. " *imperspicua*, ♂. " p. 80. New Hampshire.
32. " *unimoda*, ♂. " p. 81. Colorado.





PLATE CXXXIX.

1.	<i>Papaipema aveme</i> , ♂.	Vol. IX. p. 81.	Manitoba.
2.	„ <i>nelita</i> , ♀.	„ p. 82.	New York.
3.	„ <i>frigida</i> , ♂.	„ p. 82.	Canada.
4.	„ <i>cerussata</i> , ♂.	„ p. 83.	New York.
5.	„ <i>sciata</i> , ♂.	„ p. 84.	New York.
6.	„ <i>limpida</i> , ♂.	„ p. 85.	Illinois.
7.	„ <i>nebris</i> , ♂.	„ p. 85.	Illinois.
8.	„ <i>duplicata</i> , ♀.	„ p. 86.	New York.
9.	„ <i>maritima</i> , ♂.	„ p. 87.	New York.
10.	„ <i>eupatorii</i> , ♂.	„ p. 87.	Pennsylvania.
11.	„ <i>necopina</i> , ♂.	„ p. 88.	New York.
12.	„ <i>imperturbata</i> , ♀.	„ p. 88.	Pennsylvania.
13.	<i>Ogdoconta muscula</i> , ♂.	„ p. 89.	Mexico.
14.	„ <i>moreno</i> , ♂.	„ p. 91.	Arizona.
15.	„ <i>tacna</i> , ♂.	„ p. 91.	Texas.
16.	„ <i>cymographa</i> , ♂.	„ p. 92.	Mexico.
17.	<i>Geroda excisa</i> , ♂.	„ p. 94.	Brazil.
18.	„ <i>leucocyela</i> , ♀.	„ p. 94.	Colombia.
19.	„ <i>xeneusalis</i> , ♂.	„ p. 95.	Brazil.
20.	<i>Macapta psectrocera</i> , ♂.	„ p. 97.	Colombia.
21.	„ <i>carnescens</i> , ♂.	„ p. 98.	Brazil.
22.	„ <i>lurida</i> , ♀.	„ p. 99.	Brazil.
23.	„ <i>niveigutta</i> , ♀.	„ p. 99.	Brazil.
24.	„ <i>nebula</i> , ♂.	„ p. 100.	Brazil.
25.	„ <i>marginata</i> , ♂.	„ p. 101.	Brazil.
26.	„ <i>holophæa</i> , ♀.	„ p. 101.	Peru.
27.	„ <i>albivitta</i> , ♂.	„ p. 102.	Jamaica.
28.	„ <i>dileuca</i> , ♀.	„ p. 102.	Argentina.
29.	<i>Stibadium olvello</i> , ♂.	„ p. 105.	New Mexico.
30.	„ <i>curiosa</i> , ♂.	„ p. 106.	Mexico.
31.	„ <i>ochoa</i> , ♂.	„ p. 106.	Arizona.
32.	„ <i>aureola</i> , ♀.	„ p. 107.	Arizona.







PLATE CXL.

1.	<i>Stibadium manti</i> , ♂.	Vol. IX.	p. 108.	Texas.
2.	„ <i>corazona</i> , ♂.	„	p. 108.	Mexico.
3.	„ <i>jalada</i> , ♀.	„	p. 109.	Mexico.
4.	„ <i>navia</i> , ♂.	„	p. 109.	Texas.
5.	<i>Hydroecia hucherardi</i> , ♂.	„	p. 36.	France.
6.	<i>Emarginea combusta</i> , ♂.	„	p. 113.	Brazil.
7.	„ <i>niphoplaga</i> , ♀.	„	p. 115.	Colombia.
8.	„ <i>quadrate</i> , ♂.	„	p. 117.	Arizona.
9.	„ <i>ochracea</i> , ♀.	„	p. 118.	Arizona.
10.	„ <i>pallida</i> , ♀.	„	p. 118.	Colorado.
11.	<i>Bryolymnia bicon</i> , ♂.	„	p. 122.	Mexico.
12.	„ <i>atriceps</i> , ♂.	„	p. 122.	Guatemala.
13.	„ <i>viridimedia</i> , ♂.	„	p. 123.	Arizona.
14.	„ <i>picturata</i> , ♀.	„	p. 124.	Mexico.
15.	<i>Calymniodes rhodopis</i> , ♀.	„	p. 130.	Peru.
16.	„ <i>leucographa</i> , ♂.	„	p. 130.	Peru.
17.	„ <i>promentoria</i> , ♂.	„	p. 131.	Ecuador.
18.	„ <i>obconica</i> , ♀.	„	p. 132.	Peru.
19.	„ <i>grandimacula</i> , ♂.	„	p. 132.	Brazil.
20.	„ <i>oliveata</i> , ♂.	„	p. 133.	Peru.
21.	„ <i>mastoides</i> , ♂.	„	p. 133.	Mexico.
22.	„ <i>rufula</i> , ♂.	„	p. 135.	Colombia.
23.	„ <i>xanthia</i> , ♂.	„	p. 135.	Brazil.
24.	„ <i>infirma</i> , ♀.	„	p. 136.	Brazil.
25.	„ <i>conchylis</i> , ♂.	„	p. 136.	Brazil.
26.	„ <i>acamas</i> , ♂.	„	p. 137.	Peru.
27.	„ <i>pyrostroma</i> , ♀.	„	p. 137.	Peru.
28.	„ <i>turcica</i> , ♂.	„	p. 138.	Peru.
29.	„ <i>orbica</i> , ♂.	„	p. 139.	Guatemala.
30.	„ <i>mesochroa</i> , ♂.	„	p. 141.	Panama.
31.	„ <i>albiorbis</i> , ♂.	„	p. 141.	Peru.
32.	„ <i>amplioplaga</i> , ♂.	„	p. 142.	Haiti.





PLATE CXLI.

1.	<i>Calymniodes naevia</i> , ♂.	Vol. IX. p. 143.	Mexico.
2.	„ <i>melagona</i> , ♂.	„ p. 143.	Mexico.
3.	„ <i>aperiens</i> , ♂.	„ p. 144.	Guatemala.
4.	„ <i>parta</i> , ♀.	„ p. 145.	Brazil.
5.	„ <i>dislocata</i> , ♀.	„ p. 145.	Venezuela.
6.	„ <i>retracta</i> , ♀.	„ p. 146.	Peru.
7.	„ <i>fuscoma</i> , ♀.	„ p. 147.	Costa Rica.
8.	<i>Ipimorpha subvexa</i> , ♂.	„ p. 150.	Texas.
9.	„ <i>nanaimo</i> , ♂.	„ p. 151.	Br. Columbia.
10.	<i>Bagisara obscura</i> , ♀.	„ p. 156.	Br. Guiana.
11.	„ <i>rectifascia</i> , ♀.	„ p. 156.	Pennsylvania.
12.	„ <i>paulensis</i> , ♀.	„ p. 156.	Colombia.
13.	„ <i>delicia</i> , ♂.	„ p. 157.	Wisconsin.
14.	<i>Elydna gemini</i> , ♀.	„ p. 167.	N. Guinea.
15.	„ <i>ochreipuncta</i> , ♂.	„ p. 170.	Sikhim.
16.	„ <i>subpartita</i> , ♀.	„ p. 170.	N. Guinea.
17.	„ <i>rectilinea</i> , ♂.	„ p. 172.	Punjab.
18.	„ <i>bisignata</i> , ♀.	„ p. 173.	Madras.
19.	„ <i>pellicea</i> , ♂.	„ p. 174.	Siam.
20.	„ <i>costiplaga</i> , ♀.	„ p. 174.	N. Guinea.
21.	„ <i>atripuncta</i> , ♀.	„ p. 175.	Ceylon.
22.	„ <i>ochracea</i> , ♀.	„ p. 175.	Burma.
23.	„ <i>inconspicua</i> , ♀.	„ p. 176.	N. Guinea.
24.	<i>Closteromorpha modesta</i> , ♂.	„ p. 178.	Brazil.
25.	<i>Androlymnia clavata</i> , ♂.	„ p. 180.	Br. E. Africa.
26.	<i>Calymnia cara</i> , ♀.	„ p. 190.	Japan.
27.	„ <i>flavifimbria</i> , ♂.	„ p. 193.	Kashmir.
28.	„ <i>unicolor</i> , ♀.	„ p. 194.	E. Siberia.
29.	„ <i>achatina</i> , ♂.	„ p. 195.	Japan.
30.	„ <i>ochreimargo</i> , ♂.	„ p. 196.	Punjab.
31.	„ <i>exigua</i> , ♂.	„ p. 197.	Japan.
32.	„ <i>orina</i> , ♂.	„ p. 199.	Canada.





PLATE CXLII.

1.	<i>Calymnia olivescens</i> , ♂.	Vol. IX. p. 200.	Br. E. Africa.
2.	<i>Cirrhophanus dyari</i> , ♂.	„ p. 203.	Arizona.
3.	„ <i>dubifera</i> , ♀.	„ p. 204.	Mexico.
4.	„ <i>magnifera</i> , ♂.	„ p. 204.	Mexico.
5.	„ <i>nigrifera</i> , ♀.	„ p. 205.	Guatemala.
6.	„ <i>papago</i> , ♂.	„ p. 206.	New Mexico.
7.	<i>Basilodes chrysopsis</i> , ♂.	„ p. 208.	New Mexico.
8.	„ <i>mirabilis</i> , ♂.	„ p. 208.	Arizona.
9.	<i>Ectolopha marginata</i> , ♀.	„ p. 213.	Br. E. Africa.
10.	<i>Chalcopasta huardi</i> , ♀.	„ p. 219.	Arizona.
11.	„ <i>cœbeleï</i> , ♂.	„ p. 222.	Kansas.
12.	<i>Psectrotarsia flava</i> , ♀.	„ p. 233.	Peru.
13.	<i>Enargia staudingeri</i> , ♂.	„ p. 237.	E. Turkestan.
14.	„ <i>decolora</i> , ♂.	„ p. 239.	Canada.
15.	<i>Stiria sulphurea</i> , ♂.	„ p. 243.	Arizona.
16.	„ <i>hutsoni</i> , ♂.	„ p. 244.	Arizona.
17.	„ <i>fuliginosa</i> , ♂.	„ p. 244.	California.
18.	<i>Stiriodes perflava</i> , ♂.	„ p. 247.	Texas.
19.	<i>Plagiomimicus triplagiata</i> , ♂.	„ p. 251.	Colorado.
20.	„ <i>dolli</i> , ♀.	„ p. 252.	Arizona.
21.	„ <i>expallida</i> , ♂.	„ p. 252.	Colorado.
22.	<i>Nocloa aliaga</i> , ♀.	„ p. 254.	New Mexico.
23.	„ <i>cordova</i> , ♂.	„ p. 254.	Arizona.
24.	„ <i>nanata</i> , ♀.	„ p. 255.	New Mexico.
25.	„ <i>plagiata</i> , ♂.	„ p. 255.	Arizona.
26.	„ <i>nevea</i> , ♀.	„ p. 256.	Arizona.
27.	„ <i>arivaca</i> , ♀.	„ p. 257.	New Mexico.
28.	<i>Oslaria viridescens</i> , ♂.	„ p. 257.	Mexico.
29.	<i>Bellura melanopyga</i> , ♀.	„ p. 262.	Florida.
30.	„ <i>diffusa</i> , ♂.	„ p. 262.	Canada.
31.	<i>Phragmatiphila serrata</i> , ♂.	„ p. 268.	Uganda.
32.	„ <i>fumea</i> , ♂.	„ p. 269.	Sikhim.





PLATE CXLIIL.

1.	<i>Phragmatiphila leucaneura</i> , ♂.	Vol. IX. p. 269.	Burma.
2.	„ <i>grisescens</i> , ♀.	„ p. 270.	Sikhim.
3.	„ <i>interrogans</i> , ♀.	„ p. 270.	Hab. ign.
4.	„ <i>turpis</i> , ♂.	„ p. 272.	Japan.
5.	„ <i>bipartita</i> , ♀.	„ p. 272.	Transvaal.
6.	<i>Calamistis pallidicosta</i> , ♀.	„ p. 274.	Mashonaland.
7.	„ <i>præpallens</i> , ♂.	„ p. 275.	Travancore.
8.	„ <i>melanodonta</i> , ♂.	„ p. 276.	Uganda.
9.	„ <i>nubifera</i> , ♂.	„ p. 276.	Congo.
10.	„ <i>microsticta</i> , ♂.	„ p. 277.	Sikhim.
11.	„ <i>stygiata</i> , ♂.	„ p. 278.	Transvaal.
12.	„ <i>unicolora</i> , ♂.	„ p. 279.	Congo.
13.	<i>Cea cirphidia</i> , ♀.	„ p. 280.	California.
14.	„ <i>immacula</i> , ♂.	„ p. 281.	Arizona.
15.	<i>Arenostola inquinata</i> , ♂.	„ p. 285.	Canada.
16.	„ <i>interlata</i> , ♂.	„ p. 285.	Natal.
17.	„ <i>stigmatica</i> , ♂.	„ p. 286.	Mongolia.
18.	„ <i>defecta</i> , ♀.	„ p. 286.	New York.
19.	„ <i>procera</i> , ♂.	„ p. 286.	Mongolia.
20.	„ <i>mailliei</i> , ♀.	„ p. 289.	Algeria.
21.	„ <i>mollicella</i> , ♂.	„ p. 289.	Tibet.
22.	„ <i>modesta</i> , ♀.	„ p. 289.	Palestine.
23.	„ <i>deserticola</i> , ♂.	„ p. 290.	Algeria.
24.	„ <i>sohn-retheli</i> , ♂.	„ p. 291.	Italy.
25.	<i>Archanara resoluta</i> , ♂.	„ p. 294.	Japan.
26.	„ <i>polita</i> , ♂.	„ p. 296.	C. China.
27.	„ <i>cerata</i> , ♀.	„ p. 297.	Japan.
28.	„ <i>oblonga</i> , ♀.	„ p. 298.	New York.
29.	„ <i>subflava</i> , ♀.	„ p. 298.	Manitoba.
30.	„ <i>alameda</i> , ♀.	„ p. 299.	California.
31.	„ <i>læta</i> , ♀.	„ p. 300.	New York.
32.	<i>Amphilita punctilinea</i> , ♀.	„ p. 304.	Brazil.





PLATE CXLIV.

1. <i>Acylita cara</i> , ♀.	Vol. IX. p. 305.	Brazil.
2. „ <i>elongata</i> , ♀.	„ p. 305.	Brazil.
3. „ <i>sanguifusa</i> , ♂.	„ p. 305.	Brazil.
4. „ <i>disticta</i> , ♂.	„ p. 306.	Brazil.
5. „ <i>monosticta</i> , ♂.	„ p. 306.	Brazil.
6. <i>Amolita perstriata</i> , ♀.	„ p. 309.	Bahamas.
7. „ <i>irrorata</i> , ♂.	„ p. 310.	Paraguay.
8. <i>Acrapex rhabdoneura</i> , ♂.	„ p. 316.	Br. E. Africa.
9. „ <i>metaphæa</i> , ♂.	„ p. 317.	Mashonaland.
10. „ <i>spoliata</i> , ♂.	„ p. 317.	Uganda.
11. „ <i>brunnea</i> , ♂.	„ p. 318.	Br. E. Africa.
12. „ <i>albivena</i> , ♂.	„ p. 318.	Cape Colony.
13. „ <i>atriceps</i> , ♂.	„ p. 319.	Assam.
14. „ <i>leucophlebia</i> , ♂.	„ p. 319.	Madras.
15. „ <i>carnea</i> , ♂.	„ p. 320.	Basutoland.
16. „ <i>roseotincta</i> , ♀.	„ p. 320.	Ceylon.
17. <i>Nonagria enervata</i> , ♂.	„ p. 323.	Florida.
18. <i>Sesamia calamitis</i> , ♂.	„ p. 325.	Cape Colony.
19. „ <i>coniota</i> , ♂.	„ p. 326.	Mashonaland.
20. „ <i>rubritincta</i> , ♂.	„ p. 327.	Basutoland.
21. „ <i>albicostata</i> , ♂.	„ p. 327.	Victoria.
22. „ <i>rufescens</i> , ♂.	„ p. 329.	Natal.
23. „ <i>tænioleuca</i> , ♂.	„ p. 330.	Mashonaland.
24. „ <i>albavena</i> , ♂.	„ p. 330.	Mashonaland.
25. „ <i>uniformis</i> , ♂.	„ p. 332.	Bengal.
26. „ <i>gracilis</i> , ♂.	„ p. 332.	Canaries.
27. <i>Oria flavescens</i> , ♀.	„ p. 335.	Cape Colony.
28. <i>Xylostola robusta</i> , ♂.	„ p. 336.	Sikhim.
29. <i>Culamia flavirufa</i> , ♀.	„ p. 340.	Mashonaland.
30. <i>Apsarusa nigrocærulea</i> , ♂.	„ p. 344.	Gilolo.
31. „ <i>atramenta</i> , ♂.	„ p. 345.	New Guinea.
32. „ <i>figurata</i> , ♀.	„ p. 347.	Andamans.






PLATE CXLV.

1. <i>Mazuca hæmagrapha</i> , ♂.	Vol. IX.	p. 348.	Gold Coast.
2. <i>Chasminodes nervosa</i> , ♂.	„	p. 350.	Japan.
3. <i>Chasmina tibiopunctata</i> , ♂.	„	p. 353.	New Guinea.
4. „ <i>tenuilinea</i> , ♂.	„	p. 354.	Bali.
5. „ <i>pulchra</i> , ♂.	„	p. 355.	Queensland.
6. „ <i>maculata</i> , ♀.	„	p. 356.	Burma.
7. „ <i>sigillata</i> , ♂.	„	p. 356.	Japan.
8. <i>Callyna decora</i> , ♂.	„	p. 361.	Natal.
9. „ <i>leuconota</i> , ♂.	„	p. 362.	New Guinea.
10. „ <i>figurans</i> , ♀.	„	p. 363.	Natal.
11. „ <i>mystica</i> , ♀.	„	p. 365.	Burma.
12. „ <i>obscura</i> , ♀.	„	p. 365.	Gazaland.
13. „ <i>fuscantaria</i> , ♂.	„	p. 366.	New Guinea.
14. „ <i>cupricolora</i> , ♂.	„	p. 367.	Mashonaland.
15. <i>Ægle nubila</i> , ♀.	„	p. 381.	Syria.
16. „ <i>suhflava</i> , ♂.	„	p. 382.	W. Turkestan.
17. „ <i>hedychroa</i> , ♂.	„	p. 384.	Queensland.
18. <i>Antapлага pyralina</i> , ♂.	„	p. 385.	Mexico.
19. „ <i>composita</i> , ♀.	„	p. 385.	Arizona.
20. „ <i>hachita</i> , ♀.	„	p. 387.	Arizona.
21. „ <i>sexseriata</i> , ♂.	„	p. 387.	Arizona.
22. „ <i>biundulalis</i> , ♀.	„	p. 388.	Texas.
23. „ <i>thoracica</i> , ♂.	„	p. 388.	Mexico.
24. „ <i>dulcita</i> , ♀.	„	p. 388.	Mexico.
25. <i>Cyclopera galactiplaga</i> , ♀.	„	p. 391.	Natal.
26. <i>Pseudina fatuella</i> , ♂.	„	p. 398.	Ecuador.
27. „ <i>cyanostigma</i> , ♂.	„	p. 399.	Argentina.
28. „ <i>albina</i> , ♂.	„	p. 400.	Paraguay.
29. <i>Eudryas grata</i> , ♂.	„	p. 402.	New York.
30. „ <i>brevipennis</i> , ♀.	„	p. 403.	California.
31. <i>Caularis lunata</i> , ♀.	„	p. 406.	Bahamas.
32. <i>Erocha leucodisca</i> , ♂.	„	p. 408.	Peru.






PLATE CXLVI.

1. <i>Rhosus colombiana</i> , ♀.	Vol. IX. p. 413.	Colombia.
2. „ <i>aguirreri</i> , ♀.	„ p. 413.	Argentina.
3. „ <i>isabella</i> , ♀.	„ p. 414.	Ecuador.
4. <i>Aucula josoides</i> , ♀.	„ p. 420.	Brazil.
5. „ <i>magnifica</i> , ♀.	„ p. 422.	Brazil.
6. „ <i>sublata</i> , ♂.	„ p. 423.	Brazil.
7. <i>Psychomorpha euryrhoda</i> , ♂.	„ p. 425.	Florida.
8. <i>Ovios septentrionis</i> , ♀.	„ p. 427.	Mashonaland.
9. <i>Seudyra flavida</i> , ♂.	„ p. 432.	W. China.
10. „ <i>mandarina</i> , ♂.	„ p. 434.	W. China.
11. „ <i>bala</i> , ♂.	„ p. 436.	Sikhim.
12. „ <i>subalba</i> , ♂.	„ p. 438.	W. China.
13. <i>Zalissa pratti</i> , ♀.	„ p. 442.	New Guinea.
14. <i>Protoseudyra secunda</i> , ♂.	„ p. 444.	W. China.
15. „ <i>flava</i> , ♂.	„ p. 444.	C. China.
16. <i>Leucogonia cebeensis</i> , ♂.	„ p. 447.	New Guinea.
17. <i>Micrapatetis tripartita</i> , ♀.	„ p. 451.	Queensland.
18. „ <i>orthozona</i> , ♂.	„ p. 452.	Queensland.
19. „ <i>leucozona</i> , ♀.	„ p. 453.	Queensland.
20. „ <i>glycychoa</i> , ♀.	„ p. 453.	Queensland.
21. „ <i>purpurascens</i> , ♀.	„ p. 454.	W. Australia.
22. „ <i>pyrastis</i> , ♀.	„ p. 454.	Madras.
23. „ <i>flavipars</i> , ♀.	„ p. 454.	Bombay.
24. <i>Radinocera diversa</i> , ♂.	„ p. 457.	W. Australia.
25. „ <i>placodes</i> , ♀.	„ p. 457.	Tasmania.
26. <i>Idalima hemiphragma</i> , ♂.	„ p. 460.	W. Australia.
27. „ <i>metasticta</i> , ♂.	„ p. 461.	N. Australia.
28. <i>Microhelix restrictalis</i> , ♀.	„ p. 464.	California.
29. <i>Heliothodes fasciata</i> , ♂.	„ p. 465.	California.
30. <i>Xanthothrix callicore</i> , ♂.	„ p. 467.	Syria.
31. „ <i>neumægeni</i> , ♀.	„ p. 468.	California.
32. <i>Apaustis theophila</i> , ♂.	„ p. 470.	Greece.





PLATE CXLVII.

1.	<i>Annaphila arvalis</i> , ♂.	Vol. IX. p. 473.	Oregon.
2.	„ <i>danistica</i> , ♂.	„ p. 474.	Oregon.
3.	„ <i>mera</i> , ♂.	„ p. 474.	California.
4.	„ <i>domina</i> , ♀.	„ p. 475.	California.
5.	„ <i>pustulata</i> , ♀.	„ p. 476.	Arizona.
6.	„ <i>divinula</i> , ♀.	„ p. 476.	California.
7.	„ <i>germana</i> , ♂.	„ p. 477.	California.
8.	„ <i>decia</i> , ♂.	„ p. 478.	California.
9.	„ <i>depicta</i> , ♀.	„ p. 478.	California.
10.	„ <i>lithosina</i> , ♂.	„ p. 479.	California.
11.	„ <i>miona</i> , ♀.	„ p. 480.	California.
12.	„ <i>casta</i> , ♀.	„ p. 482.	California.
13.	„ <i>superba</i> , ♀.	„ p. 482.	California.
14.	<i>Janthinea divalis</i> , ♀.	„ p. 483.	Kurdistan.
15.	<i>Panemeria jocosu</i> , ♂.	„ p. 487.	Sicily.
16.	<i>Pseudacontia aterrima</i> , ♀.	„ p. 491.	California.
17.	<i>Parastichtis standfussi</i> , ♂.	„ p. 497.	Sicily.
18.	„ <i>ribbei</i> , ♂.	„ p. 497.	Spain.
19.	„ <i>polyglypha</i> , ♂.	„ p. 498.	Palestine.
20.	„ <i>ona</i> , ♂.	„ p. 499.	Arizona.
21.	<i>Trachea susquesa</i> , ♂.	„ p. 500.	California.
22.	„ <i>umbrifacta</i> , ♀.	„ p. 501.	Utah.
23.	„ <i>ferida</i> , ♀.	„ p. 501.	Newfoundland.
24.	<i>Euplexia callichroa</i> , ♀.	„ p. 502.	Victoria.
25.	„ <i>melanops</i> , ♂.	„ p. 503.	S. Australia.
26.	<i>Perigea albistriata</i> , ♀.	„ p. 505.	Peru.
27.	<i>Centropodia whitei</i> , ♀.	„ p. 507.	Canaries.
28.	<i>Pseudohadena presbytis</i> , ♂.	„ p. 509.	E. Turkestan.
29.	<i>Luperina acharis</i> , ♂.	„ p. 510.	Mongolia.
30.	<i>Chytonix haba</i> , ♀.	„ p. 516.	Ecuador.
31.	<i>Cerma marina</i> , ♂.	„ p. 518.	Arizona.
32.	<i>Acronycta phædra</i> , ♀.	„ p. 519.	E. Siberia.



Horace Knight del. et lith.

West, Newman chromo.



CATALOGUE

OF THE

LEPIDOPTERA PHALÆNÆ

IN THE

BRITISH MUSEUM.

VOLUME X.

PLATES CXLVIII—CLXXIII.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1911.

(All rights reserved.)

CATALOGUE
OF THE
N O C T U I D Æ

IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

L O N D O N :
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., LTD., 37 SOHO SQUARE, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1911.

PLATE CXLVIII.

1.	<i>Delta phœnicraspis</i> , ♀.	Vol. IX. p. 521.	Rhodesia.
2.	<i>Antha rotunda</i> , ♀.	„ p. 522.	Sikhim.
3.	<i>Dysmilichia purpurascens</i> , ♀.	„ p. 522.	Transvaal.
4.	<i>Procrateria melanoleuca</i> , ♀.	„ p. 526.	Peru.
5.	<i>Stibadium concinna</i> , ♂.	„ p. 105.	Mexico.
6.	<i>Cirrhophanus chrysochila</i> , ♂.	„ p. 205.	Mexico.
7.	<i>Chalcopasta pterochalcea</i> , ♂.	„ p. 220.	Mexico.
8.	„ <i>chalcotoxa</i> , ♂.	„ p. 221.	Mexico.
9.	<i>Trachea ochrotica</i> , ♂.	„ p. 500.	Formosa.
10.	„ <i>formosensis</i> , ♂.	„ p. 503.	Formosa.
11.	<i>Seudyra interposita</i> , ♀.	„ p. 437.	W. China.
12.	<i>Dipterygia dolens</i> , ♂.	„ p. 496.	Peru.
13.	<i>Proxenus camptogramma</i> , ♂.	„ p. 523.	N. Rhodesia.
14.	<i>Heterochromathermographa</i> , ♂.	„ p. 504.	Colombia.
15.	<i>Eriopus cornuscopiæ</i> , ♂.	„ p. 512.	Gaboon.
16.	<i>Micrathetis costiplaga</i> , ♂.	„ p. 524.	Arizona.
17.	<i>Antaplaga suffumosa</i> , ♂.	„ p. 388.	Mexico.
18.	<i>Pseudacontia groteana</i> , ♂.	„ p. 491.	Arizona.
19.	<i>Lythrodus venata</i> , ♀.	„ p. 215.	New Mexico.
20.	<i>Stibadium resoluta</i> , ♂.	„ p. 527.	Mexico.
21.	„ <i>psamathochroma</i> , ♂.	„ p. 528.	Mexico.
22.	„ <i>crenulosa</i> , ♂.	„ p. 528.	Mexico.
23.	<i>Proxenus pectinifera</i> , ♂.	„ p. 523.	Germ. E. Africa.
24.	<i>Nolasodes atrisignata</i> , ♂.	„ p. 524.	Fr. Guiana.
25.	<i>Conicofrontia mcsophæa</i> , ♀.	„ p. 530.	Germ. E. Africa.
26.	<i>Luperina gueneei</i> , ♀.	„ p. 510.	Britain.
27.	<i>Pseudacontia louisa</i> , ♂.	„ p. 489.	Louisiana.
28.	„ <i>cansa</i> , ♂.	„ p. 491.	Kansas.
29.	<i>Namangana morsa</i> , ♀.	Vol. VIII. p. 555.	Texas.
30.	<i>Parastichtis migrata</i> , ♀.	Vol. IX. p. 497.	Utah.
31.	<i>Acronycta tonitrua</i> , ♂.	„ p. 521.	Missouri.
32.	<i>Papaipema latia</i> , ♀.	„ p. 76.	Illinois.



Horace Knight del. et lith.

West, Newman chromo.

PLATE CXLIX.

1. <i>Oxycnemis adusta</i> , ♂.	Vol. VIII. p. 220.	Texas.
2. <i>Lythrodes semiluna</i> , ♂.	Vol. IX. p. 216.	Arizona.
3. <i>Cydosia submutata</i> , ♀.	Vol. X. p. 11.	Haiti.
4. " <i>mimica</i> , ♀.	" p. 13.	Brazil.
5. " <i>imitella</i> , ♂.	" p. 13.	Texas.
6. " <i>punctistriga</i> , ♀.	" p. 14.	Brazil.
7. " <i>aurivitta</i> , ♂.	" p. 14.	Texas.
8. " <i>majuscula</i> , ♂.	" p. 15.	Arizona.
9. <i>Acidaliodes atripuncta</i> , ♂.	" p. 20.	Brazil.
10. " <i>lycaugesia</i> , ♂.	" p. 20.	Brazil.
11. <i>Aræoptera fuscialis</i> , ♂.	" p. 23.	Ceylon.
12. " <i>nivalis</i> , ♂.	" p. 24.	Ceylon.
13. " <i>micræola</i> , ♂.	" p. 24.	Queensland.
14. " <i>proleuca</i> , ♂.	" p. 25.	Bengal.
15. " <i>epiphracta</i> , ♂.	" p. 26.	Queensland.
16. " <i>pleurotypa</i> , ♂.	" p. 26.	Queensland.
17. " <i>rufescens</i> , ♂.	" p. 27.	Ceylon.
18. " <i>xanthopis</i> , ♂.	" p. 28.	Ceylon.
19. " <i>leucoplaga</i> , ♂.	" p. 29.	Pulo Laut.
20. " <i>poliophæa</i> , ♀.	" p. 29.	Ceylon.
21. " <i>goniophora</i> , ♀.	" p. 30.	Ceylon.
22. " <i>griseata</i> , ♂.	" p. 30.	Ceylon.
23. " <i>canescens</i> , ♀.	" p. 31.	Queensland.
24. <i>Trissernis ochrochlora</i> , ♂.	" p. 33.	Queensland.
25. <i>Catoblemma rosealis</i> , ♂.	" p. 36.	Bhutan.
26. " <i>sumbavensis</i> , ♀.	" p. 38.	Sumbawa.
27. <i>Enispa albifrontata</i> , ♀.	" p. 41.	Sikhim.
28. " <i>ectrocta</i> , ♀.	" p. 41.	Madras.
29. " <i>ferreofusa</i> , ♂.	" p. 42.	Madras.
30. " <i>prolecta</i> , ♀.	" p. 43.	Queensland.
31. " <i>albinella</i> , ♀.	" p. 46.	Ceylon.
32. " <i>erythroglaucæ</i> , ♀.	" p. 50.	Madras.



Horace Knight del. et lith.

West, Newman chromo

PLATE CL.

1.	<i>Enispa flavicincta</i> , ♀.	Vol. X. p. 51.	Singapore.
2.	„ <i>albicosta</i> , ♂.	„ p. 51.	Gold Coast.
3.	„ <i>purpurascens</i> , ♂.	„ p. 51.	Ceylon.
4.	„ <i>niveiceps</i> , ♂.	„ p. 52.	Queensland.
5.	„ <i>rubrifuscaria</i> , ♀.	„ p. 52.	Ceylon.
6.	„ <i>parva</i> , ♂.	„ p. 53.	N. Guinea.
7.	„ <i>poliorhoda</i> , ♂.	„ p. 53.	Ceylon.
8.	„ <i>atricincta</i> , ♂.	„ p. 54.	Ceylon.
9.	„ <i>regulata</i> , ♂.	„ p. 55.	Ceylon.
10.	„ <i>alge</i> , ♂.	„ p. 55.	Madras.
11.	„ <i>lichenostola</i> , ♂.	„ p. 56.	Madras.
12.	„ <i>leprosa</i> , ♀.	„ p. 56.	Sikhim.
13.	„ <i>leucogramma</i> , ♂.	„ p. 57.	Bhutan.
14.	„ <i>albolinearia</i> , ♂.	„ p. 57.	W. China.
15.	„ <i>albilineata</i> , ♀.	„ p. 58.	Assam.
16.	„ <i>leucosticta</i> , ♀.	„ p. 59.	Japan.
17.	„ <i>œnistis</i> , ♂.	„ p. 59.	Ceylon.
18.	„ <i>roseata</i> , ♂.	„ p. 60.	Punjab.
19.	„ <i>atriceps</i> , ♂.	„ p. 60.	S. Nigeria.
20.	„ <i>lycaugesia</i> , ♀.	„ p. 61.	S. Nigeria.
21.	<i>Eublemma digona</i> , ♀.	„ p. 65.	Queensland.
22.	„ <i>falcatalis</i> , ♀.	„ p. 68.	Sikhim.
23.	„ <i>rubricilia</i> , ♂.	„ p. 69.	Singapore.
24.	„ <i>acrapex</i> , ♀.	„ p. 70.	Ceylon.
25.	„ <i>pectorora</i> , ♂.	„ p. 70.	Queensland.
26.	„ <i>semirufa</i> , ♀.	„ p. 71.	Sikhim.
27.	„ <i>rufiplaga</i> , ♂.	„ p. 72.	Borneo.
28.	„ <i>dinava</i> , ♀.	„ p. 73.	N. Guinea.
29.	„ <i>subangulata</i> , ♂.	„ p. 74.	Ceylon.
30.	„ <i>galactea</i> , ♀.	„ p. 75.	Sangir.
31.	„ <i>trigramma</i> , ♂.	„ p. 78.	Mashonaland.
32.	„ <i>melanodonta</i> , ♂.	„ p. 81.	Transvaal.



Horace Knight del. et lith.

West, Newman chromo.

PLATE CLI.

1.	<i>Eublemma flaviceps</i> , ♂.	Vol. X. p. 83.	Basutoland.
2.	„ <i>fulvitermina</i> , ♂.	„ p. 83.	Transvaal.
3.	„ <i>punctilinea</i> , ♂.	„ p. 83.	Natal.
4.	„ <i>stictilinea</i> , ♂.	„ p. 84.	Cape Colony.
5.	„ <i>eupethecica</i> , ♀.	„ p. 94.	Transvaal.
6.	„ <i>melabela</i> , ♂.	„ p. 94.	Beloochistan.
7.	„ <i>epistrota</i> , ♀.	„ p. 95.	Punjab.
8.	„ <i>quinaria</i> , ♂.	„ p. 97.	Punjab.
9.	„ <i>pyrosticta</i> , ♀.	„ p. 98.	Réunion.
10.	„ <i>thermosticta</i> , ♂.	„ p. 99.	Transvaal.
11.	„ <i>snelleni</i> , ♂.	„ p. 99.	Natal.
12.	„ <i>nannata</i> , ♂.	„ p. 100.	Madras.
13.	„ <i>tritonina</i> , ♀.	„ p. 101.	Mashonaland.
14.	„ <i>misturata</i> , ♀.	„ p. 102.	Uganda.
15.	„ <i>sciaphora</i> , ♂.	„ p. 102.	S. Leone.
16.	„ <i>phæapera</i> , ♂.	„ p. 103.	S. Nigeria.
17.	„ <i>anticalis</i> , ♂.	„ p. 104.	Natal.
18.	„ <i>decora</i> , ♀.	„ p. 105.	Congo.
19.	„ <i>rubripuncta</i> , ♂.	„ p. 106.	Natal.
20.	„ <i>stygiodonta</i> , ♀.	„ p. 107.	W. Africa.
21.	„ <i>thermochroa</i> , ♀.	„ p. 107.	Cape Colony.
22.	„ <i>flavinia</i> , ♂.	„ p. 108.	Transvaal.
23.	„ <i>stygiochroa</i> , ♀.	„ p. 109.	Transvaal.
24.	„ <i>bolinia</i> , ♂.	„ p. 110.	Natal.
25.	„ <i>hypoazonata</i> , ♂.	„ p. 111.	Br. E. Africa.
26.	„ <i>leucanitis</i> , ♀.	„ p. 111.	Cape Colony.
27.	„ <i>leucozona</i> , ♂.	„ p. 112.	Br. E. Africa.
28.	„ <i>syrtsensis</i> , ♀.	„ p. 112.	Algeria.
29.	„ <i>cuelecana</i> , ♂.	„ p. 115.	Asia Minor.
30.	„ <i>chlorochroa</i> , ♂.	„ p. 115.	Br. E. Africa.
31.	„ <i>bipartita</i> , ♂.	„ p. 117.	Transvaal.
32.	„ <i>leucomelana</i> , ♂.	„ p. 118.	Cape Colony.



Horace Knight del. et lith.

West, Newman chromo.

PLATE CLII.

1.	<i>Aræoptera obliquifascia</i> , ♀.	Vol. X. p. 25.	Mauritius.
2.	<i>Eublemma staudingeri</i> , ♂.	„ p. 119.	Natal.
3.	„ <i>nigrivitta</i> , ♂.	„ p. 120.	Cape Colony.
4.	„ <i>atriciliata</i> , ♂.	„ p. 121.	Singapore.
5.	„ <i>albicosta</i> , ♂.	„ p. 121.	Gold Coast.
6.	„ <i>proleuca</i> , ♀.	„ p. 122.	S. Nigeria.
7.	„ <i>albifascia</i> , ♂.	„ p. 122.	Gold Coast.
8.	„ <i>flavicosta</i> , ♀.	„ p. 122.	Transvaal.
9.	„ <i>atrifusa</i> , ♀.	„ p. 123.	Gold Coast.
10.	„ <i>ochrochroa</i> , ♂.	„ p. 123.	S. Leone.
11.	„ <i>minuta</i> , ♂.	„ p. 124.	Br. E. Africa.
12.	„ <i>apicata</i> , ♂.	„ p. 124.	Transvaal.
13.	„ „ ♀.	„ p. 124.	Transvaal.
14.	„ <i>nyctichroa</i> , ♀.	„ p. 125.	Br. E. Africa.
15.	„ <i>carneotincta</i> , ♂.	„ p. 126.	Sierra Leone.
16.	„ <i>vinotincta</i> , ♀.	„ p. 126.	Ceylon.
17.	„ <i>poliochroa</i> , ♀.	„ p. 127.	Singapore.
18.	„ <i>glaucochroa</i> , ♂.	„ p. 128.	Queensland.
19.	„ <i>silicula</i> , ♂.	„ p. 128.	Sind.
20.	„ <i>coccidiphaga</i> , ♂.	„ p. 129.	Ceylon.
21.	„ <i>vestina</i> , ♂.	„ p. 130.	Labuan.
22.	„ <i>perobliqua</i> , ♂.	„ p. 132.	Br. E. Africa.
23.	„ <i>acarodes</i> , ♀.	„ p. 132.	Angola.
24.	„ <i>lentirosea</i> , ♂.	„ p. 133.	Orange R. Colony.
25.	„ <i>glaucizona</i> , ♂.	„ p. 134.	Cape Colony.
26.	„ <i>ochrobasis</i> , ♀.	„ p. 135.	Cape Colony.
27.	„ <i>thermobasis</i> , ♂.	„ p. 135.	Aden.
28.	„ <i>rivula</i> , ♀.	„ p. 137.	Madras.
29.	„ <i>fluvida</i> , ♂.	„ p. 138.	Cape Colony.
30.	„ <i>albipennis</i> , ♀.	„ p. 138.	Bombay.
31.	„ <i>odontophora</i> , ♂.	„ p. 143.	Sokotra.
32.	„ <i>bifusciata</i> , ♂.	„ p. 143.	Punjab.



Horace Knight del. et lith.

West, Newman chromo.

PLATE CLIII.

1.	<i>Eublemma leucodesma</i> , ♂.	Vol. X. p. 143.	W. Australia.
2.	„ <i>lozostropha</i> , ♀.	„ p. 144.	W. Australia.
3.	„ <i>mesophaea</i> , ♂.	„ p. 145.	Transvaal.
4.	„ <i>suppuncta</i> , ♂.	„ p. 148.	Asia Minor.
5.	„ <i>ephimera</i> , ♂.	„ p. 148.	E. Turkestan.
6.	„ <i>marmaropa</i> , ♀.	„ p. 149.	Br. N. Guinea.
7.	„ <i>rufipuncta</i> , ♂.	„ p. 149.	Queensland.
8.	„ <i>pulchra</i> , ♂.	„ p. 151.	Punjab.
9.	„ <i>minima</i> , ♂.	„ p. 152.	Texas.
10.	„ <i>leucota</i> , ♀.	„ p. 154.	Persia.
11.	„ <i>therma</i> , ♂.	„ p. 154.	Br. E. Africa.
12.	„ <i>siticiuosa</i> , ♂.	„ p. 156.	Palestine.
13.	„ <i>chlorotica</i> , ♂.	„ p. 157.	Armenia.
14.	„ <i>suppura</i> , ♂.	„ p. 159.	Syria.
15.	„ <i>sarcosia</i> , ♀.	„ p. 159.	Madras.
16.	„ <i>deserti</i> , ♂.	„ p. 160.	Algeria.
17.	„ <i>lacteicosta</i> , ♂.	„ p. 159.	S. Nigeria.
18.	„ <i>sphragidota</i> , ♂.	„ p. 163.	Queensland.
19.	„ <i>beraudi</i> , ♂.	„ p. 164.	Egypt.
20.	„ <i>teilhardi</i> , ♀.	„ p. 164.	Egypt.
21.	„ <i>trilinea</i> , ♂.	„ p. 165.	C. China.
22.	„ <i>curvata</i> , ♂.	„ p. 165.	Queensland.
23.	„ <i>ochreola</i> , ♂.	„ p. 166.	Hainan.
24.	„ <i>brachygonia</i> , ♂.	„ p. 166.	Ceylon.
25.	„ <i>radda</i> , ♂.	„ p. 168.	Borneo.
26.	„ <i>aurantiaca</i> , ♂.	„ p. 170.	Gold Coast.
27.	„ <i>obliquialis</i> , ♂.	„ p. 172.	Texas.
28.	„ <i>leucograptia</i> , ♂.	„ p. 173.	Solomons.
29.	„ <i>bilineata</i> , ♂.	„ p. 173.	Punjab.
30.	„ <i>daphæna</i> , ♂.	„ p. 174.	Transvaal.
31.	„ <i>roseocincta</i> , ♂.	„ p. 175.	Br. E. Africa.
32.	„ <i>heterogramma</i> , ♀.	„ p. 175.	Congo.



Horace Knight del. et lith.

West, Newman chromo.



PLATE CLIV.

1.	<i>Eublemma rubiginea</i> , ♂.	Vol. X. p. 177.	Bhután.
2.	„ <i>castanea</i> , ♂.	„ p. 177.	Borneo.
3.	„ <i>aplecta</i> , ♀.	„ p. 177.	Queensland.
4.	„ <i>reticulata</i> , ♀.	„ p. 179.	Ceylon.
5.	„ <i>rubra</i> , ♂.	„ p. 179.	Sikhim.
6.	„ <i>ignefusa</i> , ♂.	„ p. 181.	Singapore.
7.	„ <i>rhodocraspis</i> , ♀.	„ p. 182.	Borneo.
8.	„ <i>carneola</i> , ♂.	„ p. 182.	Borneo.
9.	„ <i>vestalis</i> , ♂.	„ p. 185.	Queensland.
10.	„ <i>flaviciliata</i> , ♂.	„ p. 185.	N. Nigeria.
11.	„ <i>xanthocraspis</i> , ♂.	„ p. 185.	Br. E. Africa.
12.	„ <i>plumbosa</i> , ♂.	„ p. 186.	Transvaal.
13.	„ <i>innocens</i> , ♂.	„ p. 186.	Queensland.
14.	„ <i>flavistriata</i> , ♂.	„ p. 187.	Br. E. Africa.
15.	„ <i>agrapta</i> , ♂.	„ p. 187.	Ceylon.
16.	„ <i>pyrastis</i> , ♂.	„ p. 187.	Transvaal.
17.	„ <i>conspersa</i> , ♂.	„ p. 188.	Formosa.
18.	„ <i>griseola</i> , ♂.	„ p. 188.	Persia.
19.	„ <i>uniformis</i> , ♂.	„ p. 189.	W. Turkestan.
20.	„ <i>leucanides</i> , ♂.	„ p. 189.	E. Turkestan.
21.	„ <i>vollastoni</i> , ♂.	„ p. 190.	Egypt.
22.	„ <i>psamathea</i> , ♂.	„ p. 190.	Br. E. Africa.
23.	„ <i>penicillata</i> , ♂.	„ p. 190.	Natal.
24.	„ <i>uninotata</i> , ♂.	„ p. 191.	Natal.
25.	„ <i>albivestalis</i> , ♂.	„ p. 191.	Palestine.
26.	„ <i>subvenata</i> , ♂.	„ p. 191.	Algeria.
27.	„ <i>chionophlebia</i> , ♀.	„ pp. 191, 799.	Transvaal.
28.	„ <i>leuconeura</i> , ♀.	„ p. 192.	Cape Colony.
29.	„ <i>conistrotata</i> , ♂.	„ p. 192.	Beloochistan.
30.	„ <i>deserta</i> , ♂.	„ p. 193.	Algeria.
31.	„ <i>straminea</i> , ♂.	„ p. 193.	Mesopotamia.
32.	„ <i>flavia</i> , ♂.	„ p. 193.	Panama.



PLATE CLV.

1.	<i>Holocryptis bisectalis</i> , ♂.	Vol. X. p. 195.	Ceylon.
2.	„ <i>phasianura</i> , ♂.	„ p. 196.	Queensland.
3.	„ <i>permaculata</i> , ♂.	„ p. 197.	S. Leone.
4.	„ <i>erosides</i> , ♂.	„ p. 198.	Natal.
5.	„ <i>melanosticta</i> , ♂.	„ p. 198.	S. Leone.
6.	„ <i>atrifusa</i> , ♂.	„ p. 199.	Assam.
7.	<i>Toana semiochrealis</i> , ♂.	„ p. 205.	Borneo.
8.	„ <i>craspedica</i> , ♂.	„ p. 206.	Gold Coast.
9.	„ <i>acidalica</i> , ♀.	„ p. 207.	S. Leone.
10.	<i>Cerynea ignealis</i> , ♂.	„ p. 212.	Br. E. Africa.
11.	„ <i>flavibasalis</i> , ♀.	„ p. 215.	Gold Coast.
12.	„ <i>igniaria</i> , ♂.	„ p. 216.	Assam.
13.	„ <i>rubra</i> , ♂.	„ p. 216.	Borneo.
14.	„ <i>perrubra</i> , ♂.	„ p. 217.	Br. N. Guinea.
15.	„ <i>ustula</i> , ♂.	„ p. 217.	Ceylon.
16.	„ <i>disjunctaria</i> , ♂.	„ p. 219.	Borneo.
17.	„ <i>omphisalis</i> , ♂.	„ p. 219.	Borneo.
18.	„ <i>ochreana</i> , ♂.	„ p. 220.	Br. N. Guinea.
19.	„ <i>flavicostata</i> , ♂.	„ p. 221.	Gaboon.
20.	„ <i>plagiostola</i> , ♀.	„ p. 222.	Bhutan.
21.	„ <i>porphyrea</i> , ♂.	„ p. 223.	Madagascar.
22.	„ <i>indecisa</i> , ♀.	„ p. 223.	Borneo.
23.	„ <i>virescens</i> , ♂.	„ p. 224.	Cape Colony.
24.	<i>Lophorufa longipalpis</i> , ♂.	„ p. 226.	Burma.
25.	„ <i>diagonalis</i> , ♂.	„ p. 229.	Singapore.
26.	„ <i>mascarena</i> , ♂.	„ p. 230.	Mauritius.
27.	„ <i>adlescens</i> , ♂.	„ p. 232.	Queensland.
28.	„ <i>xylonota</i> , ♀.	„ p. 232.	Queensland.
29.	<i>Orufa decorata</i> , ♂.	„ p. 237.	Siam.
30.	„ <i>fissifascia</i> , ♂.	„ p. 238.	Ceylon.
31.	„ <i>albolineata</i> , ♀.	„ p. 241.	Br. N. Guinea.
32.	<i>Microphrea griseuta</i> , ♂.	„ p. 330.	Brazil.



PLATE CLVI.

1.	<i>Eublemma paurograpta</i> , ♂.	Vol. X. p. 98.	Queensland.
2.	<i>Oruza mediopallens</i> , ♀.	„ p. 243.	N. Guinea.
3.	„ <i>biarmioides</i> , ♀.	„ p. 243.	Borneo.
4.	„ <i>latifera</i> , ♀.	„ p. 247.	S. Leone.
5.	„ <i>rufiplaga</i> , ♀.	„ p. 248.	N. Guinea.
6.	„ <i>glaucotorna</i> , ♂.	„ p. 249.	Japan.
7.	„ <i>xanthopera</i> , ♀.	„ p. 250.	Assam.
8.	„ <i>rectilineata</i> , ♂.	„ p. 251.	Br. Guiana.
9.	„ <i>leucocraspia</i> , ♂.	„ p. 251.	Panama.
10.	„ <i>costata</i> , ♀.	„ p. 252.	India.
11.	„ <i>crocodeta</i> , ♂.	„ p. 253.	Queensland.
12.	„ <i>atriupicata</i> , ♂.	„ p. 253.	Borneo.
13.	„ <i>cariosa</i> , ♀.	„ p. 254.	Queensland.
14.	<i>Arasada albicosta</i> , ♀.	„ p. 255.	Burma.
15.	„ <i>javanica</i> , ♂.	„ p. 256.	Java.
16.	<i>Enoptera acidalica</i> , ♀.	„ p. 260.	Ceylon.
17.	<i>Pseuderaspedia leucozona</i> , ♂.	„ p. 260.	Colombia.
18.	„ <i>prosticta</i> , ♀.	„ p. 261.	Ceylon.
19.	<i>Lycaugesia fuscifascia</i> , ♂.	„ p. 264.	Fr. Guiana.
20.	„ <i>flavimargo</i> , ♀.	„ p. 264.	Brazil.
21.	„ <i>teneralis</i> , ♀.	„ p. 265.	Honduras.
22.	„ <i>rubripicta</i> , ♂.	„ p. 265.	Panama.
23.	„ <i>rufipuncta</i> , ♂.	„ p. 266.	Ceylon.
24.	„ <i>punctilinea</i> , ♂.	„ p. 266.	Ceylon.
25.	„ <i>fuscicosta</i> , ♂.	„ p. 267.	Panama.
26.	„ <i>melasoma</i> , ♂.	„ p. 267.	Panama.
27.	<i>Pseudacidalia undulata</i> , ♂.	„ p. 270.	Assam.
28.	„ <i>unilineata</i> , ♀.	„ p. 271.	N. Guinea.
29.	<i>Hyposada ruptifascia</i> , ♀.	„ p. 275.	Burma.
30.	„ <i>ineffectaria</i> , ♀.	„ p. 276.	Borneo.
31.	„ <i>astona</i> , ♂.	„ p. 276.	Borneo.
32.	„ <i>melanosticta</i> , ♂.	„ p. 277.	S. Nigeria.



PLATE CLVII.

1.	<i>Hyposada hydrocampata</i> , ♀.	Vol. X. p. 278.	Queensland.
2.	„ <i>junctionalis</i> , ♀.	„ p. 278.	S. Leone.
3.	„ <i>tritonina</i> , ♂.	„ p. 279.	Assam.
4.	„ <i>mesophæa</i> , ♂.	„ p. 279.	Japan.
5.	<i>Bostrodes rubrifusa</i> , ♀.	„ p. 281.	Ceylon.
6.	<i>Epigrypera argenticincta</i> , ♀.	„ p. 283.	Selangor.
7.	<i>Corgatha drosera</i> , ♂.	„ p. 288.	Queensland.
8.	„ <i>anthina</i> , ♂.	„ p. 289.	Queensland.
9.	„ <i>enispodes</i> , ♀.	„ p. 289.	Gold Coast.
10.	„ <i>omopis</i> , ♀.	„ p. 290.	Queensland.
11.	„ <i>producta</i> , ♂.	„ p. 290.	Natal.
12.	„ <i>excisa</i> , ♂.	„ p. 291.	Manipur.
13.	„ <i>macariodes</i> , ♂.	„ p. 292.	Gold Coast.
14.	„ <i>atrifulcis</i> , ♀.	„ p. 292.	Ceylon.
15.	„ <i>diplochorda</i> , ♀.	„ p. 293.	Assam.
16.	„ <i>ozolica</i> , ♂.	„ p. 293.	Gold Coast.
17.	„ <i>drepanodes</i> , ♂.	„ p. 294.	Br. E. Africa.
18.	„ <i>ruficeps</i> , ♂.	„ p. 294.	Ceylon.
19.	„ <i>loxomita</i> , ♀.	„ p. 296.	Queensland.
20.	„ <i>olivata</i> , ♂.	„ p. 296.	Sikhim.
21.	„ <i>dinava</i> , ♂.	„ p. 297.	N. Guinea.
22.	„ <i>atrimargo</i> , ♀.	„ p. 298.	Borneo.
23.	„ <i>albicinctalis</i> , ♀.	„ p. 299.	Borneo.
24.	„ <i>costipicta</i> , ♀.	„ p. 299.	Sikhim.
25.	„ <i>argyrota</i> , ♀.	„ p. 299.	Sangir.
26.	„ <i>niveicosta</i> , ♂.	„ p. 300.	Borneo.
27.	„ <i>leucosticta</i> , ♂.	„ p. 301.	Singapore.
28.	„ <i>flavipuncta</i> , ♂.	„ p. 301.	Singapore.
29.	„ <i>trichogyia</i> , ♂.	„ p. 302.	Ceylon.
30.	„ <i>pusilla</i> , ♀.	„ p. 304.	Siam.
31.	„ <i>costinotalis</i> , ♂.	„ p. 304.	Sikhim.
32.	„ <i>minuta</i> , ♂.	„ p. 304.	Queensland.



PLATE CLVIII.

1.	<i>Corgatha dichionistis</i> , ♂.	Vol. X. p. 305.	Queensland.
2.	„ <i>porphyrea</i> , ♂.	„ p. 306.	S. Nigeria.
3.	„ <i>flavicosta</i> , ♀.	„ p. 306.	Solomons.
4.	„ <i>daphæna</i> , ♂.	„ p. 306.	Queensland.
5.	„ <i>figuralis</i> , ♂.	„ p. 307.	Queensland.
6.	„ <i>dictaria</i> , ♂.	„ p. 307.	Japan.
7.	„ <i>diploata</i> , ♀.	„ p. 309.	Java.
8.	„ <i>albivertex</i> , ♀.	„ p. 309.	Ceylon.
9.	„ <i>argenticosta</i> , ♂.	„ p. 310.	Bhutân.
10.	„ <i>castanea</i> , ♀.	„ p. 310.	Ceylon.
11.	„ <i>hypoxantha</i> , ♂.	„ p. 311.	N. Rhodesia.
12.	„ <i>hebesceus</i> , ♀.	„ p. 312.	Japan.
13.	„ <i>argentisparsa</i> , ♂.	„ p. 312.	Punjab.
14.	„ <i>gemmifera</i> , ♂.	„ p. 313.	Burma.
15.	„ <i>melanistis</i> , ♂.	„ p. 313.	Burma.
16.	<i>Cobubutha metaspiluris</i> , ♂.	„ p. 317.	Haiti.
17.	„ <i>punctifinis</i> , ♂.	„ p. 318.	Bahamas.
18.	„ <i>ochrocraspis</i> , ♂.	„ p. 318.	Mexico.
19.	„ <i>flavofasciata</i> , ♀.	„ p. 321.	Alabama.
20.	„ <i>goyanensis</i> , ♂.	„ p. 322.	Argentina.
21.	„ <i>balteata</i> , ♂.	„ p. 322.	Arizona.
22.	„ <i>bipars</i> , ♂.	„ p. 323.	Argentina.
23.	„ <i>semipallida</i> , ♂.	„ p. 324.	Dominica.
24.	„ <i>luxuriosa</i> , ♂.	„ p. 324.	Arizona.
25.	„ <i>subterminata</i> , ♀.	„ p. 325.	Colombia.
26.	„ <i>umbrifera</i> , ♀.	„ p. 325.	Paraguay.
27.	<i>Drobeta melagonia</i> , ♀.	„ p. 333.	Panama.
28.	„ <i>delectans</i> , ♂.	„ p. 334.	Brazil.
29.	„ <i>perplexa</i> , ♂.	„ p. 334.	Venezuela.
30.	„ <i>phæobasis</i> , ♀.	„ p. 335.	Colombia.
31.	<i>Parangitia veluta</i> , ♂.	„ p. 336.	Peru.
32.	„ <i>rufa</i> , ♂.	„ p. 336.	Peru.



Horace Knight del. et lith.

West, Newman chromo.

PLATE CLIX.

1.	<i>Parangitia nephelistis</i> , ♀.	Vol. X. p. 338.	Brazil.
2.	„ <i>virescens</i> , ♀.	„ p. 339.	Peru.
3.	„ <i>cana</i> , ♀.	„ p. 340.	Peru.
4.	<i>Angitia mesoscota</i> , ♀.	„ p. 344.	Trinidad.
5.	„ <i>albicauda</i> , ♂.	„ p. 344.	Br. Guiana.
6.	„ <i>pulchra</i> , ♀.	„ p. 345.	Panama.
7.	„ <i>ochriplaga</i> , ♀.	„ p. 346.	Br. Guiana.
8.	„ <i>melamera</i> , ♀.	„ p. 348.	Br. Guiana.
9.	„ <i>carneopicta</i> , ♀.	„ p. 348.	Brazil.
10.	„ <i>albirufa</i> , ♀.	„ p. 349.	Peru.
11.	„ <i>viridans</i> , ♂.	„ p. 349.	Brazil.
12.	„ <i>eriopica</i> , ♀.	„ p. 350.	Brazil.
13.	<i>Paracodia albivena</i> , ♀.	„ p. 353.	Chili.
14.	„ <i>praxina</i> , ♀.	„ p. 354.	Brazil.
15.	„ <i>albiceps</i> , ♂.	„ p. 355.	Colombia.
16.	<i>Mictochroa farona</i> , ♂.	„ p. 356.	Brazil.
17.	„ <i>harmonica</i> , ♂.	„ p. 356.	Colombia.
18.	„ <i>parigana</i> , ♂.	„ p. 358.	Brazil.
19.	„ <i>albirena</i> , ♀.	„ p. 359.	Colombia.
20.	„ <i>caterva</i> , ♂.	„ p. 359.	Brazil.
21.	„ <i>thermoptera</i> , ♀.	„ p. 360.	Peru.
22.	„ <i>triangularis</i> , ♀.	„ p. 360.	Brazil.
23.	„ <i>angularis</i> , ♀.	„ p. 361.	Brazil.
24.	<i>Chalenata ustata</i> , ♂.	„ p. 364.	Colombia.
25.	„ <i>fumosa</i> , ♂.	„ p. 364.	Brazil.
26.	„ <i>lilacina</i> , ♂.	„ p. 365.	Argentina.
27.	„ <i>micaceella</i> , ♀.	„ p. 365.	Brazil.
28.	<i>Stenoloba ferrimacula</i> , ♂.	„ p. 367.	Assam.
29.	„ <i>clara</i> , ♂.	„ p. 368.	Japan.
30.	„ <i>punctistigma</i> , ♂.	„ p. 369.	Punjab.
31.	„ <i>viridimicta</i> , ♂.	„ p. 369.	Assam.
32.	„ <i>glaucescens</i> , ♂.	„ p. 370.	Assam.



PLATE CLX.

1. <i>Scotostena pinodes</i> , ♂.	Vol. X. p. 372.	Queensland.
2. <i>Protarache melaphora</i> , ♀.	„ p. 374.	Bechuanaland.
3. „ <i>gladiola</i> , ♀.	„ p. 374.	Arizona.
4. „ <i>requies</i> , ♀.	„ p. 375.	Mexico.
5. <i>Uncula lunata</i> , ♂.	„ p. 376.	S. Australia.
6. <i>Hiccoda eccauata</i> , ♂.	„ p. 379.	Burma.
7. <i>Phyllophila rufescens</i> , ♂.	„ p. 385.	Cape Colony.
8. „ <i>flavitermina</i> , ♂.	„ p. 385.	Cape Colony.
9. „ <i>torrefacta</i> , ♂.	„ p. 386.	Transvaal.
10. „ <i>obscura</i> , ♂.	„ p. 386.	Assam.
11. „ <i>cogela</i> , ♀.	„ p. 387.	Brazil.
12. <i>Oretonia ethiopica</i> , ♂.	„ p. 389.	Mashonaland.
13. „ <i>atrisigna</i> , ♂.	„ p. 391.	Br. E. Africa.
14. „ <i>floccifera</i> , ♂.	„ p. 391.	Bhután.
15. <i>Ozarba orthozona</i> , ♂.	„ p. 401.	Cape Colony.
16. „ <i>abscissa</i> , ♂.	„ p. 402.	Natal.
17. „ <i>domina</i> , ♂.	„ p. 402.	Gaboon.
18. „ <i>rectifascia</i> , ♀.	„ p. 403.	Bombay.
19. „ <i>camptozona</i> , ♀.	„ p. 404.	Queensland.
20. „ <i>chrysaspis</i> , ♂.	„ p. 405.	Queensland.
21. „ <i>microcycla</i> , ♂.	„ p. 405.	Madagascar.
22. „ <i>accincta</i> , ♂.	„ p. 406.	Transvaal.
23. „ <i>megaplaga</i> , ♂.	„ p. 409.	Br. E. Africa.
24. „ <i>sciaptera</i> , ♂.	„ p. 409.	Queensland.
25. „ <i>uberosa</i> , ♀.	„ p. 411.	Bombay.
26. „ <i>glaucescens</i> , ♂.	„ p. 411.	Madras.
27. „ <i>sciaphora</i> , ♀.	„ p. 412.	Mexico.
28. „ <i>costata</i> , ♀.	„ p. 412.	Argentina.
29. „ <i>excurvata</i> , ♂.	„ p. 413.	Argentina.
30. „ <i>honesta</i> , ♂.	„ p. 413.	Madras.
31. „ <i>sinua</i> , ♂.	„ p. 414.	Br. E. Africa.
32. „ <i>plumbipicta</i> , ♀.	„ p. 414.	Queensland.



PLATE CLXI.

1.	<i>Ozarba hemichrysea</i> , ♂.	Vol. X. p. 415.	Congo.
2.	„ <i>cyanopasta</i> , ♀.	„ p. 416.	Transvaal.
3.	„ <i>chryseiplaga</i> , ♀.	„ p. 416.	Congo.
4.	„ <i>metachrysea</i> , ♀.	„ p. 417.	Mashonaland.
5.	„ <i>contempta</i> , ♀.	„ p. 417.	Cape Colony.
6.	„ <i>flavescens</i> , ♂.	„ p. 418.	Br. E. Africa.
7.	„ <i>flavidiscata</i> , ♂.	„ p. 418.	Madagascar.
8.	„ <i>ochrozona</i> , ♂.	„ p. 419.	Gold Coast.
9.	„ <i>hemiplaca</i> , ♂.	„ p. 419.	Queensland.
10.	„ <i>semirubra</i> , ♂.	„ p. 420.	Madras.
11.	„ <i>hemiochra</i> , ♂.	„ p. 420.	Transvaal.
12.	„ <i>semipurpurea</i> , ♂.	„ p. 421.	Natal.
13.	„ <i>consanguis</i> , ♀.	„ p. 421.	Bechuanaland.
14.	„ <i>hemimelæna</i> , ♂.	„ p. 422.	N. Rhodesia.
15.	„ <i>bipartita</i> , ♀.	„ p. 422.	Cape Colony.
16.	„ <i>socotrana</i> , ♀.	„ p. 423.	Sokotra.
17.	„ <i>rosescens</i> , ♂.	„ p. 423.	Uganda.
18.	„ <i>isocampta</i> , ♂.	„ p. 424.	Transvaal.
19.	„ <i>phæocroa</i> , ♂.	„ p. 424.	Congo.
20.	„ <i>nephroleuca</i> , ♂.	„ p. 425.	Madagascar.
21.	„ <i>nigroviridis</i> , ♂.	„ p. 425.	Cape Colony.
22.	„ <i>cinerea</i> , ♂.	„ p. 426.	Damaraland.
23.	„ <i>cryptochrysea</i> , ♂.	„ p. 426.	Transvaal.
24.	„ <i>toxotis</i> , ♀.	„ p. 427.	Br. C. Africa.
25.	„ <i>pyraspis</i> , ♂.	„ p. 427.	Queensland.
26.	„ <i>fulvescens</i> , ♂.	„ p. 427.	Transvaal.
27.	„ <i>flavipennis</i> , ♂.	„ p. 428.	Cape Colony.
28.	„ <i>heliastis</i> , ♂.	„ p. 428.	Br. E. Africa.
29.	„ <i>densa</i> , ♂.	„ p. 429.	Cape Colony.
30.	„ <i>perssoni</i> , ♂.	„ p. 431.	Natal.
31.	„ <i>sancta</i> , ♂.	„ p. 432.	Palestine
32.	„ <i>varia</i> , ♂.	„ p. 432.	Cape Colony.



PLATE CLXII.

1.	<i>Ozarba subterminalis</i> , ♀.	Vol. X. p. 433.	Mashonaland.
2.	„ <i>apicalis</i> , ♂.	„ p. 434.	Br. E. Africa.
3.	„ <i>binorbis</i> , ♂.	„ p. 435.	Transvaal.
4.	„ <i>bisexualis</i> , ♂.	„ p. 435.	Mashonaland
5.	„ „ ♀.	„ p. 435.	Mashonaland.
6.	„ <i>hypoxantha</i> , ♂.	„ p. 436.	Natal.
7.	„ „ ♀.	„ p. 436.	Natal.
8.	„ <i>lascivalis</i> , ♂.	„ p. 438.	Syria.
9.	„ <i>albimarginata</i> , ♀.	„ p. 439.	Sind.
10.	„ <i>rubrivena</i> , ♂.	„ p. 440.	S. Nigeria.
11.	„ <i>phlebitis</i> , ♂.	„ p. 441.	Punjab.
12.	„ <i>metallica</i> , ♀.	„ p. 441.	Ceylon.
13.	„ <i>molybdota</i> . ♂.	„ p. 442.	Ceylon.
14.	„ <i>vicina</i> , ♀.	„ p. 442.	Brazil.
15.	„ <i>hemipolia</i> , ♂.	„ p. 443.	Cape Colony.
16.	„ <i>subdentula</i> , ♂.	„ p. 443.	Ceylon.
17.	„ <i>badia</i> , ♀.	„ p. 444.	Bombay.
18.	„ <i>rufula</i> , ♂.	„ p. 445.	Bombay.
19.	„ <i>umbrifera</i> , ♂.	„ p. 445.	Bombay.
20.	„ <i>hemiphæa</i> , ♂.	„ p. 446.	Ceylon.
21.	„ <i>pallida</i> , ♂.	„ p. 447.	Bombay.
22.	„ <i>brunnea</i> , ♂.	„ p. 447.	W. China.
23.	„ <i>lamia</i> , ♂.	„ p. 448.	Burma.
24.	„ <i>inobtrusa</i> , ♂.	„ p. 449.	Cape Colony.
25.	„ <i>phæa</i> , ♀.	„ p. 449.	Cape Colony.
26.	„ <i>plagifera</i> , ♀.	„ p. 450.	Arabia.
27.	„ <i>metaleuca</i> , ♂.	„ p. 450.	Brazil.
28.	„ <i>aeria</i> , ♂.	„ p. 451.	Alabama.
29.	„ <i>bicornis</i> , ♀.	„ p. 453.	Paraguay.
30.	„ <i>melanodonta</i> , ♀.	„ p. 453.	Trinidad.
31.	„ <i>holophæa</i> , ♂.	„ p. 455.	Argentina.
32.	„ <i>atrifera</i> , ♂.	„ p. 455.	Br. E. Africa.



PLATE CLXIII.

1.	<i>Ozarba illosis</i> , ♂.	Vol. X. p. 457.	Ceylon.
2.	„ <i>tricuspis</i> , ♂.	„ p. 457.	Br. E. Africa.
3.	„ <i>amazonia</i> , ♀.	„ p. 458.	Brazil.
4.	„ <i>melagona</i> , ♂.	„ p. 458.	Madagascar.
5.	<i>Amyna crocosticta</i> , ♂.	„ p. 463.	Christmas I.
6.	„ <i>aroa</i> , ♂.	„ p. 463.	Pulo Laut.
7.	„ <i>leucopera</i> , ♂.	„ p. 464.	Madras.
8.	„ <i>ruptirena</i> , ♂.	„ p. 465.	N. Rhodesia.
9.	„ <i>renalis</i> , ♂.	„ p. 466.	Sikhim.
10.	„ <i>glaucopera</i> , ♂.	„ p. 466.	Sikhim.
11.	„ <i>leucostriga</i> , ♂.	„ p. 467.	Punjab.
12.	„ <i>griseola</i> , ♀.	„ p. 470.	Lr. Guinea.
13.	„ <i>spilonota</i> , ♂.	„ p. 470.	N. Australia.
14.	„ <i>amplificans</i> , ♂.	„ p. 471.	Guatemala.
15.	„ <i>teratophora</i> , ♂.	„ p. 474.	Florida.
16.	„ <i>monocampta</i> , ♂.	„ p. 476.	Sikhim.
17.	<i>Bryocodia avirida</i> , ♂.	„ p. 477.	Alberta.
18.	„ <i>pictula</i> , ♂.	„ p. 478.	Brazil.
19.	„ <i>mediana</i> , ♂.	„ p. 479.	Brazil.
20.	<i>Micrantha janeira</i> , ♀.	„ p. 484.	Brazil.
21.	„ <i>cyclopis</i> , ♀.	„ p. 485.	Panama.
22.	<i>Erastroides albiguttata</i> , ♂.	„ p. 491.	Peru.
23.	„ <i>flavibasalis</i> , ♂.	„ p. 492.	Assam.
24.	„ <i>hermosilla</i> , ♂.	„ p. 493.	Brazil.
25.	„ <i>fausta</i> , ♀.	„ p. 494.	Burma.
26.	„ <i>endomela</i> , ♂.	„ p. 495.	Burma.
27.	„ <i>mesomela</i> , ♀.	„ p. 495.	Ceylon.
28.	„ <i>propera</i> , ♀.	„ p. 497.	Arizona.
29.	<i>Lithacodia synochitis</i> , ♂.	„ p. 498.	New York.
30.	„ <i>arefacta</i> , ♂.	„ p. 502.	Japan.
31.	„ <i>ferrugina</i> , ♂.	„ p. 503.	Queensland.
32.	„ <i>bætica</i> , ♂.	„ p. 506.	Burma.



PLATE CLXIV.

1.	<i>Lithacodia cafferistis</i> , ♀.	Vol. X. p. 506.	Cape Colony.
2.	„ <i>flavofimbria</i> , ♂.	„ p. 508.	Madagascar.
3.	„ <i>melaleuca</i> , ♀.	„ p. 508.	Chusan Is.
4.	„ <i>plumbitincta</i> , ♂.	„ p. 509.	Sikhim Tibet.
5.	„ <i>varicolora</i> , ♀.	„ p. 510.	Natal.
6.	„ <i>albidula</i> , ♂.	„ p. 511.	Massachusetts.
7.	„ <i>parvimacula</i> , ♂.	„ p. 511.	Texas.
8.	„ <i>concinimacula</i> , ♀.	„ p. 512.	Pennsylvania.
9.	„ <i>metachrysa</i> , ♂.	„ p. 513.	Madagascar.
10.	„ <i>micronephra</i> , ♂.	„ p. 518.	Br. N. Guinea.
11.	„ <i>mandarina</i> , ♂.	„ p. 518.	W. China.
12.	„ <i>fentoni</i> , ♂.	„ p. 519.	Japan.
13.	„ <i>cuprea</i> , ♂.	„ p. 521.	Brazil.
14.	„ <i>mella</i> , ♂.	„ p. 521.	Brazil.
15.	„ <i>atrinotata</i> , ♀.	„ p. 523.	Brazil.
16.	„ <i>crotopha</i> , ♂.	„ p. 523.	Assam.
17.	„ <i>chlorophila</i> , ♂.	„ p. 524.	Brazil.
18.	„ <i>glauca</i> , ♀.	„ p. 524.	Jamaica.
19.	„ <i>bryistis</i> , ♂.	„ p. 525.	Queensland.
20.	„ <i>cuprofusca</i> , ♀.	„ p. 526.	Java.
21.	„ <i>formosana</i> , ♀.	„ p. 526.	Formosa.
22.	„ <i>musta</i> , ♀.	„ p. 527.	Virginia.
23.	„ <i>aurata</i> , ♂.	„ p. 528.	Sikhim.
24.	„ <i>dorata</i> , ♂.	„ p. 529.	Ceylon.
25.	„ <i>titanica</i> , ♀.	„ p. 529.	Madagascar.
26.	„ <i>carneola</i> , ♂.	„ p. 531.	New York.
27.	„ <i>apicosa</i> , ♂.	„ p. 531.	Massachusetts.
28.	„ <i>editha</i> , ♀.	„ p. 533.	Mexico.
29.	„ <i>melanostigma</i> , ♀.	„ p. 534.	Assam.
30.	„ <i>senex</i> , ♂.	„ p. 534.	Japan.
31.	„ <i>benita</i> , ♀.	„ p. 537.	Brazil.
32.	„ <i>normalis</i> , ♀.	„ p. 537.	Transvaal.



PLATE CLXV.

1.	<i>Lithacodia larentiformis</i> , ♀.	Vol. X. p. 538.	Sikhim.
2.	„ <i>glaucopis</i> , ♀.	„ p. 538.	Sikhim.
3.	„ <i>muscosula</i> , ♂.	„ p. 541.	Canada.
4.	„ <i>falsa</i> , ♂.	„ p. 541.	Japan.
5.	„ <i>syggenes</i> , ♂.	„ p. 543.	Peru.
6.	„ <i>onytes</i> , ♂.	„ p. 544.	Brazil.
7.	„ <i>confusa</i> , ♀.	„ p. 544.	W. China.
8.	„ <i>clandestina</i> , ♂.	„ p. 545.	Queensland.
9.	„ <i>nivata</i> , ♂.	„ p. 546.	W. China.
10.	„ <i>penthis</i> , ♂.	„ p. 547.	Mexico.
11.	„ <i>binorbis</i> , ♀.	„ p. 548.	Cape Colony.
12.	„ <i>valta</i> , ♂.	„ p. 549.	Mexico.
13.	„ <i>cœnia</i> , ♀.	„ p. 550.	Assam.
14.	„ <i>picta</i> , ♂.	„ p. 551.	Assam.
15.	„ <i>geoga</i> , ♀.	„ p. 552.	Mexico.
16.	„ <i>merta</i> , ♀.	„ p. 553.	Brazil.
17.	„ <i>holophœa</i> , ♂.	„ p. 554.	Assam.
18.	„ <i>mirella</i> , ♀.	„ p. 554.	Guatemala.
19.	<i>Hyperstrotia molybdota</i> , ♂.	„ p. 556.	Assam.
20.	„ <i>inordinata</i> , ♀.	„ p. 557.	Assam.
21.	„ <i>meeci</i> , ♂.	„ p. 558.	Br. N. Guinea.
22.	„ <i>oletta</i> , ♀.	„ p. 559.	Brazil.
23.	„ <i>macroplaga</i> , ♂.	„ p. 560.	Ceylon.
24.	„ <i>semiochrea</i> , ♂.	„ p. 561.	Assam.
25.	„ <i>albida</i> , ♀.	„ p. 561.	Persia.
26.	<i>Himerois univittata</i> , ♂.	„ p. 565.	New Britain.
27.	<i>Eustrotia albifissa</i> , ♂.	„ p. 576.	Natal.
28.	„ <i>munda</i> , ♂.	„ p. 577.	W. China.
29.	„ <i>diascia</i> , ♂.	„ p. 579.	Br. E. Africa.
30.	„ <i>tripartita</i> , ♀.	„ p. 580.	W. China.
31.	„ <i>argotypa</i> , ♂.	„ p. 582.	Queensland.
32.	„ <i>haptina</i> , ♀.	„ p. 582.	Queensland.



1



9



17



25




2



10



18



26



3



11



19



27



4



12



20



28



5



13



21



29



6



14



22



30



7



15



23



31



8



16



24



32



PLATE CLXVI.

1.	<i>Eustrotia noloides</i> , ♂.	Vol. X. p. 583.	Japan.
2.	„ <i>magna</i> , ♀.	„ p. 583.	Japan.
3.	„ <i>amorpha</i> , ♂.	„ p. 584.	Queensland.
4.	„ <i>albibasis</i> , ♀.	„ p. 585.	Natal.
5.	„ <i>olivula</i> , ♀.	„ p. 586.	Cape Colony.
6.	„ <i>erecta</i> , ♂.	„ p. 586.	Travancore.
7.	„ <i>latifasciata</i> , ♀.	„ p. 587.	Bombay.
8.	„ <i>inconcisa</i> , ♀.	„ p. 587.	Union Is.
9.	„ <i>thermozona</i> , ♂.	„ p. 588.	N. Australia.
10.	„ <i>quadripartita</i> , ♂.	„ p. 589.	Punjab.
11.	„ <i>phæozona</i> , ♂.	„ p. 590.	Christmas I.
12.	„ <i>euryzona</i> , ♀.	„ p. 590.	Madras.
13.	„ <i>lixiva</i> , ♂.	„ p. 591.	Arizona.
14.	„ <i>basicinerea</i> , ♀.	„ p. 591.	Arizona.
15.	„ <i>orthozona</i> , ♂.	„ p. 592.	Texas.
16.	„ <i>trigonodes</i> , ♂.	„ p. 592.	Br. E. Africa.
17.	„ <i>genuflexa</i> , ♂.	„ p. 593.	Cape Colony.
18.	„ <i>catoxantha</i> , ♂.	„ p. 593.	Orange R. Colony.
19.	„ <i>albifascia</i> , ♀.	„ p. 594.	Cape Colony.
20.	„ <i>citripennis</i> , ♂.	„ p. 594.	Br. E. Africa.
21.	„ <i>leucopera</i> , ♂.	„ p. 597.	Madras.
22.	„ <i>dividua</i> , ♂.	„ p. 597.	Texas.
23.	„ <i>longena</i> , ♀.	„ p. 598.	Venezuela.
24.	„ <i>phæomera</i> , ♀.	„ p. 599.	W. Africa.
25.	„ <i>isomera</i> , ♀.	„ p. 599.	Sikhim.
26.	„ <i>dimera</i> , ♂.	„ p. 600.	Assam.
27.	„ <i>excavata</i> , ♂.	„ p. 601.	Madras.
28.	„ <i>ozarbica</i> , ♂.	„ p. 602.	Madras.
29.	„ <i>culta</i> , ♀.	„ p. 603.	Japan.
30.	„ <i>semialba</i> , ♀.	„ p. 604.	Sikhim.
31.	„ <i>albisigna</i> , ♀.	„ p. 604.	N. Rhodesia.
32.	„ <i>amydrozona</i> , ♂.	„ p. 605.	Br. E. Africa.





PLATE CLXVII.

1.	<i>Eustrotia macrosema</i> , ♀.	Vol. X. p. 605.	Queensland.
2.	„ <i>amydra</i> , ♀.	„ p. 606.	Angola.
3.	„ <i>flaviguttata</i> , ♂.	„ p. 606.	Florida.
4.	„ <i>secta</i> , ♂.	„ p. 607.	Massachusetts.
5.	„ <i>bryophilina</i> , ♂.	„ p. 607.	Transvaal.
6.	„ <i>astydamia</i> , ♀.	„ p. 608.	Brazil.
7.	„ <i>micropis</i> , ♂.	„ p. 609.	Congo.
8.	„ <i>melanopis</i> , ♀.	„ p. 609.	Br. E. Africa.
9.	„ <i>chionozona</i> , ♀.	„ p. 610.	Madras.
10.	„ <i>euchrysa</i> , ♀.	„ p. 610.	Queensland.
11.	„ <i>bilineata</i> , ♀.	„ p. 610.	Assam.
12.	„ <i>fervens</i> , ♂.	„ p. 611.	Bombay.
13.	<i>Pseudomicrodes fuscipars</i> , ♂.	„ p. 614.	Transvaal.
14.	„ <i>atrifusa</i> , ♂.	„ p. 615.	Ceylon.
15.	„ <i>rufigrisea</i> , ♂.	„ p. 616.	Br. E. Africa.
16.	„ <i>decolora</i> , ♂.	„ p. 616.	Sokotra.
17.	„ <i>polysticta</i> , ♂.	„ p. 617.	Gold Coast.
18.	„ <i>ochrocraspis</i> , ♀.	„ p. 617.	Transvaal.
19.	<i>Eulocastra ochrizona</i> , ♀.	„ p. 619.	Arabia.
20.	„ <i>leucobasis</i> , ♂.	„ p. 620.	Madras.
21.	„ <i>euryinipha</i> , ♂.	„ p. 621.	Victoria.
22.	„ <i>nigrivittata</i> , ♀.	„ p. 622.	Punjab.
23.	„ <i>insignis</i> , ♂.	„ p. 623.	Aden.
24.	„ <i>monozona</i> , ♀.	„ p. 626.	Gambia.
25.	„ <i>argentisparsa</i> , ♂.	„ p. 626.	Madras.
26.	„ <i>fasciolata</i> , ♂.	„ p. 627.	Queensland.
27.	„ <i>æthiops</i> , ♂.	„ p. 627.	Transvaal.
28.	„ <i>hypotenias</i> , ♂.	„ p. 628.	Transvaal.
29.	„ <i>phæozona</i> , ♂.	„ p. 629.	W. Australia.
30.	„ <i>thermozona</i> , ♂.	„ p. 629.	W. Australia.
31.	„ <i>chrysarginea</i> , ♂.	„ p. 630.	Brazil.
32.	„ <i>tapina</i> , ♂.	„ p. 630.	Palestine.





PLATE CLXVIII.

1.	<i>Corgatha argillacea</i> , ♂.	Vol. X. p. 305.	Japan.
2.	<i>Lithacodia euchroa</i> , ♀.	„ p. 548.	N. Guinea.
3.	<i>Naranga cenesceus</i> , ♂.	„ p. 632.	C. China.
4.	„ <i>brunnea</i> , ♂.	„ p. 632.	Japan.
5.	<i>Narangodes nigridiscata</i> , ♂.	„ p. 633.	Queensland.
6.	<i>Mimasura simplex</i> , ♂.	„ p. 634.	Sokotra.
7.	„ <i>asticta</i> , ♂.	„ p. 635.	S. Leone.
8.	„ <i>clara</i> , ♀.	„ p. 636.	S. Nigeria.
9.	„ <i>disticta</i> , ♂.	„ p. 637.	S. Leone.
10.	„ <i>impuncta</i> , ♂.	„ p. 637.	Bombay.
11.	„ <i>innotata</i> , ♂.	„ p. 638.	N. Rhodesia.
12.	„ <i>albiceris</i> , ♂.	„ p. 638.	Queensland.
13.	„ <i>strigicostalis</i> , ♂.	„ p. 638.	Travancore.
14.	<i>Flammona trilineata</i> , ♂.	„ p. 639.	C. China.
15.	<i>Cerathosia idella</i> , ♀.	„ p. 643.	Arizona.
16.	<i>Diastema morata</i> , ♂.	„ p. 646.	Mexico.
17.	<i>Lophorache eustrotiodes</i> , ♀.	„ p. 649.	Madras.
18.	<i>Ecyra rolandiana</i> , ♂.	„ p. 651.	Massachusetts.
19.	„ <i>ridingsi</i> , ♂.	„ p. 652.	Texas.
20.	<i>Xanthoptera rufescens</i> , ♂.	„ p. 655.	Brazil.
21.	„ <i>furcata</i> , ♂.	„ p. 655.	S. Brazil.
22.	„ <i>obliquata</i> , ♂.	„ p. 656.	Cuba.
23.	„ <i>auruda</i> , ♂.	„ p. 656.	S. Brazil.
24.	„ <i>aurifera</i> , ♂.	„ p. 657.	Panama.
25.	„ <i>nigrofimbria</i> , ♀.	„ p. 658.	Texas.
26.	<i>Erastria viridisquama</i> , ♂.	„ p. 659.	Spain.
27.	„ <i>fascialis</i> , ♂.	„ p. 661.	Kashmir.
28.	<i>Heliocontia</i> 1 <i>antherula</i> , ♂.	„ p. 662.	Cuba.
29.	„ „ ♀.	„ p. 662.	Cuba.
30.	„ <i>lepus</i> , ♂.	„ p. 664.	Brazil.
31.	„ „ ♀.	„ p. 664.	Brazil.
32.	„ <i>pyralidia</i> , ♂.	„ p. 665.	Mexico.





PLATE CLXIX.

1.	<i>Spragueia guttata</i> , ♀.	Vol. X. p. 669.	Texas.
2.	„ <i>funeralis</i> , ♂.	„ p. 670.	Arizona.
3.	„ <i>magnifica</i> , ♀.	„ p. 671.	New Mexico.
4.	„ <i>onagrus</i> , ♂.	„ p. 671.	Florida.
5.	„ <i>leo</i> , ♂.	„ p. 672.	Texas.
6.	„ <i>jaguaralis</i> , ♀.	„ p. 673.	Texas.
7.	„ <i>grana</i> , ♂.	„ p. 674.	Ecuador.
8.	„ <i>plumbifimbriata</i> , ♀.	„ p. 675.	Texas.
9.	<i>Græperia sutor</i> , ♂.	„ p. 677.	Arizona.
10.	„ <i>megocula</i> , ♀.	„ p. 680.	California.
11.	„ <i>indubitans</i> , ♂.	„ p. 681.	Brazil.
12.	„ „ ♀.	„ p. 681.	Haiti.
13.	<i>Conochares acuta</i> , ♀.	„ p. 683.	Arizona.
14.	„ <i>altera</i> , ♂.	„ p. 634.	California.
15.	„ <i>arizonæ</i> , ♀.	„ p. 685.	Arizona.
16.	„ <i>interrupta</i> , ♀.	„ p. 685.	California.
17.	„ <i>catalina</i> , ♂.	„ p. 686.	Arizona.
18.	„ <i>hutsoni</i> , ♂.	„ p. 686.	Arizona.
19.	<i>Tarachidia margarita</i> , ♀.	„ p. 688.	Venezuela.
20.	„ <i>viridans</i> , ♂.	„ p. 689.	Brazil.
21.	„ „ ♀.	„ p. 689.	Brazil.
22.	„ <i>albisecta</i> , ♀.	„ p. 689.	Argentina.
23.	„ <i>parvula</i> , ♂.	„ p. 690.	Georgia.
24.	„ <i>tortricina</i> , ♂.	„ p. 690.	Texas.
25.	„ <i>erastrionides</i> , ♂.	„ p. 691.	New York.
26.	„ <i>nannodes</i> , ♀.	„ p. 692.	Arizona.
27.	„ <i>libedis</i> , ♀.	„ p. 692.	Texas.
28.	„ <i>corrientes</i> , ♂.	„ p. 693.	Argentina.
29.	„ „ ♀.	„ p. 693.	Argentina.
30.	„ <i>tenuicula</i> , ♂.	„ p. 693.	Arizona.
31.	„ „ ♀.	„ p. 693.	Arizona.
32.	„ <i>candefacta</i> , ♂.	„ p. 694.	Texas.



Horace Knight del et lith.

West, Newman chromo.

PLATE CLXX.

1.	<i>Tarachidia neomexicana</i> , ♂.	Vol. X. p. 695.	Texas.
2.	„ <i>virginalis</i> , ♀.	„ p. 696.	Texas.
3.	„ <i>binocula</i> , ♂.	„ p. 696.	Texas.
4.	„ <i>tenuescens</i> , ♀.	„ p. 696.	Florida.
5.	„ <i>huita</i> , ♀.	„ p. 697.	Arizona.
6.	„ <i>semibrunnea</i> , ♂.	„ p. 697.	Paraguay.
7.	„ <i>cuta</i> , ♂.	„ p. 698.	New Mexico.
8.	„ <i>alata</i> , ♂.	„ p. 698.	Arizona.
9.	„ <i>jativa</i> , ♂.	„ p. 698.	Arizona.
10.	„ <i>perita</i> , ♂.	„ p. 699.	Arizona.
11.	„ <i>venustula</i> , ♀.	„ p. 699.	Arizona.
12.	„ <i>clausula</i> , ♂.	„ p. 700.	Arizona.
13.	„ <i>semiflava</i> , ♂.	„ p. 700.	Texas.
14.	„ <i>fumata</i> , ♂.	„ p. 701.	Nevada.
15.	<i>Conacontia huachuca</i> , ♂.	„ p. 702.	Arizona.
16.	„ <i>orba</i> , ♀.	„ p. 704.	Arizona.
17.	„ <i>angustipennis</i> , ♀.	„ p. 704.	Texas.
18.	<i>Cardiosace bidentata</i> , ♂.	„ p. 706.	Mashonaland.
19.	„ <i>parilis</i> , ♂.	„ p. 707.	Cape Colony.
20.	„ <i>olivescens</i> , ♂.	„ p. 708.	Transvaal.
21.	„ <i>triphaenoides</i> , ♂.	„ p. 708.	Natal.
22.	„ „ ♀.	„ p. 708.	Natal.
23.	„ <i>natalis</i> , ♂.	„ p. 709.	Natal.
24.	„ „ ♀.	„ p. 709.	Natal.
25.	<i>Hoplotarache sublota</i> , ♂.	„ p. 712.	Madagascar.
26.	„ <i>semialba</i> , ♂.	„ p. 713.	Br. E. Africa.
27.	„ <i>costalis</i> , ♂.	„ p. 714.	Madras.
28.	„ <i>carachiensis</i> , ♂.	„ p. 714.	Sind.
29.	„ <i>nubila</i> , ♂.	„ p. 715.	Br. E. Africa.
30.	„ <i>dispar</i> , ♂.	„ p. 716.	Basutoland.
31.	„ „ ♀.	„ p. 716.	Cape Colony.
32.	„ <i>viridifera</i> , ♀.	„ p. 716.	Panama.



PLATE CLXXI.

1.	<i>Hoplotarache holoxantha</i> , ♂.	Vol. X. p. 718.	Uganda.
2.	„ <i>sordescens</i> , ♀.	„ p. 718.	Asia Minor.
3.	<i>Metapioplasta olivescens</i> , ♂.	„ p. 719.	Br. E. Africa.
4.	„ <i>burmana</i> , ♂.	„ p. 720.	Burma.
5.	<i>Tarache lactipennis</i> , ♂.	„ p. 723.	Texas.
6.	„ <i>expolita</i> , ♂.	„ p. 724.	Arizona.
7.	„ <i>lucasi</i> , ♂.	„ p. 724.	Arizona.
8.	„ <i>rufescens</i> , ♂.	„ p. 730.	Brazil.
9.	„ <i>ruficincta</i> , ♂.	„ p. 730.	Abyssinia.
10.	„ <i>major</i> , ♀.	„ p. 730.	Br. Columbia.
11.	„ <i>lanceolata</i> , ♀.	„ p. 731.	Texas.
12.	„ <i>mizteca</i> , ♀.	„ p. 732.	Mexico.
13.	„ <i>axendra</i> , ♀.	„ p. 733.	Mexico.
14.	„ <i>disconnecta</i> , ♂.	„ p. 733.	Arizona.
15.	„ <i>cacola</i> , ♂.	„ p. 734.	Arizona.
16.	„ <i>gonella</i> , ♂.	„ p. 734.	Arizona.
17.	„ „ ♀.	„ p. 734.	Arizona.
18.	„ <i>abdominalis</i> , ♂.	„ p. 735.	Texas.
19.	„ „ ♀.	„ p. 735.	Texas.
20.	„ <i>flavipennis</i> , ♂.	„ p. 736.	California.
21.	„ <i>areli</i> , ♂.	„ p. 737.	Arizona.
22.	„ „ ♀.	„ p. 737.	Arizona.
23.	„ <i>aprica</i> , ♂.	„ p. 738.	Texas.
24.	„ „ ♀.	„ p. 738.	Texas.
25.	„ <i>micropis</i> , ♂.	„ p. 739.	Brazil.
26.	„ <i>mescei</i> , ♂.	„ p. 740.	Texas.
27.	„ <i>sedata</i> , ♂.	„ p. 740.	Texas.
28.	„ „ ♀.	„ p. 740.	Texas.
29.	„ <i>ardoris</i> , ♂.	„ p. 742.	Brazil.
30.	„ „ ♀.	„ p. 742.	Brazil.
31.	„ <i>morides</i> , ♂.	„ p. 742.	Brazil.
32.	„ <i>ochrochroa</i> , ♂.	„ p. 743.	Argentina.



PLATE CLXXII.

1.	<i>Tarache apatelia</i> , ♂.	Vol. X. p. 744.	Br. E. Africa.
2.	„ <i>hyperlophia</i> , ♂.	„ p. 744.	Natal.
3.	„ <i>nivipicta</i> , ♂.	„ p. 745.	Queensland.
4.	„ <i>basifera</i> , ♂.	„ p. 746.	Bombay.
5.	„ <i>zelleri</i> , ♂.	„ p. 747.	Transvaal.
6.	„ <i>rachiasis</i> , ♂.	„ p. 749.	Aldabra.
7.	„ <i>hieroglyphica</i> , ♂.	„ p. 749.	W. Australia.
8.	„ <i>clerana</i> , ♂.	„ p. 750.	Queensland.
9.	„ <i>arida</i> , ♀.	„ p. 751.	Arizona.
10.	„ <i>elæoa</i> , ♂.	„ p. 751.	Queensland.
11.	„ <i>xuthosoma</i> , ♂.	„ p. 752.	Queensland.
12.	„ <i>neurota</i> , ♀.	„ p. 753.	Queensland.
13.	„ <i>gratiosa</i> , ♂.	„ p. 753.	Br. E. Africa.
14.	„ „ ♀.	„ p. 753.	Br. E. Africa.
15.	„ <i>crocata</i> , ♂.	„ p. 754.	Bombay.
16.	„ „ ♀.	„ p. 754.	Bombay.
17.	„ <i>xuthota</i> , ♀.	„ p. 755.	Queensland.
18.	„ <i>microptera</i> , ♀.	„ p. 755.	Madagascar.
19.	„ <i>detrita</i> , ♂.	„ p. 757.	Queensland.
20.	„ „ ♀.	„ p. 757.	Queensland.
21.	„ <i>thapsina</i> , ♂.	„ p. 758.	Queensland.
22.	„ <i>guttifera</i> , ♂.	„ p. 758.	Natal.
23.	„ „ ♀.	„ p. 758.	Natal.
24.	„ <i>hemixanthia</i> , ♀.	„ p. 759.	Br. E. Africa.
25.	„ <i>semitra</i> , ♀.	„ p. 760.	Texas.
26.	„ <i>acerba</i> , ♂.	„ p. 761.	California.
27.	„ <i>nubilata</i> , ♂.	„ p. 761.	Natal.
28.	„ <i>hemiglauca</i> , ♀.	„ p. 762.	Madras.
29.	„ <i>terminimaculata</i> , ♀.	„ p. 763.	New York.
30.	„ <i>phrygionis</i> , ♂.	„ p. 764.	Argentina.
31.	„ <i>jaliscana</i> , ♂.	„ p. 767.	Mexico.
32.	„ <i>nitidula</i> , ♂.	„ p. 768.	E. Africa.



PLATE CLXXIII.

1.	<i>Tarache vallengreni</i> , ♀.	Vol. X. p. 768.	Damaraland.
2.	„ <i>umbrigera</i> , ♂.	„ p. 769.	Bechuanaland.
3.	„ „ ♀.	„ p. 769.	Bechuanaland.
4.	„ <i>catenula</i> , ♂.	„ p. 769.	Madras.
5.	„ <i>aniluna</i> , ♀.	„ p. 770.	Arizona.
6.	„ <i>antica</i> , ♂.	„ p. 771.	Natal.
7.	„ <i>delecta</i> , ♂.	„ p. 771.	E. States.
8.	„ <i>cretata</i> , ♂.	„ p. 773.	Texas.
9.	„ <i>beltri</i> , ♀.	„ p. 773.	Arizona.
10.	„ <i>schvarzi</i> .	„ p. 774.	New Mexico.
11.	„ <i>coquilletti</i> , ♀.	„ p. 774.	California.
12.	„ <i>eudryada</i> , ♀.	„ p. 775.	Arizona.
13.	„ <i>opalinoides</i> , ♂.	„ p. 775.	Bombay.
14.	„ <i>cynocraspis</i> , ♂.	„ p. 776.	Mashonaland.
15.	„ <i>secta</i> , ♂.	„ p. 777.	Abyssinia.
16.	„ <i>porphyrea</i> , ♂.	„ p. 777.	Br. E. Africa.
17.	„ <i>citripennis</i> , ♂.	„ p. 778.	Natal.
18.	„ <i>spangbergi</i> , ♂.	„ p. 778.	Damaraland.
19.	„ <i>rufitincta</i> , ♀.	„ p. 779.	Madras.
20.	„ <i>carnescens</i> , ♂.	„ p. 779.	Br. E. Africa.
21.	„ <i>psaliphora</i> , ♂.	„ p. 781.	Gazaland.
22.	„ <i>chrysoproctis</i> , ♂.	„ p. 781.	Mashonaland.
23.	„ <i>gradata</i> , ♀.	„ p. 783.	Cape Colony.
24.	„ <i>notabilis</i> , ♂.	„ p. 783.	Bengal.
25.	„ <i>malgassica</i> , ♀.	„ p. 788.	Madagascar.
26.	„ <i>discoidea</i> , ♂.	„ p. 788.	Bechuanaland.
27.	„ „ ♀.	„ p. 788.	Natal.
28.	„ <i>costosa</i> , ♀.	„ p. 789.	Madagascar.
29.	„ <i>tetragonisa</i> , ♀.	„ p. 790.	Transvaal.
30.	„ <i>leucotrigona</i> , ♂.	„ p. 791.	Br. E. Africa.
31.	„ „ ♀.	„ p. 791.	Gazaland.
32.	„ <i>dimulata</i> , ♀.	„ p. 792.	Arizona.



CATALOGUE
OF THE
LEPIDOPTERA PHALÆNÆ
IN THE
BRITISH MUSEUM.


VOLUME XI.

PLATES CLXXIV—CXCI.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

1912.

(All rights reserved.)



CATALOGUE
OF THE
N O C T U I D Æ

IN THE
COLLECTION

OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
E. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., LTD., 37 SOHO SQUARE, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1912.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE CLXXIV.

1.	<i>Eugraphia splendens</i> , ♂.	Vol. X. p. 793.	Ecuador.
2	„ <i>trilinea</i> , ♂.	„ p. 795.	Mexico.
3.	„ <i>obscura</i> , ♀.	„ p. 795.	Mexico.
4.	<i>Proroblemma polystriga</i> , ♀.	„ p. 796.	Colombia.
5.	<i>Eublemma flavipars</i> , ♀.	„ p. 797.	N. Guinea.
6.	„ <i>goniogramma</i> , ♂.	„ p. 797.	Transvaal.
7.	<i>Ligidia endolopha</i> , ♂.	„ p. 799.	N. Guinea.
8.	<i>Eublemma albivena</i> , ♂.	„ p. 798.	Zululand.
9.	„ <i>titanica</i> , ♀.	„ p. 798.	Transvaal.
10.	<i>Bombotelia dinavaensis</i> , ♂.	Vol. XI. p. 9.	N. Guinea.
11.	„ <i>aureiplaga</i> , ♂.	„ p. 9.	N. Guinea.
12.	„ <i>dinava</i> , ♂.	„ p. 10.	N. Guinea.
13.	„ <i>meevi</i> , ♀.	„ p. 10.	N. Guinea.
14.	„ <i>simplex</i> , ♂.	„ p. 12.	Sikhim.
15.	„ <i>lineatrix</i> , ♂.	„ p. 14.	Travancore.
16.	„ <i>plumbea</i> , ♀.	„ p. 14.	Queensland.
17.	<i>Eutelia ferridorsata</i> , ♀.	„ p. 18.	Nigeria.
18.	„ <i>leucographa</i> , ♂.	„ p. 18.	Br. E. Africa.
19.	„ <i>fulvipicta</i> , ♂.	„ p. 20.	Assam.
20.	„ <i>pulcherrima</i> , ♂.	„ p. 23.	N. York.
21.	„ <i>blanulula</i> , ♂.	„ p. 24.	Cuba.
22.	„ <i>cuprea</i> , ♂.	„ p. 26.	Fr. Guinea.
23.	„ <i>albisecta</i> , ♀.	„ p. 26.	Argentina.
24.	„ <i>pyrastis</i> , ♂.	„ p. 28.	Bahamas.
25.	„ <i>gabriela</i> , ♂.	„ p. 31.	Congo.
26.	„ <i>instructa</i> , ♂.	„ p. 31.	Punjab.
27.	„ <i>melanephra</i> , ♂.	„ p. 35.	Sikhim.
28.	„ <i>grabezeusci</i> , ♂.	„ p. 37.	Japan.
29.	„ <i>dinihiata</i> , ♂.	„ p. 37.	Singapore.
30.	„ <i>approximata</i> , ♂.	„ p. 38.	Borneo.
31.	„ <i>geræa</i> , ♂.	„ p. 39.	Mauritius.
32.	„ <i>melanopis</i> , ♂.	„ p. 40.	S. Leone.





PLATE CLXXV.

1.	<i>Eutelia albiluna</i> , ♀.	Vol. XI. p. 40.	Nigeria.
2.	„ <i>menalcas</i> , ♀.	„ p. 41.	Nigeria.
3.	„ <i>chlorobasis</i> , ♀.	„ p. 42.	Nigeria.
4.	„ <i>leucodelta</i> , ♀.	„ p. 42.	Nigeria.
5.	„ <i>metasarca</i> , ♂.	„ p. 43.	Nigeria.
6.	„ <i>leighi</i> , ♂.	„ p. 43.	Natal.
7.	„ <i>pictatrix</i> , ♀.	„ p. 44.	Ceylon.
8.	„ <i>blandiatrix</i> , ♂.	„ p. 48.	Punjab.
9.	„ <i>mesogona</i> , ♀.	„ p. 50.	Madagascar.
10.	„ <i>symphonica</i> , ♀.	„ p. 50.	Natal.
11.	„ <i>diapera</i> , ♀.	„ p. 51.	Bhutan.
12.	„ <i>quadriliturata</i> , ♂.	„ p. 52.	Nigeria.
13.	„ <i>adoratrix</i> , ♂.	„ p. 52.	Palestine.
14.	„ <i>discistriga</i> , ♀.	„ p. 53.	Madras.
15.	„ <i>ochreiplaga</i> , ♀.	„ p. 54.	N. Guinea.
16.	„ <i>flaviluna</i> , ♂.	„ p. 54.	Singapore.
17.	„ <i>solitaria</i> , ♀.	„ p. 55.	Gaboon.
18.	„ <i>nigridentula</i> , ♂.	„ p. 55.	Nigeria.
19.	„ <i>morosa</i> , ♂.	„ p. 56.	Gaboon.
20.	„ <i>ochricostata</i> , ♀.	„ p. 57.	Nigeria.
21.	„ <i>polychorda</i> , ♀.	„ p. 60.	Damaraland.
22.	„ <i>purpureonigra</i> , ♀.	„ p. 62.	N. Guinea.
23.	<i>Chlumetia lichenosa</i> , ♀.	„ p. 63.	Mashonaland.
24.	„ <i>duplicilinea</i> , ♀.	„ p. 65.	Borneo.
25.	„ <i>hampsoni</i> , ♀.	„ p. 65.	N. Guinea.
26.	<i>Patæta carbo</i> , ♂.	„ p. 69.	Queensland.
27.	<i>Phlegetonia callichroma</i> , ♀.	„ p. 72.	Transvaal.
28.	„ <i>porphyriota</i> , ♂.	„ p. 74.	Nigeria.
29.	„ <i>cebeæ</i> , ♂.	„ p. 75.	N. Guinea.
30.	„ <i>apicifascia</i> , ♂.	„ p. 76.	Singapore.
31.	„ <i>albiapicata</i> , ♀.	„ p. 78.	Natal.
32.	„ <i>albiceps</i> , ♂.	„ p. 78.	Ceylon.






PLATE CLXXVI.

1.	<i>Phlegetonia virescens</i> , ♂.	Vol. XI. p. 72.	Gambia.
2.	„ <i>stictoprocta</i> , ♀.	„ p. 79.	Sikkim.
3.	„ <i>fasciatrix</i> , ♂.	„ p. 80.	Queensland.
4.	„ <i>scelerata</i> , ♂.	„ p. 80.	Buru.
5.	„ <i>strigula</i> , ♀.	„ p. 81.	Gaboon.
6.	„ <i>atripars</i> , ♂.	„ p. 84.	Java.
7.	„ <i>mediofusca</i> , ♂.	„ p. 84.	Br. N. Guinea.
8.	<i>Marathyssa angustipennis</i> , ♂.	„ p. 90.	S. Brazil.
9.	„ <i>albidisca</i> , ♂.	„ p. 92.	Cape Colony.
10.	„ <i>cistellatrix</i> , ♀.	„ p. 93.	Natal.
11.	<i>Anigreea albomaculata</i> , ♀.	„ p. 94.	Sikkim.
12.	„ <i>ochrobasis</i> , ♂.	„ p. 95.	Queensland.
13.	„ <i>mediopunctata</i> , ♂.	„ p. 95.	Perak.
14.	„ <i>mediifascia</i> , ♂.	„ p. 96.	Singapore.
15.	„ <i>homochroa</i> , ♂.	„ p. 98.	Pulo Laut.
16.	„ <i>viridata</i> , ♀.	„ p. 98.	Br. N. Guinea.
17.	„ <i>deletoides</i> , ♀.	„ p. 99.	Br. N. Guinea.
18.	„ <i>phæopera</i> , ♀.	„ p. 100.	Borneo.
19.	„ <i>siccata</i> , ♀.	„ p. 100.	Sierra Leone.
20.	„ <i>purpurascens</i> , ♀.	„ p. 102.	Gold Coast.
21.	<i>Anuga juvena</i> , ♂.	„ p. 105.	Singapore.
22.	„ <i>fida</i> , ♀.	„ p. 107.	Perak.
23.	<i>Pactes cebeæ</i> , ♂.	„ p. 110.	Br. N. Guinea.
24.	„ <i>psaliphora</i> , ♂.	„ p. 110.	Br. N. Guinea.
25.	„ <i>leucotrigona</i> , ♀.	„ p. 112.	Borneo.
26.	„ <i>cyanodes</i> , ♀.	„ p. 112.	Queensland.
27.	„ <i>poliotis</i> , ♂.	„ p. 113.	Singapore.
28.	„ <i>costistrigata</i> , ♂.	„ p. 113.	Br. N. Guinea.
29.	„ <i>pratti</i> , ♂.	„ p. 114.	Br. N. Guinea.
30.	„ <i>fabrica</i> , ♀.	„ p. 115.	Perak.
31.	„ <i>oculatrix</i> , ♂.	„ p. 120.	New York.
32.	„ <i>semicircularis</i> , ♀.	„ p. 121.	Trinidad.





PLATE CLXXVII.

1.	<i>Pæctes chrysoplaga</i> , ♂.	Vol. XI. p. 122.	Peru.
2.	„ <i>curvilinea</i> , ♀.	„ p. 123.	Costa Rica.
3.	„ <i>flabella</i> , ♂.	„ p. 123.	Kansas.
4.	„ <i>declinata</i> , ♂.	„ p. 125.	California.
5.	„ <i>acutangula</i> , ♂.	„ p. 126.	Bahamas.
6.	„ <i>abrostoloides</i> , ♂.	„ p. 127.	Florida.
7.	„ <i>fuscescens</i> , ♂.	„ p. 127.	Honduras.
8.	„ <i>delineata</i> , ♂.	„ p. 128.	U.S.A.
9.	„ <i>lunodes</i> , ♂.	„ p. 129.	Honduras.
10.	„ <i>arcigera</i> , ♂.	„ p. 130.	Haiti.
11.	„ <i>obrotunda</i> , ♂.	„ p. 130.	Jamaica.
12.	„ <i>nubifera</i> , ♂.	„ p. 131.	Mexico.
13.	„ <i>chlorophora</i> , ♀.	„ p. 132.	Colombia.
14.	„ <i>phæoplaga</i> , ♂.	„ p. 132.	Fr. Guiana.
15.	„ <i>eumicta</i> , ♂.	„ p. 133.	Fr. Guiana.
16.	„ <i>nyctichroma</i> , ♂.	„ p. 133.	Panama.
17.	„ <i>endochlora</i> , ♀.	„ p. 134.	Fr. Guiana.
18.	„ <i>hæmatosema</i> , ♂.	„ p. 135.	Fr. Guiana.
19.	„ <i>glauca</i> , ♂.	„ p. 135.	Venezuela.
20.	„ <i>polia</i> , ♀.	„ p. 136.	Paraguay.
21.	„ <i>griseifusa</i> , ♂.	„ p. 137.	S. Brazil.
22.	„ <i>areusa</i> , ♂.	„ p. 138.	Panama.
23.	„ <i>sabulosa</i> , ♀.	„ p. 139.	Colombia.
24.	„ <i>albescens</i> , ♂.	„ p. 139.	Honduras.
25.	<i>Odontodes metamelæna</i> , ♂.	„ p. 143.	New Guinea.
26.	<i>Stictoptera fenestra</i> , ♂.	„ p. 146.	Cuba.
27.	„ <i>heterogramma</i> , ♀.	„ p. 149.	Br. Guiana.
28.	„ <i>anæmia</i> , ♀.	„ p. 151.	Solomons.
29.	„ <i>olivascens</i> , ♀.	„ p. 151.	Assam.
30.	„ <i>timesia</i> , ♂.	„ p. 157.	Singapore.
31.	„ <i>striata</i> , ♂.	„ p. 160.	Sikhim.
32.	„ <i>ochrota</i> , ♂.	„ p. 160.	Punjab.





PLATE CLXXVIII.

1.	<i>Stictoptera griseata</i> , ♀.	Vol. XI. p. 161.	Johore.
2.	„ <i>bisexualis</i> , ♀.	„ p. 163.	New Guinea.
3.	„ <i>variegata</i> , ♂.	„ p. 163.	Borneo.
4.	„ <i>semialba</i> , ♂.	„ p. 164.	Borneo.
5.	„ <i>grisea</i> , ♂.	„ p. 165.	Sikhim.
6.	„ <i>melanistis</i> , ♂.	„ p. 165.	New Guinea.
7.	„ <i>ferrifera</i> , ♂.	„ p. 166.	Singapore.
8.	„ <i>atrifera</i> , ♂.	„ p. 167.	Singapore.
9.	„ <i>svinhoei</i> , ♂.	„ p. 167.	New Guinea.
10.	„ <i>stygia</i> , ♂.	„ p. 168.	New Guinea.
11.	„ <i>albipuncta</i> , ♂.	„ p. 169.	New Guinea.
12.	„ <i>microthyris</i> , ♂.	„ p. 169.	New Guinea.
13.	„ <i>multistriata</i> , ♀.	„ p. 170.	New Guinea.
14.	„ <i>repleta</i> , ♂.	„ p. 170.	Singapore.
15.	„ <i>confluens</i> , ♀.	„ p. 171.	W. Africa.
16.	„ <i>columba</i> , ♂.	„ p. 171.	Singapore.
17.	<i>Gigantoceras rectilinea</i> , ♂.	„ p. 174.	Gold Coast.
18.	<i>Lophoptera aleuca</i> , ♂.	„ p. 178.	Queensland.
19.	„ <i>methyalea</i> , ♂.	„ p. 179.	Mashonaland.
20.	„ <i>semirufa</i> , ♂.	„ p. 179.	Cameroons.
21.	„ <i>abbreviata</i> , ♂.	„ p. 180.	Australia.
22.	„ <i>hemithyris</i> , ♀.	„ p. 181.	Madras.
23.	„ <i>phæobasis</i> , ♀.	„ p. 182.	Perak.
24.	„ <i>illucida</i> , ♀.	„ p. 182.	Burma.
25.	„ <i>leucostriga</i> , ♂.	„ p. 183.	Singapore.
26.	„ <i>huma</i> , ♀.	„ p. 184.	Siam.
27.	„ <i>plumbeola</i> , ♂.	„ p. 184.	Punjab.
28.	„ <i>denticulata</i> , ♀.	„ p. 185.	Burma.
29.	„ <i>xista</i> , ♂.	„ p. 185.	Singapore.
30.	„ <i>phæoxista</i> , ♂.	„ p. 186.	Ceylon.
31.	„ <i>plumbeifascia</i> , ♂.	„ p. 186.	Andamans.
32.	„ <i>ferrinalis</i> , ♀.	„ p. 187.	Borneo.





PLATE CLXXIX.

1.	<i>Lophoptera stipata</i> , ♀.	Vol. XI. p. 188.	Borneo.
2.	„ <i>negretina</i> , ♀.	„ p. 189.	Assam.
3.	„ <i>luctuosa</i> , ♀.	„ p. 189.	Ceylon.
4.	„ <i>quadrinotata</i> , ♂.	„ p. 189.	Singapore.
5.	„ <i>pustulifera</i> , ♂.	„ p. 190.	Borneo.
6.	„ <i>metaphœa</i> , ♂.	„ p. 191.	Pulo Laut.
7.	„ <i>mecci</i> , ♂.	„ p. 192.	New Guinea.
8.	„ <i>rufa</i> , ♂.	„ p. 192.	New Guinea.
9.	„ <i>buruana</i> , ♀.	„ p. 192.	Buru.
10.	„ <i>hypenistis</i> , ♂.	„ p. 193.	Burma.
11.	„ <i>tripartita</i> , ♀.	„ p. 193.	Perak.
12.	„ <i>acuda</i> , ♀.	„ p. 194.	Sumatra.
13.	„ <i>viridaria</i> , ♂.	„ p. 194.	Perak.
14.	„ <i>glaucobasis</i> , ♀.	„ p. 195.	Pulo Laut.
15.	„ <i>chlorograptæ</i> , ♀.	„ p. 195.	Singapore.
16.	<i>Nigramma longipennis</i> , ♂.	„ p. 198.	New Guinea.
17.	„ <i>pyraloides</i> , ♂.	„ p. 198.	Singapore.
18.	„ <i>subfasciata</i> , ♀.	„ p. 199.	Ceylon.
19.	„ <i>todara</i> , ♂.	„ p. 199.	Madras.
20.	„ <i>polymorpha</i> , ♂.	„ p. 200.	Mauritius.
21.	„ <i>perlignealis</i> , ♀.	„ p. 201.	Borneo.
22.	„ <i>dialeuca</i> , ♀.	„ p. 202.	Borneo.
23.	„ <i>purpurascens</i> , ♀.	„ p. 202.	New Guinea.
24.	„ <i>albicans</i> , ♀.	„ p. 203.	New Britain.
25.	<i>Gyrtona acisalis</i> , ♂	„ p. 211.	Ceylon.
26.	„ <i>niveivitta</i> , ♂.	„ p. 212.	Borneo.
27.	„ <i>ferriceps</i> , ♂.	„ p. 212.	Burma.
28.	„ <i>oxyptera</i> , ♂.	„ p. 213.	Singapore.
29.	„ <i>erebenna</i> , ♂.	„ p. 214.	Madagascar.
30.	„ <i>nama</i> , ♀.	„ p. 215.	Assam.
31.	„ <i>ochreographa</i> , ♂.	„ p. 216.	Singapore.
32.	„ <i>phæozona</i> , ♂.	„ p. 216.	Bombay.





PLATE CLXXX.

1.	<i>Gyrtona divitalis</i> , ♂.	Vol. XI. p. 217.	Borneo.
2.	„ <i>plumbisparsa</i> , ♀.	„ p. 217.	Sikhim.
3.	„ <i>polionota</i> , ♀.	„ p. 217.	Woodlark I.
4.	„ <i>atribasalis</i> , ♀.	„ p. 219.	Sikhim.
5.	<i>Chlumetia cana</i> , ♀.	„ p. 67.	Germ. E. Africa.
6.	„ <i>euryptera</i> , ♂.	„ p. 64.	Dutch N. Guinea.
7.	<i>Etanna atrifasciata</i> , ♀.	„ p. 225.	Ceylon.
8.	„ <i>basalis</i> , ♀.	„ p. 225.	Burma.
9.	<i>Garella nubilosa</i> , ♂.	„ p. 228.	Br. E. Africa.
10.	<i>Characoma curiosa</i> , ♂.	„ p. 229.	Burma.
11.	„ <i>vallata</i> , ♂.	„ p. 230.	Queensland.
12.	„ <i>distincta</i> , ♀.	„ p. 234.	New Guinea.
13.	„ <i>glaucopasta</i> , ♂.	„ p. 235.	Sikhim.
14.	„ <i>multilinea</i> , ♀.	„ p. 235.	New Guinea.
15.	„ <i>phæoleuca</i> , ♂.	„ p. 236.	Ceylon.
16.	„ <i>glaphyra</i> , ♀.	„ p. 237.	Sierra Leone.
17.	„ <i>polia</i> , ♂.	„ p. 237.	Assam.
18.	„ <i>miophora</i> , ♂.	„ p. 238.	Transvaal.
19.	„ <i>cana</i> , ♀.	„ p. 238.	Burma.
20.	„ <i>deleta</i> , ♂.	„ p. 239.	Peru.
21.	„ <i>ferrigrisea</i> , ♂.	„ p. 239.	Gambia.
22.	<i>Dilophothripa alopha</i> , ♂.	„ p. 241.	Burma.
23.	<i>Pardasena verna</i> , ♂.	„ p. 246.	Sikhim.
24.	„ <i>miochroa</i> , ♀.	„ p. 246.	Colombia.
25.	„ <i>minorella</i> , ♀.	„ p. 247.	Sierra Leone.
26.	„ <i>punctata</i> , ♀.	„ p. 248.	Natal.
27.	„ <i>atripuncta</i> , ♂.	„ p. 249.	Natal.
28.	„ <i>melanosticta</i> , ♂.	„ p. 249.	Br. E. Africa.
29.	<i>Apothripa albonotata</i> , ♂.	„ p. 250.	Sikhim.
30.	„ <i>binotata</i> , ♂.	„ p. 250.	Assam.
31.	<i>Nanaguna albisecia</i> , ♀.	„ p. 254.	Ceylon.
32.	„ <i>vittalis</i> , ♀.	„ p. 255.	Borneo.





PLATE CLXXXI.

1.	<i>Nanaguna elopsea</i> , ♀.	Vol. XI. p. 256.	Queensland.
2.	.. <i>variegata</i> , ♂.	.. p. 256.	Bhutan.
3.	<i>Sarothripus malachitis</i> , ♀.	.. p. 263.	Br. E. Africa.
4.	.. <i>musculana</i> , ♀.	.. p. 264.	W. Turkestan.
5.	.. <i>coreana</i> , ♀.	.. p. 266.	Corea.
6.	.. <i>parvella</i> , ♀.	.. p. 267.	Java.
7.	.. <i>symmicta</i> , ♂.	.. p. 267.	Queensland.
8.	.. <i>strigivenata</i> , ♀.	.. p. 268.	N. S. Wales.
9.	.. <i>sinuosa</i> , ♂.	.. p. 269.	Punjab.
10.	.. <i>minuta</i> , ♂.	.. p. 270.	N. S. Wales.
11.	.. <i>exophila</i> , ♀.	.. p. 274.	Queensland.
12.	.. <i>brunneicosta</i> , ♀.	.. p. 271.	New Guinea.
13.	.. <i>mesoplaga</i> , ♀.	.. p. 272.	Singapore.
14.	.. <i>crystallites</i> , ♂.	.. p. 272.	Queensland.
15.	.. <i>aroa</i> , ♀.	.. p. 273.	New Guinea.
16.	.. <i>avola</i> , ♂.	.. p. 274.	New Guinea.
17.	.. <i>cebea</i> , ♂.	.. p. 274.	New Guinea.
18.	.. <i>beopis</i> , ♂.	.. p. 275.	Queensland.
19.	.. <i>abstrusa</i> , ♀.	.. p. 275.	Queensland.
20.	<i>Giaura niveidisca</i> , ♂.	.. p. 278.	Bhutan.
21.	.. <i>niphea</i> , ♂.	.. p. 278.	Ceylon.
22.	.. <i>pura</i> , ♀.	.. p. 279.	New Guinea.
23.	.. <i>angustata</i> , ♂.	.. p. 279.	New Guinea.
24.	.. <i>apicalis</i> , ♂.	.. p. 280.	Burma.
25.	.. <i>lichenosa</i> , ♂.	.. p. 280.	Assam.
26.	.. <i>leucotis</i> , ♀.	.. p. 281.	Br. E. Africa.
27.	.. <i>niphostola</i> , ♂.	.. p. 281.	New Guinea.
28.	.. <i>leucophaea</i> , ♂.	.. p. 282.	Borneo.
29.	.. <i>minor</i> , ♀.	.. p. 282.	Ceylon.
30.	.. <i>venalis</i> , ♂.	.. p. 285.	New Guinea.
31.	.. <i>nigrescens</i> , ♀.	.. p. 285.	New Guinea.
32.	.. <i>robusta</i> , ♀.	.. p. 286.	Assam.





PLATE CLXXXII.

1.	<i>Lamprothripa orbifera</i> , ♀.	Vol. XI. p. 289	Sikhim.
2.	„ <i>hampsoni</i> , ♂.	„ p. 290.	Japan.
3.	„ <i>arcuosa</i> , ♀.	„ p. 290.	New Guinea.
4.	<i>Asinduma olivana</i> , ♂.	„ p. 293.	Assam.
5.	„ <i>elæota</i> , ♀.	„ p. 293.	Travancore.
6.	<i>Selepa nigralba</i> , ♂.	„ p. 296.	Singapore.
7.	„ <i>leucograptæ</i> , ♀.	„ p. 296.	S. Nigeria.
8.	„ <i>violescens</i> , ♂.	„ p. 296.	Gambia.
9.	„ <i>rufescens</i> , ♀.	„ p. 297.	Natal.
10.	„ <i>ferrofusa</i> , ♂.	„ p. 297.	Ceylon.
11.	„ <i>cenescens</i> , ♂.	„ p. 299.	Ceylon.
12.	„ <i>plumbeata</i> , ♂.	„ p. 299.	Ceylon.
13.	„ <i>transvalica</i> , ♀.	„ p. 299.	Transvaal.
14.	„ <i>rhythmopis</i> , ♀.	„ p. 300.	Queensland.
15.	„ <i>gercæ</i> , ♂.	„ p. 300.	Queensland.
16.	„ <i>cumasia</i> , ♂.	„ p. 301.	Gold Coast.
17.	„ <i>leucogonia</i> , ♀.	„ p. 302.	Br. E. Africa.
18.	„ <i>circulella</i> , ♀.	„ p. 303.	Celebes.
19.	„ <i>molybdea</i> , ♂.	„ p. 303.	Singapore.
20.	„ <i>docilis</i> , ♂.	„ p. 304.	Sind.
21.	„ <i>nephelozona</i> , ♀.	„ p. 304.	Br. E. Africa.
22.	<i>Cryptothripa polyhymnia</i> , ♀.	„ p. 310.	Natal.
23.	<i>Bryophilopsis lunifera</i> , ♀.	„ p. 314.	S. Nigeria.
24.	„ <i>nesta</i> , ♂.	„ p. 314.	Seychelles.
25.	„ <i>tarachoides</i> , ♂.	„ p. 315.	Br. E. Africa.
26.	„ <i>curvifera</i> , ♀.	„ p. 316.	S. Nigeria.
27.	„ <i>cometes</i> , ♂.	„ p. 316.	Gold Coast.
28.	„ <i>anomoiota</i> , ♂.	„ pp. 317, 671.	Gold Coast.
29.	<i>Arachnognatha meterythra</i> , ♀.	„ p. 321.	Burma.
30.	<i>Casandria stroca</i> , ♀.	„ p. 361.	Brazil.
31.	„ <i>elota</i> , ♀.	„ p. 361.	Sta. Lucia.
32.	„ <i>leucopis</i> , ♀.	„ p. 362.	Costa Rica.





PLATE CLXXXIII.

1. <i>Pucialia argentea</i> , ♀.	Vol. XI. p. 335.	Honduras.
2. „ <i>mariva</i> , ♂.	„ p. 336.	Peru.
3. „ <i>chlorographa</i> , ♂.	„ p. 337.	Fr. Guiana.
4. <i>Eligma duplicata</i> , ♀.	„ p. 327.	Uganda.
5. „ <i>hypsoides</i> , ♀.	„ p. 328.	S. Nigeria.
6. <i>Pucialia poliopepla</i> , ♀.	„ p. 337.	Brazil.
7. „ <i>rectilinea</i> , ♂.	„ p. 338.	Fr. Guiana.
8. <i>Gadirtha costipallens</i> , ♀.	„ p. 344.	New Guinea.
9. „ <i>poliochroa</i> , ♀.	„ p. 350.	Queensland.
10. <i>Casandria olivaris</i> , ♀.	„ p. 354.	Mexico.
11. „ <i>metaphœa</i> , ♂.	„ p. 358.	Panama.
12. „ <i>chirica</i> , ♀.	„ p. 358.	Costa Rica.
13. „ <i>steniptera</i> , ♂.	„ p. 359.	Fr. Guiana.
14. „ <i>arœa</i> , ♀.	„ p. 359.	Costa Rica.
15. <i>Gadirtha hades</i> , ♀.	„ p. 348.	Queensland.
16. „ <i>aroa</i> , ♀.	„ p. 347.	New Guinea.
17. <i>Casandria purpurascens</i> , ♀.	„ p. 355.	Costa Rica.
18. „ <i>arcuata</i> , ♂.	„ p. 357.	Costa Rica.
19. „ <i>hæmatopis</i> , ♀.	„ p. 359.	Argentina.
20. „ <i>filifera</i> , ♂.	„ p. 360.	Bahamas.
21. <i>Gadirtha elongata</i> , ♀.	„ p. 349.	Assam.
22. <i>Pucialia similis</i> , ♂.	„ p. 339.	Venezuela.
23. <i>Gadirtha pulchra</i> , ♀.	„ p. 341.	Queensland.
24. „ <i>glaucograptæ</i> , ♂.	„ p. 342.	Gold Coast.
25. <i>Eligma malagassica</i> , ♀.	„ p. 329.	Madagascar.
26. „ <i>orthoxantha</i> , ♀.	„ p. 331.	Queensland.
27. <i>Gadirtha exacta</i> , ♂.	„ p. 343.	New Guinea.
28. „ <i>turneri</i> , ♀.	„ p. 344.	New Guinea.





PLATE CLXXXIV.

1. <i>Iscadia nigra</i> , ♀.	Vol. XI. p. 362.	Argentina.
2. „ <i>ducinfieldia</i> , ♀.	„ p. 364.	Brazil.
3. „ <i>producta</i> , ♀.	„ p. 365.	Trinidad.
4. „ <i>buckleyi</i> , ♂.	„ p. 366.	Ecuador.
5. „ <i>phæoptera</i> , ♂.	„ p. 367.	Brazil.
6. <i>Elæognatha argyroleuca</i> , ♀.	„ p. 371.	Fr. Guiana.
7. „ <i>nitescens</i> , ♀.	„ p. 373.	Peru.
8. „ <i>argyritis</i> , ♀.	„ p. 373.	Panama.
9. „ <i>purpurascens</i> , ♂.	„ p. 374.	Peru.
10. „ <i>cacaonis</i> , ♀.	„ p. 375.	Trinidad.
11. <i>Calathusa hypotherma</i> , ♀.	„ p. 379.	Queensland.
12. „ <i>ischnodes</i> , ♀.	„ p. 380.	Queensland.
13. „ <i>octogesima</i> , ♀.	„ p. 380.	Queensland.
14. „ <i>abebæa</i> , ♀.	„ p. 381.	Queensland.
15. „ <i>subflavida</i> , ♀.	„ p. 381.	Queensland.
16. „ <i>stenophylla</i> , ♂.	„ p. 382.	Queensland.
17. „ <i>dispila</i> , ♂.	„ p. 383.	Queensland.
18. „ <i>mesospila</i> , ♂.	„ p. 383.	Queensland.
19. „ <i>metableta</i> , ♂.	„ p. 384.	Queensland.
20. „ <i>eremna</i> , ♂.	„ p. 384.	Queensland.
21. „ <i>delosticha</i> , ♂.	„ p. 385.	Queensland.
22. <i>Aquis aquisoides</i> , ♂.	„ p. 386.	Assam.
23. „ <i>albida</i> , ♂.	„ p. 387.	Borneo.
24. <i>Barasa cymatistis</i> , ♂.	„ p. 390.	Queensland.
25. „ <i>griseola</i> , ♂.	„ p. 390.	New Guinea.
26. „ <i>costalis</i> , ♀.	„ p. 392.	Bhutân.
27. „ <i>tetragramma</i> , ♀.	„ p. 392.	Fiji.
28. „ <i>basisgerella</i> , ♀.	„ p. 392.	Flores.
29. <i>Labanda huntæi</i> , ♀.	„ p. 394.	New Guinea.
30. „ <i>viridalis</i> , ♂.	„ p. 395.	Assam.
31. „ <i>saturalis</i> , ♂.	„ p. 396.	Travancore.
32. „ <i>dentilinea</i> , ♂.	„ p. 398.	Borneo.





PLATE CLXXXV.

1.	<i>Labanda umbrosa</i> , ♀.	Vol. XI. p. 400.	Burma.
2.	<i>Blenina chlorophila</i> , ♂.	„ p. 402.	Singapore.
3.	„ <i>malachitis</i> , ♂.	„ p. 405.	Singapore.
4.	„ <i>fumosa</i> , ♀.	„ p. 408.	Assam.
5.	„ <i>metanyctea</i> , ♂.	„ p. 409.	New Guinea.
6.	„ <i>obliquinaria</i> , ♂.	„ p. 411.	New Guinea.
7.	„ <i>chloromelana</i> , ♀.	„ p. 412.	Sierra Leone.
8.	„ <i>smaragdina</i> , ♂.	„ p. 412.	New Guinea.
9.	„ <i>nigrans</i> , ♂.	„ p. 413.	New Guinea.
10.	„ <i>varians</i> , ♂.	„ p. 414.	New Guinea.
11.	„ <i>solomonis</i> , ♂.	„ p. 414.	New Guinea.
12.	„ <i>miota</i> , ♂.	„ p. 415.	Sierra Leone.
13.	„ <i>diagona</i> , ♀.	„ p. 416.	S. Nigeria.
14.	„ <i>ephesioides</i> , ♀.	„ p. 417.	New Guinea.
15.	„ <i>triphænopsis</i> , ♂.	„ p. 419.	Singapore.
16.	„ <i>metachrysa</i> , ♀.	„ p. 420.	Queensland.
17.	„ <i>quadripuncta</i> , ♀.	„ p. 420.	Mozambique.
18.	„ <i>amabilis</i> , ♀.	„ p. 421.	Queensland.
19.	„ <i>viridata</i> , ♀.	„ p. 422.	New Guinea.
20.	„ <i>puloa</i> , ♀.	„ p. 422.	Philippines.
21.	<i>Risoba sphærophora</i> , ♀.	„ p. 425.	New Guinea.
22.	„ <i>flavipennis</i> , ♀.	„ p. 427.	Bhutân.
23.	„ <i>glauca</i> , ♀.	„ p. 428.	Borneo.
24.	„ <i>jucunda</i> , ♀.	„ p. 429.	Borneo.
25.	„ <i>diphtheroides</i> , ♂.	„ p. 430.	Assam.
26.	„ <i>chlora</i> , ♀.	„ p. 431.	Singapore.
27.	„ <i>viridata</i> , ♂.	„ p. 431.	New Guinea.
28.	„ <i>delicata</i> , ♂.	„ p. 432.	New Guinea.
29.	„ <i>pratti</i> , ♂.	„ p. 433.	New Guinea.
30.	„ <i>lunata</i> , ♂.	„ p. 433.	S. Nigeria.
31.	„ <i>diversipennis</i> , ♂.	„ p. 434.	Singapore.
32.	„ <i>basalis</i> , ♂.	„ p. 435.	Assam.






PLATE CLXXXVI.

1. <i>Risoba cebea</i> , ♀.	Vol. XI. p. 435.	New Guinea.
2. „ <i>olivens</i> , ♂.	„ p. 436.	New Guinea.
3. „ <i>literata</i> , ♂.	„ p. 437.	Ceylon.
4. „ <i>avola</i> , ♂.	„ p. 437.	New Guinea.
5. „ <i>grisea</i> , ♂.	„ p. 439.	New Guinea.
6. „ <i>diplogramma</i> , ♂.	„ p. 441.	Bechuanaland.
7. „ <i>sticticraspis</i> , ♀.	„ p. 442.	Br. E. Africa.
8. <i>Macrobarasa xanthosticta</i> , ♂.	„ p. 444.	Sikhim.
9. <i>Baileya doubledayi</i> , ♀.	„ p. 445.	Massachusetts.
10. „ <i>ophthalmica</i> , ♂.	„ p. 445.	New York.
11. „ <i>australis</i> , ♀.	„ p. 446.	Texas.
12. „ <i>levitans</i> , ♀.	„ p. 447.	Canada.
13. <i>Gyrtothripa microdonta</i> , ♀.	„ p. 449.	Singapore.
14. <i>Stictothripa delaia</i> , ♀.	„ p. 452.	Costa Rica.
15. <i>Pucialia purissima</i> , ♀.	„ p. 338.	Mexico.
16. <i>Cacyparis elegans</i> , ♀.	„ p. 462.	Solomons.
17. „ <i>ceira</i> , ♀.	„ p. 463.	Gilolo.
18. „ <i>melanolitha</i> , ♂.	„ p. 463.	Queensland.
19. „ <i>cyclops</i> , ♂.	„ p. 464.	Solomons.
20. <i>Sinna atrifusa</i> , ♂.	„ p. 466.	Java.
21. „ <i>floralis</i> , ♂.	„ p. 466.	Penang.
22. <i>Gabala margarita</i> , ♀.	„ p. 469.	New Guinea.
23. <i>Siglophora cymographa</i> , ♀.	„ p. 474.	Borneo.
24. <i>Topadesa flammans</i> , ♂.	„ p. 477.	Assam.
25. <i>Cossedia semiflava</i> , ♀.	„ p. 480.	Borneo.
26. <i>Titulcia argyropлага</i> , ♂.	„ p. 483.	Burma.
27. „ <i>confictella</i> , ♂.	„ p. 484.	Singapore.
28. „ <i>rufimargo</i> , ♂.	„ p. 484.	Borneo.
29. „ <i>meterythra</i> , ♀.	„ p. 485.	Pulo Laut.
30. <i>Ariolica lineolata</i> , ♂.	„ p. 487.	Borneo.
31. „ <i>chinensis</i> , ♂.	„ p. 488.	W. China.
32. „ <i>argentea</i> , ♂.	„ p. 489.	Japan.







PLATE CLXXXVII.

1. <i>Cerala grisea</i> , ♂.	Vol. XI. p. 490.	Sikhim Tibet.
2. <i>Tyana tenuimargo</i> , ♂.	„ p. 493.	Assam.
3. „ „ ♀.	„ p. 493.	Assam.
4. „ <i>monosticta</i> , ♀.	„ p. 493.	W. China.
5. <i>Earias novoguineana</i> , ♂.	„ p. 497.	New Guinea.
6. „ <i>rufopunctata</i> , ♂.	„ p. 497.	New Guinea.
7. „ <i>citrina</i> , ♂.	„ p. 499.	Sokotra.
8. „ <i>ogovana</i> , ♀.	„ p. 501.	S. Nigeria.
9. „ <i>huegeli</i> , ♂.	„ p. 502.	Queensland.
10. „ <i>parallela</i> , ♂.	„ p. 504.	W. Australia.
11. „ <i>subviridis</i> , ♂.	„ p. 504.	Queensland.
12. „ <i>latimargo</i> , ♂.	„ p. 505.	Christmas I.
13. „ <i>glaucescens</i> , ♀.	„ p. 506.	S. Nigeria.
14. „ <i>roseifera</i> , ♂.	„ p. 506.	Japan.
15. „ <i>syriacana</i> , ♀.	„ p. 508.	Syria.
16. „ <i>chlorophyllana</i> , ♂.	„ p. 509.	Syria.
17. „ <i>smaragdina</i> , ♂.	„ p. 509.	Queensland.
18. „ <i>ochrophylla</i> , ♂.	„ p. 509.	N. S. Wales.
19. <i>Hylophilodes rubromarginata</i> , ♀.	„ p. 511.	New Guinea.
20. <i>Hylophila craeffti</i> , ♂.	„ p. 512.	W. China.
21. „ „ ♀.	„ p. 512.	E. Siberia.
22. <i>Chlorozada pyrites</i> , ♀.	„ p. 517.	Gold Coast.
23. „ <i>prasina</i> , ♀.	„ p. 518.	Gold Coast.
24. <i>Lophocrama phœnicochlora</i> , ♂.	„ p. 521.	S. Nigeria.
25. <i>Aiteta gamma</i> , ♂.	„ p. 527.	S. Nigeria.
26. „ <i>veluta</i> , ♀.	„ p. 527.	S. Nigeria.
27. „ <i>escalerai</i> , ♀.	„ p. 528.	S. Nigeria.
28. „ <i>parallela</i> , ♀.	„ p. 528.	Gold Coast.
29. „ <i>meterythra</i> , ♂.	„ p. 528.	S. Nigeria.
30. „ <i>costiploga</i> , ♀.	„ p. 529.	S. Nigeria.
31. „ <i>hampsoni</i> , ♂.	„ p. 530.	N. Guinea.
32. „ <i>trigoniphora</i> , ♂.	„ p. 530.	Assam.





PLATE CLXXXVIII.

1. <i>Aiteta subflava</i> , ♂.	Vol. XI. p. 531.	New Guinea.
2. „ <i>albicosta</i> , ♂.	„ p. 531.	New Guinea.
3. „ <i>iridias</i> , ♀.	„ p. 532.	New Guinea.
4. „ <i>elaina</i> , ♂.	„ p. 532.	Queensland.
5. „ <i>apriiformis</i> , ♂.	„ p. 533.	Ceylon.
6. <i>Carea diplogramma</i> , ♀.	„ p. 545.	Straits Settlements.
7. „ <i>flava</i> , ♀.	„ p. 546.	New Guinea.
8. „ <i>costiplaga</i> , ♂.	„ p. 548.	Borneo.
9. „ <i>unipunctata</i> , ♂.	„ p. 550.	New Guinea.
10. „ <i>biviata</i> , ♂.	„ p. 551.	Penang.
11. „ <i>tarica</i> , ♂.	„ p. 552.	Gilolo.
12. „ <i>dione</i> , ♂.	„ p. 552.	Assam.
13. „ <i>nitida</i> , ♀.	„ p. 552.	Sikhim.
14. „ <i>parallelaria</i> , ♂.	„ p. 553.	New Guinea.
15. „ <i>obvia</i> , ♂.	„ p. 553.	Philippines.
16. „ <i>mathilda</i> , ♂.	„ p. 553.	Borneo.
17. „ <i>pryeri</i> , ♂.	„ p. 554.	Borneo.
18. „ <i>pratti</i> , ♂.	„ p. 554.	New Guinea.
19. „ <i>rubrifusa</i> , ♂.	„ p. 555.	Borneo.
20. „ <i>devia</i> , ♂.	„ p. 555.	Assam.
21. „ <i>moira</i> , ♂.	„ p. 555.	Straits Settlements.
22. „ <i>diagona</i> , ♀.	„ p. 556.	Bhután.
23. „ <i>obsolescens</i> , ♂.	„ p. 556.	Bombay.
24. <i>Careades eceicei</i> , ♂.	„ p. 537.	New Guinea.
25. „ <i>huntei</i> , ♂.	„ p. 538.	New Guinea.
26. „ <i>obliqua</i> , ♂.	„ p. 539.	New Guinea.
27. „ <i>fulva</i> , ♂.	„ p. 541.	New Guinea.
28. „ <i>rubricosa</i> , ♀.	„ p. 541.	New Guinea.
29. <i>Carea pallida</i> , ♀.	„ p. 556.	Burma.
30. „ <i>tumida</i> , ♂.	„ p. 547.	Borneo.





PLATE CLXXXIX.

1.	<i>Carea leucocraspis</i> , ♂.	Vol. XI. p. 557.	Borneo.
2.	„ <i>endophœa</i> , ♂.	„ p. 557.	Travancore.
3.	„ <i>ocyra</i> , ♀.	„ p. 558.	Singapore.
4.	„ <i>metaphœa</i> , ♂.	„ p. 558.	Borneo.
5.	„ <i>albirufa</i> , ♂.	„ p. 559.	Ceylon.
6.	„ <i>robinsoni</i> , ♀.	„ p. 560.	Straits Settlements.
7.	„ <i>albopurpurea</i> , ♂.	„ p. 560.	Assam.
8.	„ <i>albipicta</i> , ♀.	„ p. 561.	Fiji.
9.	„ <i>viridifascia</i> , ♀.	„ p. 562.	Straits Settlements.
10.	„ <i>effusa</i> , ♀.	„ p. 563.	Borneo.
11.	„ <i>viridipicta</i> , ♂.	„ p. 563.	Assam.
12.	„ <i>mesocausta</i> , ♂.	„ p. 564.	Borneo.
13.	„ <i>vexilla</i> , ♂.	„ p. 565.	Singapore.
14.	„ <i>nexilla</i> , ♀.	„ p. 565.	Singapore.
15.	<i>Vizaga mirabilis</i> , ♂.	„ p. 568.	New Guinea.
16.	<i>Maurilia albirivula</i> , ♀.	„ p. 571.	S. Nigeria.
17.	„ <i>heterochroa</i> , ♂.	„ p. 572.	S. Nigeria.
18.	„ <i>phœa</i> , ♂.	„ p. 573.	S. Nigeria.
19.	„ <i>iocephala</i> , ♂.	„ p. 575.	Queensland.
20.	<i>Beara nubiferella</i> , ♂.	„ p. 582.	Java.
21.	<i>Orthocraspis acypera</i> , ♂.	„ p. 587.	Bali.
22.	<i>Tympanistes flavescens</i> , ♂.	„ p. 588.	Assam.
23.	<i>Acripia chloropera</i> , ♀.	„ p. 592.	Cape Colony.
24.	„ <i>semiviridis</i> , ♂.	„ p. 592.	Natal.
25.	<i>Tortriciforma chloroplaga</i> , ♀.	„ p. 595.	Straits Settlements.
26.	<i>Hypodeva nocturna</i> , ♂.	„ p. 601.	S. Nigeria.
27.	<i>Metaptya endoplaga</i> , ♂.	„ p. 603.	Madras.
28.	<i>Vestermannia argentata</i> , ♂.	„ p. 604.	Queensland.
29.	„ <i>longiplaga</i> , ♂.	„ p. 605.	New Guinea.
30.	„ <i>argyropлага</i> , ♂.	„ p. 605.	Uganda.
31.	„ <i>concha</i> , ♂.	„ p. 605.	Queensland.
32.	„ <i>gloriosa</i> , ♂.	„ p. 606.	New Guinea.
33.	<i>Steniscadia polyodonta</i> , ♀.	„ p. 671.	Costa Rica.
34.	<i>Hypodeva superba</i> , ♂.	„ p. 672.	Congo.





PLATE CXC.

1.	<i>Vestermannia triangularis</i> , ♀.	Vol. XI. p. 608.	Andamans.
2.	„ <i>cuprea</i> , ♂.	„ p. 608.	Gold Coast.
3.	„ <i>agrapha</i> , ♀.	„ p. 609.	Sierra Leone.
4.	„ <i>anchorita</i> , ♀.	„ p. 609.	S. Nigeria.
5.	„ <i>goodi</i> , ♀.	„ p. 610.	Gaboon.
6.	„ <i>arceogramma</i> , ♀.	„ p. 610.	Br. C. Africa.
7.	„ <i>convergens</i> , ♂.	„ p. 610.	Cape Colony.
8.	„ <i>cælisigna</i> , ♀.	„ p. 611.	Bhutân.
9.	<i>Nertobriga soliera</i> , ♂.	„ p. 615.	Assam.
10.	„ <i>abbreviata</i> , ♂.	„ p. 616.	Borneo.
11.	<i>Neonegeta xanthobasis</i> , ♂.	„ p. 618.	S. Nigeria.
12.	„ <i>atriflava</i> , ♂.	„ p. 618.	Gold Coast.
13.	„ <i>zelia</i> , ♂.	„ p. 618.	Gambia.
14.	„ <i>purpurea</i> , ♂.	„ p. 619.	S. Nigeria.
15.	<i>Metaleptina microcyma</i> , ♂.	„ p. 621.	S. Nigeria.
16.	„ <i>albibasis</i> , ♂.	„ p. 621.	S. Nigeria.
17.	„ <i>obliterata</i> , ♂.	„ p. 621.	Gold Coast.
18.	„ <i>albilinea</i> , ♀.	„ p. 622.	S. Nigeria.
19.	„ <i>dileuca</i> , ♀.	„ p. 623.	S. Nigeria.
20.	„ <i>geminastrea</i> , ♀.	„ p. 623.	S. Nigeria.
21.	<i>Negeta molybdota</i> , ♂.	„ p. 625.	Gold Coast.
22.	„ <i>approximans</i> , ♀.	„ p. 625.	S. Nigeria.
23.	„ <i>stalactitis</i> , ♀.	„ p. 625.	S. Nigeria.
24.	„ <i>cinerascens</i> , ♂.	„ p. 626.	Gaboon.
25.	„ <i>nubilicosta</i> , ♂.	„ p. 626.	Gaboon.
26.	„ <i>phæopepla</i> , ♀.	„ p. 627.	S. Nigeria.
27.	„ <i>ochreoplaga</i> , ♂.	„ p. 627.	Congo.
28.	„ <i>mesoleuca</i> , ♂.	„ p. 628.	Gaboon.
29.	„ <i>luminosa</i> , ♂.	„ p. 628.	Congo.
30.	„ <i>ruficeps</i> , ♂.	„ p. 629.	Natal.
31.	„ <i>purpurascens</i> , ♂.	„ p. 630.	Gold Coast.
32.	„ <i>chlorocrota</i> , ♀.	„ p. 630.	Bombay.
33.	<i>Giaura bostrycoïdes</i> , ♂.	„ p. 670.	Port.W.Africa.
34.	<i>Selepa ianthina</i> , ♂.	„ p. 671.	Port.W.Africa.





PLATE CXCI.

1. <i>Negeta nivea</i> , ♂.	Vol. XI. p. 632.	Mashonaland.
2. <i>Odontestis cyphonota</i> , ♂.	„ p. 633.	Gold Coast.
3. „ <i>mesonephele</i> , ♀.	„ p. 635.	Congo.
4. <i>Neaxestis griseata</i> , ♂.	„ p. 639.	Mashonaland.
5. „ <i>rhoda</i> , ♀.	„ p. 639.	Rhodesia.
6. „ <i>mesogonia</i> , ♂.	„ p. 640.	Abyssinia.
7. „ <i>piperita</i> , ♀.	„ p. 641.	N. Nigeria.
8. <i>Arcyophora carniola</i> , ♀.	„ p. 643.	Rhodesia.
9. „ <i>stali</i> , ♂.	„ p. 645.	Bechuanaland.
10. <i>Pterogonia nerissa</i> , ♂.	„ p. 650.	Straits Settlements.
11. <i>Setoctena dives</i> , ♀.	„ p. 651.	Br. E. Africa.
12. „ <i>trigramma</i> , ♂.	„ p. 651.	Rajputana.
13. „ <i>ledereri</i> , ♂.	„ p. 652.	Germ. S.W. Africa.
14. <i>Acontia emboloscia</i> , ♂.	„ p. 653.	N. Australia.
15. „ <i>aroa</i> , ♂.	„ p. 654.	New Guinea.
16. „ <i>congenita</i> , ♂.	„ p. 657.	N. Australia.
17. „ <i>gephyrias</i> , ♂.	„ p. 659.	Aden.
18. „ <i>dinarodes</i> , ♀.	„ p. 659.	Br. E. Africa.
19. <i>Leocyma discophora</i> , ♂.	„ p. 662.	Gold Coast.
20. <i>Armactica endoleuca</i> , ♀.	„ p. 664.	W. Australia.
21. „ <i>andreusi</i> , ♂.	„ p. 665.	Christmas I.
22. „ <i>conchidia</i> , ♂.	„ p. 665.	Queensland.
23. „ „ ♀.	„ p. 665.	Queensland.
24. <i>Eutelia poliochroa</i> , ♀.	„ p. 667.	Gold Coast.
25. „ <i>glaucocyela</i> , ♀.	„ p. 668.	Rhodesia.
26. <i>Pardasena lativia</i> , ♀.	„ p. 248.	Gold Coast.
27. <i>Chloreozada endophæa</i> , ♂.	„ p. 519.	Gold Coast.
28. <i>Careades hemichlora</i> , ♂.	„ p. 538.	Buru.
29. <i>Sarrothripus cana</i> , ♀.	„ p. 268.	N. Guinea.
30. <i>Nanaguna erastioides</i> , ♀.	„ p. 257.	Borneo.
31. <i>Garella nephelota</i> , ♂.	„ p. 670.	N. Nigeria.
32. <i>Eutelia adoxodes</i> , ♀.	„ p. 667.	Angola.
33. „ <i>malanga</i> , ♂.	„ p. 668.	Port. W. Africa.
34. <i>Gigantoceras adoxodes</i> , ♀.	„ p. 669.	Angola.





CATALOGUE
OF THE
LEPIDOPTERA PHALÆNÆ
IN THE
BRITISH MUSEUM.

VOLUME XII.

PLATES CXCII—CCXXI.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.
1913.

(All rights reserved.)



CATALOGUE
OF THE
N O C T U I D Æ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

L O N D O N :
PRINTED BY ORDER OF THE TRUSTEES.
SOLD BY
LONGMANS, GREEN & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., LTD., 37 SOHO SQUARE, W.;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1913.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE CXCII.

1.	<i>Catabapta sappho</i> , ♂.	Vol. XII. p. 13.	Texas.
2.	„ <i>judith</i> , ♂.	„ p. 14.	Ohio.
3.	„ <i>residua</i> , ♀.	„ p. 16.	New York.
4.	„ <i>angusi</i> , ♂.	„ p. 16.	New York.
5.	„ <i>insolabilis</i> , ♂.	„ p. 17.	New York.
6.	„ <i>obscura</i> , ♂.	„ p. 18.	Ohio.
7.	„ <i>agrippina</i> , ♂.	„ p. 19.	Texas.
8.	„ <i>lacrymosa</i> , ♂.	„ p. 20.	New York.
9.	„ <i>dejecta</i> , ♂.	„ p. 21.	Connecticut.
10.	„ <i>vidua</i> , ♂.	„ p. 22.	New York.







PLATE CXCIH.

1.	<i>Catabapta viduata</i> , ♂.	Vol. XII. p. 23.	Texas.
2.	„ <i>retecta</i> , ♂.	„ p. 24.	Kansas.
3.	„ <i>flebilis</i> , ♂.	„ p. 25.	New York.
4.	„ <i>robinsoni</i> , ♂.	„ p. 26.	New York.
5.	„ <i>badia</i> , ♂.	„ p. 27.	New York.
6.	„ <i>innubens</i> , ♂.	„ p. 27.	Ohio.
7.	„ <i>muliercula</i> , ♂.	„ p. 29.	New Mexico.
8.	„ <i>paleogama</i> , ♂.	„ p. 30.	Ohio.
9.	„ <i>cælebs</i> , ♀.	„ p. 31.	Maine.
10.	„ <i>consors</i> , ♂.	„ p. 33.	New York.





PLATE CXCIV.

1.	<i>Catabapta serena</i> , ♂.	Vol. XII.	p. 34.	Pennsylvania.
2.	„ <i>nebulosa</i> , ♂.	„	p. 35.	New York.
3.	„ <i>piatrix</i> , ♂.	„	p. 36.	Ohio.
4.	„ <i>dionyza</i> , ♂.	„	p. 37.	Arizona.
5.	„ <i>subnata</i> , ♂.	„	p. 38.	New York.
6.	„ <i>habilis</i> , ♂.	„	p. 39.	New York.
7.	„ <i>neogama</i> , ♀.	„	p. 40.	New York.
8.	<i>Mormonia mesopotamica</i> , ♀.	„	p. 48.	Syria.
9.	„ <i>aholibah</i> , ♂.	„	p. 48.	California.
10.	„ <i>scortorum</i> , ♀.	„	p. 51.	W. China.





PLATE CXCV.

1.	<i>Mormonia delilah</i> , ♂.	Vol. XII. p. 53.	Texas.
2.	„ <i>frederici</i> , ♀.	„ p. 56.	Texas.
3.	„ <i>illecta</i> , ♀.	„ p. 56.	New York.
4.	<i>Catocala elda</i> , ♀.	„ p. 64.	Br. Columbia.
5.	„ <i>relicta</i> , ♂.	„ p. 65.	Canada.
6.	<i>Mormonia chelidonia</i> , ♂.	„ p. 54.	Arizona.
7.	<i>Catocala tristis</i> , ♂.	„ p. 64.	Massachusetts.
8.	„ <i>cara</i> , ♂.	„ p. 68.	New York.
9.	„ <i>concupbens</i> , ♂.	„ p. 70.	Maine.
10.	„ <i>sultana</i> , ♂.	„ p. 72.	Tunis.
11.	„ <i>leechi</i> , ♀.	„ p. 73.	Kashmir.
12.	„ <i>electra</i> , ♂.	„ p. 78.	Tunis.





PLATE CXCVI.



1.	<i>Catocala juncta</i> , ♂.	Vol. XII. p. 79.	E. Turkestan.
2.	„ <i>optima</i> , ♂.	„ p. 83.	E. Turkestan.
3.	„ <i>marmorata</i> , ♂.	„ p. 87.	Virginia.
4.	„ <i>amabilis</i> , ♀.	„ p. 84.	W. Turkestan.
5.	„ <i>szechuena</i> , ♂.	„ p. 86.	W. China.
6.	„ <i>timur</i> , ♂.	„ p. 80.	W. Turkestan.
7.	„ <i>desiderata</i> , ♂.	„ p. 82.	E. Turkestan.
8.	„ <i>irene</i> , ♂.	„ p. 88.	California.
9.	„ <i>californica</i> , ♂.	„ p. 90.	California.
10.	„ <i>parta</i> , ♂.	„ p. 89.	Massachusetts.
11.	„ <i>faustina</i> , ♂.	„ p. 91.	Colorado.
12.	„ <i>luciana</i> , ♂.	„ p. 92.	Colorado.





PLATE CXCVII.

1.	<i>Catocola francisca</i> , ♂.	Vol. XII. p. 96.	California.
2.	„ <i>allusa</i> , ♂.	„ p. 97.	Br. Columbia.
3.	„ <i>pura</i> , ♀.	„ p. 98.	Colorado.
4.	„ <i>unijuga</i> , ♂.	„ p. 99.	New York.
5.	„ <i>semirelicta</i> , ♂.	„ p. 100.	Manitoba.
6.	„ <i>nevadensis</i> , ♂.	„ p. 101.	California.
7.	„ <i>hermia</i> , ♀.	„ p. 102.	Colorado.
8.	„ <i>grotiana</i> , ♀.	„ p. 103.	Colorado.
9.	„ <i>briseis</i> , ♂.	„ p. 104.	Canada.
10.	„ <i>beaniana</i> , ♀.	„ p. 105.	Illinois.






PLATE CXCVIII.

1.	<i>Catocala electilis</i> , ♂.	Vol. XII. p. 93.	Mexico.
2.	„ <i>angusta</i> , ♂.	„ p. 106.	Arizona.
3.	„ <i>mescei</i> , ♂.	„ p. 107.	Wisconsin.
4.	„ <i>repudiata</i> , ♂.	„ p. 108.	W. Turkestan.
5.	„ <i>stretchi</i> , ♂.	„ p. 109.	Colorado.
6.	„ <i>hippolyta</i> , ♂.	„ p. 110.	California.
7.	„ <i>neglecta</i> , ♂.	„ p. 111.	Mongolia.
8.	„ <i>fuscinupta</i> , ♂.	„ p. 113.	Punjab.
9.	„ <i>aspasia</i> , ♂.	„ p. 116.	Utah.
10.	„ <i>junctura</i> , ♂.	„ p. 118.	New York.





PLATE CXCIX.

1.	<i>Catocala babayaga</i> , ♂.	Vol. XII.	p. 119.	Arizona.
2.	„ <i>omphale</i> , ♂.	„	p. 128.	Japan.
3.	„ <i>remissa</i> , ♂.	„	p. 120.	W. Turkestan.
4.	„ <i>clintoni</i> , ♀.	„	p. 129.	Kansas.
5.	„ <i>ilia</i> , ♂.	„	p. 120.	New York.
6.	„ <i>gracilis</i> , ♂.	„	p. 130.	New York.
7.	„ <i>contemnenda</i> , ♂.	„	p. 138.	Mongolia.
8.	„ <i>cerogama</i> , ♂.	„	p. 123.	New York.
9.	„ <i>anna</i> , ♂.	„	p. 140.	Wisconsin.
10.	„ <i>abacta</i> , ♂.	„	p. 132.	Asia Minor.
11.	„ <i>abbreviatella</i> , ♂.	„	p. 141.	Kansas.
12.	„ <i>armandi</i> , ♀.	„	p. 131.	Tibet.







PLATE CC.

1.	<i>Catocala whitneyi</i> , ♂.	Vol. XII. p. 142.	Ohio.
2.	„ <i>nuptialis</i> , ♂.	„ p. 143.	Kansas.
3.	<i>Ephesia sancta</i> , ♂.	„ p. 148.	Japan.
4.	„ <i>circe</i> , ♂.	„ p. 151.	Texas.
5.	„ <i>coccinata</i> , ♂.	„ p. 152.	Manitoba.
6.	„ <i>ophelia</i> , ♂.	„ p. 153.	California.
7.	„ <i>violenta</i> , ♂.	„ p. 154.	Arizona.
8.	„ <i>herodias</i> , ♂.	„ p. 155.	New York.
9.	„ <i>ultronia</i> , ♂.	„ p. 155.	Ohio.
10.	„ <i>verilliana</i> , ♂.	„ p. 157.	Texas.
11.	„ <i>verneri</i> , ♂.	„ p. 158.	Utah.
12.	„ <i>intacta</i> , ♀.	„ p. 159.	Japan.
13.	„ <i>helenae</i> , ♀.	„ p. 160.	E. Siberia.
14.	„ <i>minuta</i> , ♂.	„ p. 161.	New York.
15.	„ <i>olivia</i> , ♀.	„ p. 162.	Texas.
16.	„ <i>cratægi</i> , ♂.	„ p. 166.	Canada.
17.	„ <i>pretiosa</i> , ♂.	„ p. 167.	Pennsylvania.
18.	„ <i>præclara</i> , ♂.	„ p. 168.	New York.





PLATE CCI.

1.	<i>Ephesia dulciola</i> , ♀.	Vol. XII. p. 169.	Illinois.
2.	„ <i>grynea</i> , ♂.	„ p. 170.	New York.
3.	„ <i>alabamæ</i> , ♂.	„ p. 171.	Alabama.
4.	„ <i>andromache</i> , ♂.	„ p. 173.	Arizona.
5.	„ <i>flavescens</i> , ♂.	„ p. 174.	Punjab.
6.	„ <i>butleri</i> , ♂.	„ p. 175.	W. China.
7.	„ <i>desdemona</i> , ♂.	„ p. 178.	Arizona.
8.	„ <i>dotata</i> , ♂.	„ p. 182.	Punjab.
9.	„ <i>nubila</i> , ♂.	„ p. 183.	Japan.
10.	„ <i>musmi</i> , ♂.	„ p. 184.	Corea.
11.	„ <i>persimilis</i> , ♀.	„ p. 185.	Punjab.
12.	„ <i>micronympha</i> , ♂.	„ p. 186.	Kansas.
13.	„ <i>connexa</i> , ♂.	„ p. 187.	Japan.
14.	„ <i>duplicata</i> , ♂.	„ p. 189.	Japan.
15.	„ <i>similis</i> , ♂.	„ p. 194.	New York.
16.	„ <i>amasia</i> , ♂.	„ p. 195.	Kansas.
17.	„ <i>connubialis</i> , ♂.	„ p. 196.	New York.
18.	„ <i>columbina</i> , ♂.	„ p. 199.	W. China.





PLATE CCII.

1.	<i>Ephesia invasa</i> , ♂.	Vol. XII. p. 201.	W. China.
2.	„ <i>æstinabilis</i> , ♂.	„ p. 203.	W. Turkestan.
3.	<i>Audea endophæa</i> , ♂.	„ p. 210.	Nigeria.
4.	„ „ ♀.	„ p. 210.	Nigeria.
5.	„ <i>hypostigmata</i> , ♀.	„ p. 211.	Natal.
6.	„ <i>melaleuca</i> , ♂.	„ p. 213.	Transvaal.
7.	„ <i>subligata</i> , ♂.	„ p. 220.	Transvaal.
8.	„ „ ♀.	„ p. 220.	Transvaal.
9.	<i>Ulothrichopus dinava</i> , ♂.	„ p. 224.	New Guinea.
10.	„ <i>mesoleuca</i> , ♂.	„ p. 231.	Cape Colony.
11.	„ <i>trisa</i> , ♂.	„ p. 227.	Bombay.
12.	„ <i>leucopasta</i> , ♂.	„ p. 228.	Mashonaland.
13.	„ <i>glaucescens</i> , ♀.	„ p. 228.	Natal.
14.	„ <i>primulina</i> , ♂.	„ p. 229.	Natal.
15.	„ <i>phæoleuca</i> , ♂.	„ p. 230.	Br. C. Africa.
16.	„ <i>stertzi</i> , ♂.	„ p. 230.	Palestine.
17.	„ <i>tinctipennis</i> , ♀.	„ p. 232.	Bechuanaland.
18.	„ <i>phæopera</i> , ♀.	„ p. 232.	Br. E. Africa.







PLATE CCIII.

1.	<i>Herminiocala pallida</i> , ♀.	Vol. XII.	p. 235.	Costa Rica.
2.	„ <i>atomosa</i> , ♂.	„	p. 236.	Costa Rica.
3.	<i>Hypotacha nigristris</i> , ♀.	„	p. 244.	Cape Colony.
4.	<i>Crypsotidia conifera</i> , ♂.	„	p. 249.	Br. C. Africa.
5.	<i>Acanthodica cabra</i> , ♂.	„	p. 252.	Ecuador.
6.	„ <i>hages</i> , ♂.	„	p. 252.	Colombia.
7.	„ <i>grandis</i> , ♀.	„	p. 253.	Mexico.
8.	„ <i>emittens</i> , ♀.	„	p. 254.	Jamaica.
9.	„ <i>drucei</i> , ♂.	„	p. 255.	Ecuador.
10.	„ <i>lignaris</i> , ♂.	„	p. 255.	Brazil.
11.	„ <i>fosteri</i> , ♂.	„	p. 256.	Paraguay.
12.	„ <i>xylinoides</i> , ♂.	„	p. 257.	Brazil.
13.	„ <i>chiripa</i> , ♂.	„	p. 258.	Ecuador.
14.	<i>Enmonodia carneotincta</i> , ♀.	„	p. 340.	Bechuanaland.
15.	„ <i>burmanica</i> , ♂.	„	p. 342.	Burma.
16.	„ „ ♀.	„	p. 342.	Burma.
17.	<i>Speiredonia griseisigna</i> , ♂.	„	p. 348.	Mashonaland.
18.	<i>Calliodes appollina</i> , ♂.	„	p. 344.	Abyssinia.



1



7



13



2



8



14



3



9



15



4



10



16



5



11



17



6



12





18



PLATE CCIV.

1.	<i>Agonista plateni</i> , ♂.	Vol. XII. p. 268.	Borneo.
2.	„ <i>endoleuca</i> , ♂.	„ p. 269.	Sumatra.
3.	„ „ ♀.	„ p. 269.	Sumatra.
4.	„ <i>hypoleuca</i> , ♂.	„ p. 270.	Assam.
5.	„ „ ♀.	„ p. 270.	Assam.
6.	„ <i>ciliata</i> , ♂.	„ p. 272.	W. China.
7.	„ „ ♀.	„ p. 272.	W. China.
8.	<i>Nyctipao orion</i> , ♀.	„ p. 279.	Borneo.






PLATE CCV.

- | | | | |
|----|-----------------------------------|-------------------|--------------|
| 1. | <i>Nyctipao strigipennis</i> , ♂. | Vol. XII. p. 276. | Nilgiris. |
| 2. | „ „ ♀. | „ p. 276. | Nilgiris. |
| 3. | „ <i>sumatrensis</i> , ♀. | „ p. 280. | Sumatra. |
| 4. | „ <i>nyctaculis</i> , ♂. | „ p. 281. | Philippines. |
| 5. | „ <i>aerosa</i> , ♂. | „ p. 282. | Gilolo. |
| 6. | <i>Cyligramma magus</i> , ♂. | „ p. 305. | Nigeria. |
| 7. | „ „ ♀. | „ p. 305. | Nigeria. |
| 8. | „ <i>duplex</i> , ♀. | „ p. 306. | Madagascar. |





PLATE CCVI.

- | | | | |
|----|----------------------------------|-------------------|-------------|
| 1. | <i>Nyctipao macfarlanei</i> , ♂. | Vol. XII. p. 282. | Amboina. |
| 2. | „ <i>javanensis</i> , ♀. | „ p. 283. | Java. |
| 3. | „ <i>clavifera</i> , ♀. | „ p. 294. | Hongkong. |
| 4. | „ <i>dentifascia</i> , ♂. | „ p. 295. | Queensland. |
| 5. | „ „ ♀. | „ p. 295. | Queensland. |
| 6. | „ <i>variegata</i> , ♂. | „ p. 296. | Solomons. |
| 7. | „ „ ♀. | „ p. 296. | Solomons. |





PLATE CCVII.


1.	<i>Nyctipao bismarcia</i> , ♂.	Vol. XII. p. 297.	New Britain.
2.	„ „ ♀.	„ p. 297.	New Ireland.
3.	„ <i>superba</i> , ♀.	„ p. 300.	Assam.
4.	„ <i>gemmans</i> , ♂.	„ p. 299.	Bhután.
5.	„ „ ♀.	„ p. 299.	Assam.
6.	„ <i>jaintiana</i> , ♂.	„ p. 300.	Assam.
7.	„ <i>leucotænia</i> , ♂.	„ p. 298.	New Guinea.
8.	„ „ ♀.	„ p. 298.	Amboina.



1



5



2



6



3



7



4



8

Phaenocarpa pedunculata }
Phaenocarpa pedunculata }



PLATE CCVIII.

1.	<i>Cyligramma amblyops</i> , ♂.	Vol. XII. p. 309.	Gold Coast.
2.	<i>Enmonodia occidentalis</i> , ♂.	„ p. 322.	S. Leone.
3.	„ „ ♀.	„ p. 322.	Br. C. Africa.
4.	<i>Cyligramma disturbans</i> , ♂.	„ p. 310.	Madagascar.
5.	„ <i>simplex</i> , ♂.	„ p. 306.	Nigeria.
6.	„ <i>joa</i> , ♀ ab.	„ p. 311.	Madagascar.
7.	<i>Enmonodia malgassica</i> , ♂.	„ p. 324.	Madagascar.
8.	„ „ ♀.	„ p. 324.	Madagascar.
9.	<i>Cyligramma disturbans</i> . ♀.	„ p. 310.	Madagascar.





PLATE CCIX.

1. *Enmonodia plumbeifusa*, ♂. Vol. XII. p. 325. Natal.
2. ,, *pulverulenta*, ♂. ,, p. 325. Congo.
3. *Speiredonia japonica*, ♂. ,, p. 350. Japan.
4. ,, ,, ♀. ,, p. 350. Japan.
5. *Enmonodia ossigera*, ♂. ,, p. 335. Sikhim.
6. ,, *spermatophora*, ♂. ,, p. 335. Assam.
7. ,, *endoxantha*, ♂. ,, p. 326. N. Rhodesia.
8. *Speiredonia recessa*, ♂. ,, p. 353. N. Australia.
9. ,, ,, ♀. ,, p. 353. N. Australia.
10. *Enmonodia lactipex*, ♂. ,, p. 332. Borneo.



1



6




2



5



7



3



8



4



9



PLATE CCX.

- | | | | |
|-----|------------------------------------|-------------------|---------------|
| 1. | <i>Speiredonia revolvens</i> , ♂. | Vol. XII. p. 353. | N. Australia. |
| 2. | „ „ ♀. | „ p. 353. | N. Australia. |
| 3. | „ <i>sumbana</i> , ♂. | „ p. 356. | Sumba. |
| 4. | „ „ ♀. | „ p. 356. | Sumba. |
| 5. | „ <i>remota</i> , ♂. | „ p. 357. | Amboina. |
| 6. | „ „ ♀. | „ p. 357. | Amboina. |
| 7. | <i>Niguza eucesta</i> , ♀. | „ p. 373. | N. S. Wales. |
| 8. | <i>Speiredonia calaoensis</i> , ♂. | „ p. 358. | Flores. |
| 9. | „ „ ♀. | „ p. 358. | Flores. |
| 10. | <i>Donuca castalia</i> , ♂. | „ p. 364. | Queensland. |
| 11. | „ <i>xanthopyga</i> , ♂. | „ p. 365. | Queensland. |
| 12. | „ <i>memorabilis</i> , ♂. | „ p. 367. | Queensland. |
| 13. | „ <i>rubropicta</i> , ♂. | „ p. 370. | Queensland. |



1



3



2



6



10



3



7



11



4



5



8



9



12



PLATE CCXI.

- | | | |
|-------------------------------------|-------------------|---------------|
| 1. <i>Ctenusa curvilinea</i> , ♀. | Vol. XII. p. 378. | Abyssinia. |
| 2. <i>Phyllodes papuana</i> , ♀. | „ p. 393. | New Guinea. |
| 3. <i>Ctenusa pallida</i> , ♂. | „ p. 380. | N. Rhodesia |
| 4. <i>Acanthonyx pretoriæ</i> , ♂. | „ p. 383. | Transvaal. |
| 5. <i>Phyllodes imperialis</i> , ♂. | „ p. 392. | New Hebrides. |






PLATE CCXII.

1. *Dermaleipa metaxantha*, ♂. Vol. XII. p. 410. N. Australia.
2. *Phyllodes floralis*, ♂. „ p. 395. Borneo.
3. *Dermaleipa minians*, ♂. „ p. 411. Madagascar.
4. „ *arcifera*, ♀. „ p. 411. Br. E. Africa.
5. „ *metaphæa*, ♀. „ p. 413. Nigeria.
6. *Miniodes maculifera*, ♂. „ p. 404. Uganda.
7. *Phyllodes enganensis*, ♂. „ p. 396. Sumatra.





PLATE CCXIII.

- | | | |
|---------------------------------------|-------------------|---------------|
| 1. <i>Lagoptera submira</i> , ♂. | Vol. XII. p. 417. | Burma. |
| 2. „ <i>rubida</i> , ♂. | „ p. 417. | Assam. |
| 3. <i>Phyllodes roseigera</i> , ♂. | „ p. 399. | Andamans. |
| 4. <i>Lagoptera lacteicincta</i> , ♀. | „ p. 419. | Assam. |
| 5. „ <i>occidens</i> , ♀. | „ p. 420. | Gold Coast. |
| 6. „ <i>regia</i> , ♂. | „ p. 415. | N. Australia. |
| 7. „ <i>certior</i> , ♀. | „ p. 420. | Burma. |
| 8. <i>Euminucia orthogona</i> , ♂. | „ p. 422. | Gold Coast. |







PLATE CCXIV.

1. <i>Minucia viscotti</i> , ♀.	Vol. XII. p. 423.	Palestine.
2. <i>Anua hituensis</i> , ♂.	„ p. 429.	Queensland.
3. „ <i>cenricci</i> , ♂.	„ p. 433.	N. Guinea.
4. „ <i>arfaci</i> , ♂.	„ p. 434.	N. Guinea.
5. „ <i>intacta</i> , ♂.	„ p. 437.	N. Australia.
6. „ <i>umbrilinea</i> , ♂.	„ p. 439.	Damaraland.
7. „ <i>alticola</i> , ♂.	„ p. 440.	Punjab.
8. „ <i>mejanesi</i> , ♂.	„ p. 440.	Bombay.
9. „ <i>disjungens</i> , ♂.	„ p. 435.	Queensland.
10. „ <i>pelor</i> , ♂.	„ p. 431.	Madagascar.
11. „ <i>tongaensis</i> , ♀.	„ p. 434.	Friendly Is.
12. „ <i>sublutea</i> , ♀.	„ p. 437.	N. Guinea.





PLATE CCXV.

1.	<i>Anua olista</i> , ♂.	Vol. XII. p. 441.	Japan.
2.	„ <i>triphaenoides</i> , ♂.	„ p. 442.	Bombay.
3.	„ <i>verecunda</i> , ♂.	„ p. 443.	Gaboon.
4.	„ <i>dilecta</i> , ♀.	„ p. 444.	Nigeria.
5.	„ <i>finifascia</i> , ♂.	„ p. 444.	Transvaal.
6.	„ <i>violascens</i> , ♀.	„ p. 445.	Natal.
7.	„ <i>tumidilinea</i> , ♀.	„ p. 446.	Punjab.
8.	„ <i>recurvata</i> , ♂.	„ p. 446.	Gold Coast.
9.	„ <i>salita</i> , ♂.	„ p. 447.	Transvaal.
10.	„ <i>melaconisia</i> , ♂.	„ p. 448.	Mashonaland.
11.	„ <i>trapezium</i> , ♂.	„ p. 448.	Singapore.
12.	„ <i>conspicienda</i> , ♂.	„ p. 451.	Nigeria.
13.	„ <i>reducta</i> , ♂.	„ p. 452.	Madagascar.
14.	„ <i>fumida</i> , ♂.	„ p. 452.	Natal.
15.	„ <i>xylochroa</i> , ♂.	„ p. 454.	Congo.
16.	„ <i>despecta</i> , ♀.	„ p. 457.	Nigeria.
17.	„ <i>tettensis</i> , ♂.	„ p. 439.	N. Rhodesia.
18.	„ <i>hopei</i> , ♂.	„ p. 447.	Madagascar.





PLATE CCXVI.

1. *Heliophisma catocalina*, ♂. Vol. XII. p. 462. Nigeria.
2. „ *zanzabarica*, ♀. „ p. 462. Br. E. Africa.
3. „ *euryplaga*, ♂. „ p. 464. Madagascar.
4. „ *clugi*, ♂. „ p. 465. Nigeria.
5. *Prionoptera serraoidea*, ♂. „ p. 472. Ecuador.
6. *Tolna synnoides*, ♂. „ p. 477. S. Leone.
7. „ „ ♀. „ p. 477. Gold Coast.
8. „ *complicata*, ♀. „ p. 478. Madagascar.
9. *Pterocyclophora huntii*, ♂. „ p. 468. New Guinea.
10. „ „ ♀. „ p. 468. New Guinea.
11. *Tolna variegata*, ♂. „ p. 479. Cape Colony.
12. „ *sinifera*, ♀. „ p. 480. Nigeria.
13. „ *chionopera*, ♀. „ p. 479. Cameroons.
14. „ *linula*, ♀. „ p. 480. Cape Colony.
15. *Ercheia multilinea*, ♂. „ p. 484. Perak.
16. „ „ ♀. „ p. 484. Perak.
17. „ *eceiceii*, ♂. „ p. 487. New Guinea.





PLATE CCXVII.

1.	<i>Ercheia pulchrivena</i> , ♂.	Vol. XII. p. 488.	Singapore.
2.	„ <i>quadriplaga</i> , ♀.	„ p. 490.	Celebes.
3.	„ <i>dubia</i> , ♂.	„ p. 491.	Queensland.
4.	„ <i>dipterygia</i> , ♂.	„ p. 492.	Andamans.
5.	„ <i>styx</i> , ♂.	„ p. 493.	New Guinea.
6.	„ <i>umbrosa</i> , ♀.	„ p. 494.	Japan.
7.	<i>Achæa præstans</i> , ♀.	„ p. 505.	Natal.
8.	„ <i>poliopasta</i> , ♀.	„ p. 506.	Cameroons.
9.	„ <i>intercisa</i> , ♂.	„ p. 508.	Nigeria.
10.	„ <i>chrysopera</i> , ♂.	„ p. 509.	Germ. E. Africa.
11.	„ <i>dejeani</i> , ♂.	„ p. 509.	Madagascar.
*12.	„ <i>balteata</i> , ♀.	„ p. 511.	Madagascar.
13.	„ <i>catocaloides</i> , ♂.	„ p. 511.	Gold Coast.
14.	„ <i>obvia</i> , ♂.	„ p. 512.	Nigeria.
15.	„ <i>leucopera</i> , ♂.	„ p. 513.	Cameroons.
16.	„ <i>retrorsa</i> , ♂.	„ p. 514.	Madagascar.
17.	„ <i>echo</i> , ♂.	„ p. 515.	Sierra Leone.
18.	„ <i>indicabilis</i> , ♀.	„ p. 516.	Gold Coast.

* Fig. 12 (*Achæa balteata*) has been accidentally omitted, but will be given on Plate CCXXV. fig. 6.





PLATE CCXVIII.

1.	<i>Achæa trapezoides</i> , ♂.	Vol. XII. p. 525.	Mauritius.
2.	„ <i>faber</i> , ♂.	„ p. 525.	Nigeria.
3.	„ <i>indeterminata</i> , ♂.	„ p. 526.	Natal.
4.	„ <i>albicilia</i> , ♀.	„ p. 528.	Sierra Leone.
5.	„ <i>diplographa</i> , ♀.	„ p. 529.	Comoro Is.
6.	„ <i>sordida</i> , ♂.	„ p. 529.	Transvaal.
7.	„ <i>orthogramma</i> , ♂.	„ p. 519.	Madagascar.
8.	„ <i>leucopasa</i> , ♀.	„ p. 520.	Madagascar.
9.	„ <i>simplex</i> , ♀.	„ p. 520.	Morty.
10.	„ <i>seychellarum</i> , ♂.	„ p. 523.	Seychelles.
11.	„ <i>umbrigeræ</i> , ♂.	„ p. 524.	Mauritius.
12.	„ <i>thermopera</i> , ♀.	„ p. 530.	Nigeria.
13.	„ <i>phæobasis</i> , ♂.	„ p. 530.	Uganda.
14.	„ <i>albifimbria</i> , ♂.	„ p. 531.	Nigeria.
15.	„ <i>æanthodera</i> , ♂.	„ p. 531.	Nigeria.
16.	„ <i>catella</i> , ♂.	„ p. 534.	Nubia.
17.	„ <i>ædipodina</i> , ♀.	„ p. 535.	Madagascar.





PLATE CCXIX.

1.	<i>Ophisma cuprizonea</i> , ♀.	Vol. XII. p. 541.	Madagascar.
2.	„ <i>pallens</i> , ♂.	„ p. 543.	Queensland.
3.	„ <i>teterrima</i> , ♀.	„ p. 543.	Nigeria.
4.	„ <i>variata</i> , ♂.	„ p. 545.	Colombia.
5.	„ <i>tecta</i> , ♂.	„ p. 546.	Mexico.
6.	„ <i>nobilis</i> , ♂.	„ p. 546.	Costa Rica.
7.	„ <i>fulvipuncta</i> , ♂.	„ p. 547.	Costa Rica.
8.	„ <i>pyrosticha</i> , ♂.	„ p. 548.	Peru.
9.	<i>Parallelia serratilinea</i> , ♂.	„ p. 558.	New Guinea.
10.	„ <i>prisca</i> , ♂.	„ p. 558.	Samoa.
11.	„ <i>latizona</i> , ♂.	„ p. 560.	Queensland.
12.	„ <i>infractifinis</i> , ♀.	„ p. 561.	Queensland.
13.	„ <i>roulera</i> , ♂.	„ p. 561.	Ké Islands.
14.	„ <i>propyrrha</i> , ♂.	„ p. 562.	Australia.
15.	„ <i>feneratrix</i> , ♂.	„ p. 563.	Java.
16.	„ <i>lageos</i> , ♀.	„ p. 564.	Java.
17.	„ <i>umbrosa</i> , ♀.	„ p. 565.	China.
18.	„ <i>circumsignata</i> , ♂.	„ p. 565.	Assam.













PLATE CCXX.

1.	<i>Parallelia palpalis</i> , ♀.	Vol. XII. p. 566.	Gaboon.
2.	„ <i>trogosema</i> , ♀.	„ p. 567.	Nigeria.
3.	„ <i>renalis</i> , ♂.	„ p. 567.	Bombay.
4.	„ <i>proxima</i> , ♀.	„ p. 568.	Natal.
5.	„ <i>pudica</i> , ♂.	„ p. 568.	Gold Coast.
6.	„ <i>dentilinea</i> , ♀.	„ p. 569.	New Guinea.
7.	„ <i>subacuta</i> , ♂.	„ p. 569.	New Guinea.
8.	„ <i>arcifera</i> , ♂.	„ p. 570.	Gambia.
9.	„ <i>maturescens</i> , ♂.	„ p. 573.	Assam.
10.	„ <i>humilis</i> , ♂.	„ p. 574.	Sierra Leone.
11.	„ <i>insignifica</i> , ♂.	„ p. 574.	New Guinea.
12.	„ <i>absentimacula</i> , ♂.	„ p. 575.	Java.
13.	„ <i>lilacea</i> , ♂.	„ p. 575.	New Guinea.
14.	„ <i>conjunctura</i> , ♀.	„ p. 578.	Sierra Leone.
15.	„ <i>interpensa</i> , ♂.	„ p. 580.	New Guinea.
16.	„ <i>albocincta</i> , ♂.	„ p. 581.	Celebes.
17.	„ <i>expediens</i> , ♀.	„ p. 581.	Brazil.
18.	„ <i>axiniphora</i> , ♂.	„ p. 582.	Singapore.
19.	„ <i>copidophora</i> , ♂.	„ p. 583.	New Guinea.
20.	„ <i>leucogramma</i> , ♀.	„ p. 584.	New Guinea.
21.	„ <i>hercodes</i> , ♀.	„ p. 584.	W. Australia.





PLATE CCXXI.

1.	<i>Parallelia analis</i> , ♂.	Vol. XII. p. 586.	Java.
2.	„ <i>senex</i> , ♂.	„ p. 587.	N. Australia.
3.	„ <i>constricta</i> , ♀.	„ p. 589.	Queensland.
4.	„ <i>dicoela</i> , ♂.	„ p. 589.	Queensland.
5.	„ <i>vitiensis</i> , ♂.	„ p. 591.	Fiji.
6.	„ <i>latifascia</i> , ♂.	„ p. 594.	Punjab.
7.	„ <i>arctotænia</i> , ♂.	„ p. 594.	Assam.
8.	„ <i>properans</i> , ♂.	„ p. 596.	Natal.
9.	„ <i>hicanora</i> , ♂.	„ p. 598.	New Guinea.
10.	„ <i>erectata</i> , ♂.	„ p. 599.	N. Rhodesia.
11.	„ <i>consobrina</i> , ♀.	„ p. 599.	U.S.A.
12.	„ <i>similis</i> , ♂.	„ p. 600.	Georgia.
13.	„ <i>macrorhyncha</i> , ♂.	„ p. 600.	N. Rhodesia.
14.	„ <i>monogona</i> , ♂.	„ p. 601.	Queensland.
15.	„ <i>smithi</i> , ♀.	„ p. 602.	Georgia.
16.	„ <i>derogans</i> , ♂.	„ p. 602.	Cape Colony.
17.	„ <i>triplocyma</i> , ♂.	„ p. 604.	Br. C. Africa.
18.	„ <i>mandschuriana</i> , ♂.	„ p. 605.	Corea.
19.	„ <i>prorasigna</i> , ♀.	„ p. 607.	Uganda.
20.	„ <i>abnegans</i> , ♀.	„ p. 606.	Br. E. Africa.
21.	„ <i>multilineata</i> , ♀.	„ p. 608.	Sierra Leone.





CATALOGUE

OF THE

LEPIDOPTERA PHALÆNÆ

IN THE

BRITISH MUSEUM.

VOLUME XIII.


PLATES CCXXII—CCXXXIX.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1913.

(All rights reserved.)



CATALOGUE
OF THE
N O C T U I D Æ

IN THE
COLLECTION

OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY
LONGMANS, GREEN & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.
DULAU & Co., LTD., 37 SOHO SQUARE, W.;

AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1913.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE CCXXII.

1. *Parallelia palumbiodes*, ♂. Vol. XII. p. 609. Natal.
2. „ *solomonensis*, ♀. „ p. 572. Solomons.
3. *Prionoptera socorrensis*, ♂. „ p. 474. Colombia.
4. *Attatha metaleuca*, ♂. Vol. XIII. p. 11. Nigeria.
5. *Grammodes ocellata*, ♂. „ p. 15. Queensland.
6. „ *oculicola*, ♂. „ p. 15. N. S. Wales.
7. „ *pulcherrima*, ♂. „ p. 16. N. Australia.
8. „ *arenosa*, ♂. „ p. 17. W. Australia.
9. „ *justa*, ♂. „ p. 17. Queensland.
10. „ *congenita*, ♂. „ p. 18. Natal.
11. *Anua rufescens*, ♂. „ p. 331. S. Leone.
12. *Ulothrichopus maccvoodi*, ♂. „ p. 330. Burma.
13. *Grammodes cooma*, ♂. „ p. 20. Queensland.
14. „ *quæsita*, ♂. „ p. 21. Queensland.
15. „ *palæstinensis*, ♀. „ p. 25. Palestine.
16. *Chalciope pusilla*, ♂. „ p. 29. Gaboon.
17. „ *lucasi*, ♂. „ p. 31. Haiti.
18. *Cuneisigna cumamita*, ♂. „ p. 33. Transvaal.
19. „ *rivulata*, ♂. „ p. 34. Natal.
20. *Parachalciope binaria*, ♂. „ p. 36. Gaboon.
21. „ *longiplaga*, ♂. „ p. 37. Uganda.
22. „ *trigonometrica*, ♂. „ p. 38. Br. E. Africa.
23. „ *monoplaneta*, ♀. „ p. 39. Uganda.
24. „ *agonia*, ♂. „ p. 40. Uganda.
25. *Euclidisema erecta*, ♀. „ p. 41. Natal.
26. „ *alcyona*, ♂. „ p. 43. Fiji.





PLATE CCXXIII.

1.	<i>Euclidimera annexa</i> , ♂.	Vol. XIII. p.	48.	Oregon.
2.	„ <i>cærulea</i> , ♂.	„ p.	49.	California.
3.	<i>Gonospileia cuspidata</i> , ♂.	„ p.	51.	Br. Columbia.
4.	<i>Hypætra macrosticta</i> , ♂.	„ p.	58.	N. Guinea.
5.	„ <i>stigmata</i> , ♂.	„ p.	60.	Andamans.
6.	„ <i>novaguineana</i> , ♂.	„ p.	62.	N. Guinea.
7.	<i>Cænurgia adusta</i> , ♀.	„ p.	68.	Haiti.
8.	„ <i>togataria</i> , ♂.	„ p.	69.	California.
9.	„ <i>intercalaris</i> , ♂.	„ p.	70.	Arizona.
10.	„ <i>diagonalis</i> , ♂.	„ p.	71.	Arizona.
11.	„ <i>crassiuscula</i> , ♂.	„ p.	73.	Vancouver.
12.	„ <i>distincta</i> , ♂.	„ p.	74.	Alberta.
13.	<i>Mocis antillesia</i> , ♂.	„ p.	79.	Nevis.
14.	„ <i>megas</i> , ♂.	„ p.	79.	Jamaica.
15.	„ <i>cubana</i> , ♂.	„ p.	80.	Cuba.
16.	„ <i>bahamica</i> , ♂.	„ p.	81.	Bahamas.
17.	„ <i>munda</i> , ♂.	„ p.	81.	St. Lucia.
18.	„ <i>marcida</i> , ♂.	„ p.	82.	Georgia.
19.	„ <i>texana</i> , ♂.	„ p.	83.	Texas.
20.	„ <i>disseverans</i> , ♂.	„ p.	83.	Mexico.
21.	„ <i>diffluens</i> , ♂.	„ p.	86.	Mexico.
22.	„ <i>vitiensis</i> , ♂.	„ p.	89.	Fiji.
23.	„ <i>trifasciata</i> , ♂.	„ p.	93.	Navigators Is.
24.	„ <i>alterna</i> , ♂.	„ p.	95.	Queensland.
25.	„ <i>inferna</i> , ♂.	„ p.	98.	W. China.
26.	„ <i>inornata</i> , ♂.	„ p.	99.	Gaboon.
27.	„ <i>ramifera</i> , ♂.	„ p.	100.	Peru.
28.	„ <i>diplocyma</i> , ♀.	„ p.	101.	Brazil.
29.	„ <i>undifera</i> , ♀.	„ p.	101.	Ecuador.
30.	„ <i>escondida</i> , ♀.	„ p.	101.	Brazil.
31.	„ <i>propugnata</i> , ♂.	„ p.	102.	W. China.
32.	„ <i>discios</i> , ♂.	„ p.	104.	Punjab.





PLATE CCXXIV.

1. <i>Phurys immunis</i> , ♂.	Vol. XIII. p. 106.	Grenada.
2. „ <i>basilans</i> , ♂.	„ p. 108.	Paraguay.
3. „ <i>agraptæ</i> , ♂.	„ p. 108.	Br. Guiana.
4. „ <i>infecta</i> , ♂.	„ p. 109.	Haiti.
5. „ <i>bistriga</i> , ♂.	„ p. 109.	Cuba.
6. „ <i>lima</i> , ♂.	„ p. 110.	Georgia.
7. „ <i>herbarum</i> , ♂.	„ p. 110.	Texas.
8. „ <i>bistrigata</i> , ♀.	„ p. 111.	Georgia.
9. „ <i>ovalis</i> , ♀.	„ p. 111.	Arizona.
10. <i>Doryodes insularia</i> , ♂.	„ p. 114.	Bahamas.
11. „ <i>spadaria</i> , ♂.	„ p. 115.	Florida.
12. <i>Nymbis helvina</i> , ♂.	„ p. 117.	Mexico.
13. „ <i>montana</i> , ♂.	„ p. 118.	Guatemala.
14. „ <i>fuscilineata</i> , ♂.	„ p. 119.	Trinidad.
15. „ <i>inficita</i> , ♀.	„ p. 120.	Haiti.
16. „ <i>prolixa</i> , ♂.	„ p. 122.	Br. Guiana.
17. „ <i>jugis</i> , ♂.	„ p. 124.	Mexico.
18. „ <i>lineolaris</i> , ♂.	„ p. 125.	Mexico.
19. „ <i>jaliscana</i> , ♂.	„ p. 126.	Mexico.
20. „ <i>copiola</i> , ♂.	„ p. 126.	Paraguay.
21. „ <i>flexa</i> , ♂.	„ p. 127.	Brazil.
22. „ <i>moxa</i> , ♂.	„ p. 127.	Mexico.
23. „ <i>candida</i> , ♂.	„ p. 128.	Ecuador.
24. „ <i>bigutta</i> , ♀.	„ p. 128.	Mexico.
25. „ <i>navilla</i> , ♀.	„ p. 129.	Mexico.
26. „ <i>monaxa</i> , ♀.	„ p. 129.	Mexico.
27. „ <i>dimera</i> , ♀.	„ p. 130.	Mexico.
28. <i>Calyptis semicuprea</i> , ♀.	„ p. 139.	Brazil.
29. <i>Plecopterodas melliflua</i> , ♂.	„ p. 142.	Nigeria.
30. „ <i>synthes</i> , ♀.	„ p. 143.	Br. E. Africa.
31. <i>Argyrostromis bucetum</i> , ♀.	„ p. 152.	Arizona.
32. „ <i>pacalis</i> , ♂.	„ p. 153.	Florida.





PLATE CCXXV.

1.	<i>Celiptera remigioides</i> , ♂.	Vol. XIII, p. 131.	Mexico.
2.	„ <i>cometephora</i> , ♀.	„ p. 133.	Jamaica.
3.	„ <i>grisescens</i> , ♂.	„ p. 134.	Guatemala.
4.	„ <i>thericles</i> , ♀.	„ p. 135.	Fr. Guiana.
5.	„ <i>valina</i> , ♀.	„ p. 135.	Mexico.
6.	<i>Achæa balteata</i> , ♀.	Vol. XII, p. 511.	Madagascar.
7.	<i>Parallelia reactiva</i> , ♂	Vol. XIII, p. 332.	Gold Coast.
8.	<i>Tolna macrosema</i> , ♀.	„ p. 331.	Gold Coast.
9.	<i>Cymosafia pallida</i> , ♂.	„ p. 158.	Venezuela.
10.	<i>Safia rufipicta</i> , ♂.	„ p. 166.	Panama.
11.	„ <i>pascuala</i> , ♂.	„ p. 166.	Brazil.
12.	„ <i>obsolefacta</i> , ♂.	„ p. 167.	Costa Rica.
13.	„ „ ♀.	„ p. 167.	Costa Rica.
14.	„ <i>simplicior</i> , ♂.	„ p. 167.	Honduras.
15.	„ <i>endomelas</i> , ♂.	„ p. 168.	Mexico.
16.	„ <i>demera</i> , ♂.	„ p. 169.	Trinidad.
17.	„ <i>guayaquilata</i> , ♂.	„ p. 171.	Brazil.
18.	„ <i>separabilis</i> , ♀.	„ p. 171.	Brazil.
19.	„ <i>phæochroa</i> , ♂.	„ p. 172.	Brazil.





PLATE CCXXVI.

1.	<i>Argyrostrotis diffundens</i> , ♂.	Vol. XIII.	p. 153.	U.S.A.
2.	„ <i>herbicola</i> , ♂.	„	p. 153.	U.S.A.
3.	„ <i>sylvarum</i> , ♂.	„	p. 154.	U.S.A.
4.	„ <i>erasa</i> , ♂.	„	p. 154.	U.S.A.
5.	„ <i>contempta</i> , ♂.	„	p. 155.	Georgia.
6.	„ <i>obsoleta</i> , ♂.	„	p. 156.	Georgia.
7.	„ <i>quadrifilaris</i> , ♂.	„	p. 156.	New York.
8.	„ <i>anilis</i> , ♂.	„	p. 156.	Florida.
9.	<i>Anydrophila sabouraudi</i> , ♂.	„	p. 267.	Tunis.
10.	<i>Cerocala illustrata</i> , ♂.	„	p. 270.	Somaliland.
11.	<i>Anisoneura papuana</i> , ♀.	„	p. 262.	New Guinea.
12.	<i>Cerocala sana</i> , ♂.	„	p. 271.	Syria.
13.	„ <i>oppia</i> , ♀.	„	p. 272.	Somaliland.
14.	„ <i>munda</i> , ♀.	„	p. 273.	Somaliland.
15.	„ <i>vermiculosa</i> , ♂.	„	p. 275.	Cape Colony.
16.	„ <i>socotrensis</i> , ♂.	„	p. 276.	Sokotra.
17.	„ <i>orientalis</i> , ♀.	„	p. 277.	CochinChina.
18.	„ <i>masaica</i> , ♂.	„	p. 278.	Br. E. Africa.
19.	„ <i>contraria</i> , ♂.	„	p. 278.	Transvaal.
20.	<i>Leucanitis cabylaria</i> , ♀.	„	p. 280.	Tunis.
21.	„ <i>picta</i> , ♂.	„	p. 282.	Transcaspia.
22.	„ <i>christophi</i> , ♂.	„	p. 283.	Urals.
23.	<i>Matigramma nitida</i> , ♀.	„	p. 326.	Argentina.
24.	„ <i>rubrosuffusa</i> , ♂.	„	p. 327.	Arizona.
25.	„ <i>læna</i> , ♂.	„	p. 328.	Texas.
26.	„ <i>metaleuca</i> , ♂.	„	p. 329.	Arizona.
27.	„ <i>perigeana</i> , ♀.	„	p. 329.	Argentina.





PLATE CCXXVII.

1.	<i>Safia caenochroa</i> , ♂.	Vol. XIII. p. 173.	Br. Guiana.
2.	„ <i>sublimis</i> , ♂.	„ p. 177.	Costa Rica.
3.	„ <i>pacifica</i> , ♀.	„ p. 178.	Br. Guiana.
4.	„ <i>metopis</i> , ♀.	„ p. 179.	Br. Guiana.
5.	„ <i>amazonica</i> , ♀.	„ p. 180.	Brazil.
6.	„ <i>olearos</i> , ♂.	„ p. 181.	Fr. Guiana.
7.	„ <i>meretricia</i> , ♂.	„ p. 181.	Costa Rica.
8.	„ <i>leucopis</i> , ♀.	„ p. 182.	Venezuela.
9.	„ <i>aperta</i> , ♂.	„ p. 183.	Argentina.
10.	„ <i>permixta</i> , ♂.	„ p. 183.	Costa Rica.
11.	„ <i>bruma</i> , ♂.	„ p. 185.	Costa Rica.
12.	„ <i>caminata</i> , ♀.	„ p. 186.	Venezuela.
13.	„ <i>leucoplaga</i> , ♀.	„ p. 187.	Panama.
14.	„ <i>amella</i> , ♂.	„ p. 188.	Florida.
15.	„ <i>mollis</i> , ♀.	„ p. 189.	Fr. Guiana.
16.	„ <i>chalybeata</i> , ♂.	„ p. 190.	Fr. Guiana.
17.	„ <i>mintia</i> , ♂.	„ p. 190.	Venezuela.
18.	„ <i>obscura</i> , ♂.	„ p. 191.	Panama.
19.	„ <i>albidiscata</i> , ♀.	„ p. 192.	Mexico.
20.	„ <i>decessa</i> , ♀.	„ p. 193.	St. Vincent.





PLATE CCXXVIII.

1.	<i>Safia acharia</i> , ♂.	Vol. XIII. p. 193.	Brazil.
2.	„ <i>abscisa</i> , ♀.	„ p. 194.	Panama.
3.	„ <i>barata</i> , ♀.	„ p. 195.	Venezuela.
4.	„ <i>cœruleotincta</i> , ♀.	„ p. 196.	Fr. Guiana.
5.	„ <i>guapila</i> , ♂.	„ p. 196.	Costa Rica.
6.	„ <i>thermochroa</i> , ♀.	„ p. 197.	Br. Guiana.
7.	„ <i>mascara</i> , ♀.	„ p. 198.	Venezuela.
8.	„ <i>diodonta</i> , ♀.	„ p. 198.	Peru.
9.	„ <i>subvaria</i> , ♂.	„ p. 200.	Fr. Guiana.
10.	„ <i>nigrescens</i> , ♂.	„ p. 201.	Fr. Guiana.
11.	„ <i>irresoluta</i> , ♂.	„ p. 201.	Haiti.
12.	„ <i>meroleuca</i> , ♀.	„ p. 202.	Peru.
13.	„ <i>picturata</i> , ♂.	„ p. 203.	Brazil.
14.	„ <i>divaricata</i> , ♂.	„ p. 203.	Brazil.
15.	„ <i>eminens</i> , ♂.	„ p. 204.	Venezuela.
16.	„ <i>nyctichroa</i> , ♀.	„ p. 206.	Panama.
17.	„ <i>noctar</i> , ♀.	„ p. 206.	Mexico.
18.	„ <i>minax</i> , ♀.	„ p. 207.	Mexico.
19.	<i>Zale exhausta</i> , ♂.	„ p. 213.	Paraguay.
20.	„ <i>exhausta</i> , ♀.	„ p. 213.	Paraguay.





PLATE CCXXIX.

1.	<i>Zale pachystrigata</i> , ♂.	Vol. XIII.	p. 214.	Mexico.
2.	„ <i>pachystrigata</i> , ♀.	„	p. 214.	Mexico.
3.	„ <i>galactea</i> , ♂.	„	p. 215.	Mexico.
4.	„ <i>viridans</i> , ♂.	„	p. 215.	Mexico.
5.	„ <i>fictilis</i> , ♂.	„	p. 216.	Mexico.
6.	„ <i>terrosa</i> , ♂.	„	p. 217.	Mexico.
7.	„ <i>grata</i> , ♀.	„	p. 218.	Colombia.
8.	„ <i>sabena</i> , ♂.	„	p. 219.	Mexico.
9.	„ <i>configurata</i> , ♀.	„	p. 219.	Mexico.
10.	„ <i>fuliginosa</i> , ♀.	„	p. 220.	Haiti.
11.	„ <i>rufosa</i> , ♀.	„	p. 221.	Jamaica.
12.	„ <i>sexplagiata</i> , ♂.	„	p. 221.	Brazil.
13.	„ <i>salicis</i> , ♂.	„	p. 222.	California.
14.	„ <i>phæograpta</i> , ♀.	„	p. 225.	Paraguay.
15.	„ <i>unilineata</i> , ♂.	„	p. 226.	New York.
16.	„ <i>declarans</i> , ♂.	„	p. 227.	Florida.
17.	„ <i>albidula</i> , ♀.	„	p. 227.	Haiti.
18.	„ <i>galbanata</i> , ♂.	„	p. 228.	Manitoba.
19.	„ <i>galbanata</i> , ♀.	„	p. 228.	Manitoba.
20.	„ <i>edusina</i> , ♂.	„	p. 229.	Texas.
21.	„ <i>edusina</i> , ♀.	„	p. 229.	Texas.





PLATE CCXXX.

- | | | | |
|-----|----------------------------|--------------------|--------------------|
| 1. | <i>Zale æruginosa</i> , ♂. | Vol. XIII. p. 229. | Florida. |
| 2. | „ <i>undularis</i> , ♂. | „ p. 230. | Massachusetts. |
| 3. | „ <i>corvus</i> , ♂. | „ p. 231. | Mexico. |
| 4. | „ <i>coracias</i> , ♂. | „ p. 232. | Georgia. |
| 5. | „ <i>janisca</i> , ♀. | „ p. 232. | Brazil. |
| 6. | „ <i>insuda</i> , ♂. | „ p. 233. | Arizona. |
| 7. | „ <i>insuda</i> , ♀. | „ p. 233. | Arizona. |
| 8. | „ <i>minerea</i> , ♂. | „ p. 234. | New York. |
| 9. | „ <i>minerea</i> , ♀. | „ p. 234. | New York. |
| 10. | „ <i>excellens</i> , ♂. | „ p. 235. | Costa Rica. |
| 11. | „ <i>lunifera</i> , ♂. | „ p. 236. | New York. |
| 12. | „ <i>penna</i> , ♂. | „ p. 236. | New York. |
| 13. | „ <i>australis</i> , ♀. | „ p. 237. | Uruguay. |
| 14. | „ <i>benesignata</i> , ♂. | „ p. 238. | Canada. |
| 15. | „ <i>metata</i> , ♂. | „ p. 239. | New York. |
| 16. | „ <i>curema</i> , ♂. | „ p. 239. | New York. |
| 17. | „ <i>duplicata</i> , ♂. | „ p. 240. | New York. |
| 18. | „ <i>bethunei</i> , ♂. | „ p. 240. | Distr. of Columbia |
| 19. | „ <i>squamularis</i> , ♂. | „ p. 241. | Distr. of Columbia |
| 20. | „ <i>obliqua</i> , ♂. | „ p. 242. | New York. |
| 21. | „ <i>rubi</i> , ♀. | „ p. 244. | California. |





PLATE CCXXXI.

1.	<i>Zele rubiata</i> , ♂.	Vol. XIII. p. 243.	Assam.
2.	" <i>rubiata</i> , ♀.	" p. 243.	Assam.
3.	" <i>garapui</i> , ♀.	" p. 244.	Assam.
4.	" <i>colorado</i> , ♂.	" p. 245.	Colorado.
5.	" <i>colorado</i> , ♀.	" p. 245.	Colorado.
6.	" <i>disjuncta</i> , ♂.	" p. 246.	New York.
7.	" <i>calycanthata</i> , ♂.	" p. 246.	Georgia.
8.	<i>Syncoides mandarina</i> , ♂.	" p. 250.	W. China.
9.	<i>Hypogrammodes confusa</i> , ♂.	" p. 255.	Vermont.
10.	" <i>micropis</i> , ♂.	" p. 257.	Vermont.
11.	" <i>subocellata</i> , ♂.	" p. 258.	Br. Guiana.
12.	" <i>glauca</i> , ♂.	" p. 258.	Brazil.
13.	" <i>glauca</i> , ♀.	" p. 259.	Panama.
14.	<i>Clytie deria</i> , ♂.	" p. 260.	Siam.
15.	" <i>sestorchiza</i> , ♀.	" p. 260.	Palestine.
16.	" <i>sancta</i> , ♂.	" p. 261.	Siam.
17.	" <i>sancta</i> , ♀.	" p. 261.	Siam.
18.	" <i>haifia</i> , ♀.	" p. 262.	Egypt.
19.	" <i>syrdaja</i> , ♂.	" p. 263.	W. Turk.
20.	" <i>syrdaja</i> , ♀.	" p. 263.	W. Turk.
21.	" <i>syriaca</i> , ♂.	" p. 264.	Asia Min.





PLATE CCXXXII.

1.	<i>Clytie arenosa</i> , ♂.	Vol. XIII. p. 294.	Algeria.
2.	„ <i>arenosa</i> , ♀.	„ p. 294.	Algeria.
3.	„ <i>sublunaris</i> , ♂.	„ p. 295.	Mongolia.
4.	„ <i>nabataea</i> , ♀.	„ p. 296.	Palestine.
5.	„ <i>delunaris</i> , ♂.	„ p. 296.	W. Turkestan.
6.	„ <i>terrulenta</i> , ♂.	„ p. 297.	W. Turkestan.
7.	<i>Gnamptonyx obsoleta</i> , ♀.	„ p. 287.	Perim I.
8.	<i>Pericyma turbida</i> , ♂.	„ p. 300.	Rodriguez.
9.	„ <i>atrifusa</i> , ♀.	„ p. 305.	Bechuanaland.
10.	„ <i>detersa</i> , ♂.	„ p. 307.	Punjab.
11.	„ <i>metaleuca</i> , ♂.	„ p. 308.	Br. E. Africa.
12.	„ <i>squalens</i> , ♀.	„ p. 308.	Cyprus.
13.	„ <i>scandulata</i> , ♂.	„ p. 310.	Natal.
14.	<i>Cortyia diaphera</i> , ♂.	„ p. 314.	Transvaal.
15.	„ <i>metaxantha</i> , ♂.	„ p. 314.	Cape Colony.
16.	„ <i>leucoptera</i> , ♂.	„ p. 315.	Aden.
17.	„ <i>dispar</i> , ♂.	„ p. 315.	E. Turkestan.
18.	„ <i>dispar</i> , ♀.	„ p. 315.	Palestine.
19.	„ <i>fasciolata</i> , ♂.	„ p. 316.	Sudan.
20.	„ <i>balnearia</i> , ♂.	„ p. 317.	Transvaal.
21.	„ <i>impar</i> , ♂.	„ p. 317.	Punjab.
22.	„ <i>eremochroa</i> , ♀.	„ p. 318.	Bombay.
23.	„ <i>rosacea</i> , ♂.	„ p. 320.	Sokotra.
24.	„ <i>polycyma</i> , ♀.	„ p. 320.	Uganda.
25.	„ <i>phæocyma</i> , ♀.	„ p. 321.	Transvaal.
26.	„ <i>canescens</i> , ♂.	„ p. 321.	Natal.
27.	„ <i>canescens</i> , ♀.	„ p. 321.	Natal.
28.	„ <i>ruficolora</i> , ♂.	„ p. 324.	Madras.
29.	<i>Hypoglaucitis infrequens</i> , ♀.	„ p. 289.	Sind.
30.	<i>Celiptera codo</i> , ♂.	„ p. 333.	Mexico.
31.	<i>Argyrostrotis surrufula</i> , ♂.	„ p. 152.	Mexico.
32.	<i>Zale rhigodora</i> , ♂.	„ p. 225.	Mexico.





PLATE CCXXXIII.

- | | | | |
|-----|---------------------------------|--------------------|------------|
| 1. | <i>Trisuloides pygaria</i> , ♀. | Vol. XIII. p. 339. | Sumatra. |
| 2. | „ <i>papuensis</i> , ♂. | „ p. 340. | N. Guinea. |
| 3. | „ <i>sericea</i> , ♂. | „ p. 342. | Punjab. |
| 4. | „ <i>albiplaga</i> , ♂. | „ p. 344. | Assam. |
| 5. | „ <i>plumbea</i> , ♀. | „ p. 345. | Japan. |
| 6. | „ <i>variegata</i> , ♂. | „ p. 347. | Sikhim. |
| 7. | „ <i>subflava</i> , ♀. | „ p. 348. | W. China. |
| 8. | „ <i>albitessellata</i> , ♀. | „ p. 348. | Assam. |
| 9. | „ <i>entoxantha</i> , ♂. | „ p. 349. | Sikhim. |
| 10. | „ <i>flavala</i> , ♂. | „ p. 350. | Bhután. |
| 11. | „ <i>pallidipennis</i> , ♂. | „ p. 353. | Java. |
| 12. | „ <i>infausta</i> , ♀. | „ p. 353. | Assam. |
| 13. | „ <i>obscura</i> , ♂. | „ p. 354. | W. China. |
| 14. | „ <i>c-album</i> , ♀. | „ p. 356. | W. China. |
| 15. | <i>Bathyra sagata</i> , ♀. | „ p. 383. | Colombia. |
| 16. | „ <i>chavannesi</i> , ♀. | „ p. 384. | Brazil. |





PLATE CCXXXIV.

1.	<i>Elæodes acatharta</i> , ♂.	Vol. XIII.	p. 357.	Natal.
2.	„ <i>lutescens</i> , ♀.	„	p. 359.	Cape Colony.
3.	<i>Calocasia flavicornis</i> , ♀.	„	p. 362.	New York.
4.	„ <i>propinquilinea</i> , ♀.	„	p. 363.	Rhode I.
5.	<i>Diphthera acronyctoides</i> , ♂.	„	p. 367.	New York.
6.	„ <i>grisea</i> , ♂.	„	p. 367.	Formosa.
7.	„ <i>furcilla</i> , ♂.	„	p. 368.	Canada.
8.	„ <i>portlandia</i> , ♂.	„	p. 369.	Vancouver.
9.	„ <i>gigantea</i> , ♀.	„	p. 369.	Colorado.
10.	„ <i>virginaria</i> , ♀.	„	p. 370.	California.
11.	„ <i>palata</i> , ♂.	„	p. 370.	Colorado.
12.	<i>Charadra pata</i> , ♂.	„	p. 371.	Arizona.
13.	„ <i>nitens</i> , ♂.	„	p. 372.	Costa Rica.
14.	„ <i>ingenua</i> , ♂.	„	p. 373.	Colorado.
15.	„ <i>nigracreta</i> , ♂.	„	p. 375.	Mexico.
16.	„ <i>dispulsa</i> , ♂.	„	p. 376.	Texas.
17.	<i>Moma obsolescens</i> , ♀.	„	p. 377.	Punjab.
18.	„ <i>champa</i> , ♂.	„	p. 378.	Punjab.
19.	„ <i>ainu</i> , ♂.	„	p. 379.	Japan.
20.	„ <i>gypsochroa</i> , ♀.	„	p. 379.	Ceylon.
21.	„ <i>nigrescens</i> , ♂.	„	p. 382.	Ceylon.





PLATE CCXXXV.

1.	<i>Gaujonia arbosioides</i> , ♂.	Vol. XIII.	p. 386.	Ecuador.
2.	„ „ ♀.	„	p. 386.	Ecuador.
3.	„ <i>vau-nigrum</i> , ♂.	„	p. 387.	Venezuela.
4.	„ <i>renifera</i> , ♂.	„	p. 387.	Peru.
5.	<i>Lichnoptera decora</i> , ♂.	„	p. 389.	Mexico.
6.	„ „ ♀.	„	p. 389.	Mexico.
7.	„ <i>felina</i> , ♂.	„	p. 390.	Costa Rica.
8.	„ „ ♀.	„	p. 390.	Costa Rica.
9.	„ <i>cavillator</i> , ♂.	„	p. 391.	Mexico.
10.	„ „ ♀.	„	p. 391.	Mexico.
11.	„ <i>albidiscata</i> , ♂.	„	p. 392.	Colombia.
12.	„ „ ♀.	„	p. 392.	Colombia.
13.	„ <i>rufitincta</i> , ♂.	„	p. 393.	Mexico.
14.	„ <i>illudens</i> , ♂.	„	p. 394.	Panama.
15.	„ „ ♀.	„	p. 394.	Venezuela.
16.	„ <i>gulo</i> , ♂.	„	p. 394.	Colombia.
17.	„ „ ♀.	„	p. 394.	Colombia.
18.	„ <i>primulina</i> , ♀.	„	p. 395.	Colombia.
19.	„ <i>spissa</i> , ♂.	„	p. 396.	Mexico.
20.	„ <i>marmorifera</i> , ♂.	„	p. 396.	Colombia.
21.	„ <i>atrifrons</i> , ♀.	„	p. 397.	Colombia.





PLATE CCXXXVI.

- | | | | |
|-----|-------------------------------------|--------------------|----------------|
| 1. | <i>Caloplusia virgula</i> , ♂. | Vol. XIII. p. 406. | Chili. |
| 2. | „ <i>alticola</i> , ♂. | „ p. 407. | Alberta. |
| 3. | „ <i>ignea</i> , ♂. | „ p. 409. | Colorado. |
| 4. | <i>Rachiplusia pedalis</i> , ♀. | „ p. 412. | Kansas. |
| 5. | <i>Syngrapha orophila</i> , ♂. | „ p. 416. | Br. Columbia. |
| 6. | „ <i>diasema</i> , ♀. | „ p. 416. | Hudson's Bay. |
| 7. | „ <i>sacceni</i> , ♀. | „ p. 417. | Colorado. |
| 8. | „ <i>snovi</i> , ♂. | „ p. 418. | Br. Columbia. |
| 9. | „ <i>falcifera</i> , ♂. | „ p. 419. | Alberta. |
| 10. | „ <i>epigæa</i> , ♂. | „ p. 421. | Washington. |
| 11. | „ <i>selecta</i> , ♀. | „ p. 421. | Hudson's Bay. |
| 12. | <i>Lichnoptera mæstoides</i> , ♀. | „ p. 398. | Peru. |
| 13. | „ <i>mæsta</i> , ♀. | „ p. 399. | Venezuela. |
| 14. | <i>Syngrapha rectangula</i> , ♂. | „ p. 423. | New York. |
| 15. | „ <i>alias</i> , ♂. | „ p. 424. | New York. |
| 16. | „ <i>u-aureum</i> , ♂. | „ p. 424. | New York. |
| 17. | „ <i>octoscripta</i> , ♂. | „ p. 425. | Nova Scotia. |
| 18. | „ <i>arctica</i> , ♀. | „ p. 426. | Alaska. |
| 19. | „ <i>excelsa</i> , ♀. | „ p. 427. | Alberta. |
| 20. | „ <i>angulidens</i> , ♂. | „ p. 427. | Colorado. |
| 21. | „ <i>pyrenaica</i> , ♂. | „ p. 428. | Pyrenees. |
| 22. | „ <i>altera</i> , ♂. | „ p. 429. | Br. Columbia. |
| 23. | „ <i>grænlandica</i> , ♂. | „ p. 432. | Iceland. |
| 24. | „ <i>egena</i> , ♂. | „ p. 435. | Mexico. |
| 25. | „ <i>feisthameli</i> , ♂. | „ p. 436. | Fr. Guiana. |
| 26. | <i>Plusiopalpa camptogamma</i> , ♀. | „ p. 438. | Br. E. Africa. |
| 27. | <i>Chrysoptera aurata</i> , ♂. | „ p. 444. | E. Siberia. |
| 28. | „ <i>morigera</i> , ♂. | „ p. 445. | Colorado. |
| 29. | <i>Pseudeva palligera</i> , ♂. | „ p. 449. | California. |
| 30. | „ <i>rubigera</i> , ♂. | „ p. 449. | California. |





PLATE CCXXXVII.

1.	<i>Phytometra gerda</i> , ♂.	Vol. XIII. p. 455.	Tibet.
2.	„ <i>livida</i> , ♂.	„ p. 457.	Gaboon.
3.	„ <i>æneofusa</i> , ♂.	„ p. 459.	Sikhim.
4.	„ <i>fracta</i> , ♀.	„ p. 459.	Natal.
5.	„ <i>gammaloba</i> , ♂.	„ p. 463.	Madagascar.
6.	„ <i>chalcedona</i> , ♂.	„ p. 464.	Natal.
7.	„ <i>verruca</i> , ♂.	„ p. 465.	New York.
8.	„ <i>hemichalcea</i> , ♀.	„ p. 466.	Nigeria.
9.	„ <i>dorfmeisteri</i> , ♀.	„ p. 467.	Natal.
10.	„ <i>brassicæ</i> , ♂.	„ p. 467.	Missouri.
11.	„ <i>subsicens</i> , ♀.	„ p. 470.	N. S. Wales.
12.	„ <i>angulum</i> , ♂.	„ p. 471.	Natal.
13.	„ <i>tarassota</i> , ♂.	„ p. 473.	Sikhim.
14.	„ <i>eugrapha</i> , ♂.	„ p. 474.	New Guinea.
15.	„ <i>violascens</i> , ♂.	„ p. 476.	Transvaal.
16.	„ <i>microstigma</i> , ♀.	„ p. 477.	Gold Coast.
17.	„ <i>distalagma</i> , ♀.	„ p. 480.	Transvaal.
18.	„ <i>brachychalcea</i> , ♂.	„ p. 481.	Madras.
19.	„ <i>basigera</i> , ♂.	„ p. 486.	Virginia.
20.	„ <i>meretricia</i> , ♂.	„ p. 487.	Costa Rica.
21.	„ <i>caudata</i> , ♂.	„ p. 489.	Mexico.
22.	„ <i>argentifera</i> , ♂.	„ p. 489.	Tasmania.
23.	„ <i>calceolaris</i> , ♂.	„ p. 490.	Haiti.
24.	„ <i>signata</i> , ♂.	„ p. 491.	Ceylon.
25.	„ <i>rubida</i> , ♀.	„ p. 491.	Alberta.
26.	„ <i>phocina</i> , ♀.	„ p. 493.	Brazil.
27.	„ <i>oxygramma</i> , ♂.	„ p. 494.	Georgia.
28.	„ <i>cebeæ</i> , ♂.	„ p. 495.	New Guinea.
29.	„ <i>albostriata</i> , ♂.	„ p. 496.	Japan.
30.	„ <i>subchalybæa</i> , ♂.	„ p. 496.	Ceylon.
31.	„ <i>gorilla</i> , ♀.	„ p. 497.	Congo.
32.	„ <i>festata</i> , ♂.	„ p. 508.	Japan.





PLATE CCXXXVIII.

1.	<i>Phytometra putnami</i> , ♂.	Vol. XIII. p. 509.	New York.
2.	„ <i>nichollæ</i> , ♀.	„ p. 510.	Br. Columbia.
3.	„ <i>contexta</i> , ♂.	„ p. 510.	Maine.
4.	„ <i>bonaerensis</i> , ♂.	„ p. 511.	Argentina.
5.	„ <i>biloba</i> , ♂.	„ p. 512.	New York.
6.	„ <i>rhopalosema</i> , ♂.	„ p. 513.	Madras.
7.	„ <i>argyrosigna</i> , ♂.	„ p. 515.	Punjab.
8.	„ <i>agualaniata</i> , ♂.	„ p. 516.	Peru.
9.	„ <i>pyropia</i> , ♂.	„ p. 517.	Japan.
10.	„ <i>megaloba</i> , ♀.	„ p. 518.	Assam.
11.	„ <i>pannosa</i> , ♂.	„ p. 519.	Sikhim.
12.	„ <i>admonens</i> , ♂.	„ p. 520.	S. Brazil.
13.	„ <i>geminipuncta</i> , ♂.	„ p. 520.	Natal.
14.	„ <i>dalei</i> , ♂.	„ p. 521.	St. Helena.
15.	„ <i>pseudochalcytes</i> , ♂.	„ p. 523.	N. S. Wales.
16.	„ <i>camptosema</i> , ♂.	„ p. 523.	Kashmir.
17.	„ <i>precactionis</i> , ♂.	„ p. 524.	New York.
18.	„ <i>elarci</i> , ♀.	„ p. 528.	Natal.
19.	„ <i>corrusca</i> , ♂.	„ p. 529.	Washington.
20.	„ <i>labrosa</i> , ♀.	„ p. 530.	California.
21.	„ <i>bimaculata</i> , ♂.	„ p. 530.	Canada.
22.	„ <i>mappa</i> , ♀.	„ p. 533.	New Hampshire.
23.	„ <i>sehalisema</i> , ♀.	„ p. 537.	W. China.
24.	„ <i>pseudogamma</i> , ♂.	„ p. 539.	Alberta.
25.	„ <i>californica</i> , ♀.	„ p. 540.	Colorado.
26.	„ <i>flagellum</i> , ♂.	„ p. 541.	Hudson's Bay.
27.	„ <i>ou</i> , ♂.	„ p. 542.	Texas.
28.	„ <i>purpureofusa</i> , ♂.	„ p. 543.	Sikhim.
29.	„ <i>dudgeoni</i> , ♂.	„ p. 544.	Bhután.
30.	„ <i>limata</i> , ♂.	„ p. 544.	Costa Rica.
31.	„ <i>pasiphæia</i> , ♂.	„ p. 546.	California.
32.	„ <i>sansoni</i> , ♂.	„ p. 546.	Alberta.





PLATE CCXXXIX.

1.	<i>Phytometra purissima</i> , ♂.	Vol. XIII.	p. 548.	Japan.
2.	" <i>tetragona</i> , ♂.	"	p. 549.	Punjab.
3.	" <i>parabractea</i> , ♂.	"	p. 551.	W. China.
4.	" <i>metallica</i> , ♂.	"	p. 552.	California.
5.	" <i>excelsa</i> , ♀.	"	p. 553.	Japan.
6.	" <i>argyrodonata</i> , ♂.	"	p. 555.	Natal.
7.	" <i>tancrei</i> , ♂.	"	p. 556.	Tibet.
8.	" <i>transfixa</i> , ♂.	"	p. 557.	St. Helena.
9.	" <i>arachnoides</i> , ♂.	"	p. 558.	Transvaal.
10.	" <i>tetrastigma</i> , ♀.	"	p. 559.	Natal.
11.	" <i>disticta</i> , ♀.	"	p. 560.	Peru.
12.	" <i>hampsoni</i> , ♂.	"	p. 560.	W. China.
13.	" <i>maria</i> , ♂.	"	p. 562.	Palestine.
14.	" <i>augusta</i> , ♀.	"	p. 562.	Mesopotamia.
15.	" <i>inconspicua</i> , ♂.	"	p. 566.	W. Turkestan.
16.	" <i>cashmirensis</i> , ♂.	"	p. 567.	Kashmir.
17.	" <i>renardi</i> , ♀.	"	p. 568.	Mongolia.
18.	" <i>albavitta</i> , ♂.	"	p. 570.	Arizona.
19.	" <i>ampla</i> , ♂.	"	p. 570.	Alberta.
20.	" <i>æreoides</i> , ♂.	"	p. 572.	Canada.
21.	" <i>ærea</i> , ♂.	"	p. 575.	New York.
22.	" <i>balluca</i> , ♂.	"	p. 577.	Canada.
23.	" <i>florina</i> , ♂.	"	p. 579.	Madagascar.
24.	<i>Palæoplusia venusta</i> , ♂.	"	p. 582.	Alberta.
25.	<i>Abrostola formosa</i> , ♀.	"	p. 583.	New York.
26.	" <i>ovalis</i> , ♂.	"	p. 584.	New York.
27.	" <i>urentis</i> , ♂.	"	p. 585.	New York.
28.	" <i>anophioides</i> , ♂.	"	p. 588.	Sikhim.
29.	" <i>triopis</i> , ♂.	"	p. 589.	Natal.
30.	" <i>abrostolina</i> , ♂.	"	p. 589.	Japan.
31.	" <i>canariensis</i> , ♂.	"	p. 590.	Canaries.
32.	" <i>brevipennis</i> , ♂.	"	p. 591.	Natal.





210070

595.78 BB6C PLATES V09 >



a39001



007199063b

Plates

V.9-13

